

YRBS: 2007 BVSD TABLES

Seatbelts and Helmets

| Grade | Rarely or never wore seatbelts* | | | Rarely or never wore bicycle helmets** | | |
|-----------------------|---------------------------------|--------------------------|--------------------------|--|-----------------------------|-----------------------------|
| | Total | Female | Male | Total | Female | Male |
| 9th | 5.6% (4.5-6.8) | 3.3% (2.2-5.0) | 7.7% (6.1-9.8) | 55.0% (52.8-57.2) | 52.3% (49.2-55.4) | 57.3% (54.1-60.4) |
| 10th | 5.4% (4.6-6.3) | 4.3% (3.3-5.5) | 6.5% (5.4-7.9) | 56.9% (55.0-58.8) | 54.9% (52.0-57.7) | 58.7% (56.1-61.3) |
| 11th | 6.0% (5.1-7.2) | 2.3% (1.7-3.0) | 9.7% (8.0-11.7) | 61.0% (58.7-63.2) | 54.2% (50.6-57.8) | 66.3% (63.3-69.1) |
| 12th | 3.1% (2.2-4.2) | *** | 4.0% (2.6-5.8) | 50.8% (46.6-55.1) | 53.3% (47.0-59.4) | 49.0% (43.1-54.9) |
| Race/Ethnicity | | | | | | |
| White non-Hispanic | 3.4% (2.9-3.9) | *** | *** | 50.9% (49.4-52.4) | *** | *** |
| Hispanic | 13.6% (11.4-16.1) | *** | *** | 83.4% (80.3-86.1) | *** | *** |
| Other non-Hispanic | 6.2% (4.9-7.7) | *** | *** | 63.1% (58.8-67.1) | *** | *** |
| Total | 5.0% (4.5-5.6) | 3.0% (2.5-3.6) | 6.9% (6.1-7.8) | 56.1% (54.8-57.4) | 53.6% (51.7-55.6) | 58.1% (56.2-59.9) |

*When riding in a car driven by someone else

**Among the 78.2% of students who reported riding a bicycle in the past 12 months

Drinking and Driving

| | <i>Rode with a driver who had been drinking alcohol*</i> | | | <i>Drove after drinking alcohol*</i> | | |
|-----------------------|--|----------------------|----------------------|--------------------------------------|----------------------|----------------------|
| Grade | Total | Female | Male | Total | Female | Male |
| 9th | 19.2% (17.6-21.0) | 17.9% (15.8-20.3) | 20.5% (18.0-23.2) | 3.1% (2.4-4.0) | 2.8% (2.0-4.1) | 3.3% (2.3-4.8) |
| 10th | 20.6% (19.1-22.2) | 21.9% (19.8-24.3) | 19.3% (17.3-21.6) | 5.1% (4.3-6.1) | 1.5% (0.9-2.5) | 8.6% (7.1-10.3) |
| 11th | 23.4% (21.7-25.3) | 22.5% (20.0-25.2) | 24.4% (21.9-27.0) | 12.3% (11.0-13.8) | 13.2% (11.1-15.6) | 11.6% (9.8-13.5) |
| 12th | 27.5% (24.4-30.8) | 31.5% (27.2-36.2) | 23.6% (19.3-28.6) | 18.2% (15.6-21.1) | 18.0% (14.6-21.9) | 18.4% (14.7-22.8) |
| Race/Ethnicity | | | | | | |
| White non-Hispanic | 22.1% (20.8-23.4) | *** | *** | 8.2% (7.4-9.2) | *** | *** |
| Hispanic | 33.2% (29.8-36.7) | *** | *** | 18.7% (15.9-22.0) | *** | *** |
| Other non-Hispanic | 15.6% (13.0-18.7) | *** | *** | 8.5% (6.7-10.7) | *** | *** |
| Total | 22.7% (21.6-23.8) | 23.5% (22.0-25.1) | 22.0% (20.4-23.6) | 9.7% (8.9-10.6) | 8.9% (7.8-10.0) | 10.6% (9.4-11.9) |

*One or more times during the 30 days preceding the survey

Tobacco Use-cigarettes

| | <i>Ever smoked cigarettes*</i> | | | <i>Current cigarette user**</i> | | | <i>Current frequent cigarette use***</i> | | |
|-----------------------|--------------------------------|----------------------|----------------------|---------------------------------|----------------------|----------------------|--|---------------------|--------------------|
| Grade | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 30.5% (28.4-32.6) | 26.8% (24.2-29.6) | 34.0% (30.8-37.2) | 11.3% (9.9-12.8) | 10.8% (8.9-13.0) | 11.8% (9.8-14.2) | 3.4% (2.7-4.4) | 1.9% (1.2-3.0) | 4.9% (3.6-6.7) |
| 10th | 36.9% (35.1-38.7) | 35.1% (32.5-37.8) | 38.6% (36.1-41.1) | 14.1% (12.7-15.5) | 13.1% (11.2-15.2) | 15.0% (13.1-17.1) | 5.8% (4.9-6.9) | 3.9% (2.8-5.4) | 7.6% (6.2-9.3) |
| 11th | 43.0% (40.9-45.0) | 36.8% (33.8-39.9) | 49.1% (46.3-51.9) | 18.8% (17.2-20.6) | 15.2% (13.0-17.6) | 22.6% (20.2-25.3) | 6.6% (5.4-7.9) | 4.0% (2.8-5.7) | 9.2% (7.4-11.5) |
| 12th | 59.0% (55.4-62.5) | 68.6% (64.0-72.9) | 49.4% (44.1-54.8) | 23.6% (20.7-26.7) | 26.8% (22.8-31.2) | 20.3% (16.4-24.9) | 10.0% (8.0-12.4) | 10.7% (8.1-14.0) | 9.3% (6.5-13.1) |
| Race/Ethnicity | | | | | | | | | |
| White non-Hispanic | 38.7% (37.3-40.2) | *** | *** | 15.9% (14.9-17.1) | *** | *** | 6.1% (5.4-6.9) | *** | *** |
| Hispanic | 63.9% (60.5-67.1) | *** | *** | 22.7% (19.4-26.3) | *** | *** | 8.3% (5.9-11.6) | *** | *** |
| Other non-Hispanic | 43.9% (40.1-47.8) | *** | *** | 15.2% (12.9-18.0) | *** | *** | 6.7% (5.1-8.7) | *** | *** |
| Total | 42.4% (41.2-43.7) | 42.1% (40.4-43.8) | 42.8% (41.0-44.6) | 16.9% (16.0-17.9) | 16.5% (15.1-18.0) | 17.4% (16.0-18.8) | 6.4% (5.8-7.2) | 5.1% (4.3-6.1) | 7.7% (6.7-8.9) |

*Even one or two puffs

**Smoked cigarettes on 1 or more of the 30 days preceding the survey

***Smoked cigarettes on 20 or more of the 30 days preceding the survey

Tobacco use-smokeless tobacco and cigars

| Grade | Current smokeless tobacco use* | | | Current cigar use** | | | Current tobacco use*** | | |
|-----------------------|--------------------------------|-------------------|----------------------|-----------------------------|----------------------|----------------------|-----------------------------|----------------------|----------------------|
| | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 5.6% (4.7-6.7) | 1.8% (1.2-2.6) | 9.3% (7.7-11.2) | 12.4% (11.1-13.9) | 7.5% (6.1-9.2) | 17.2% (15.0-19.6) | 15.9% (14.4-17.6) | 12.8% (10.9-15.1) | 18.8% (16.6-21.4) |
| 10th | 7.2% (6.2-8.3) | 2.1% (1.2-3.8) | 12.0% (10.3-13.8) | 17.5% (16.1-18.9) | 10.3% (8.7-12.2) | 24.3% (22.2-26.5) | 20.8% (19.3-22.4) | 15.4% (13.4-17.6) | 26.0% (23.7-28.3) |
| 11th | 11.0% (9.7-12.4) | 3.3% (2.0-5.2) | 18.6% (16.4-20.9) | 21.5% (19.7-23.3) | 14.2% (11.9-16.8) | 28.4% (25.9-31.0) | 28.5% (26.6-30.5) | 19.7% (17.2-22.4) | 37.6% (34.8-40.5) |
| 12th | 12.9% (10.6-15.6) | 3.1% (1.6-5.6) | 22.1% (18.1-26.7) | 27.2% (24.1-30.4) | 15.2% (11.7-19.5) | 38.4% (33.6-43.5) | 32.9% (29.7-36.3) | 30.1% (25.9-34.7) | 35.8% (31.0-40.9) |
| Race/Ethnicity | | | | | | | | | |
| White non-Hispanic | 8.2% (7.3-9.1) | *** | *** | 19.0% (17.9-20.2) | *** | *** | 24.8% (23.6-26.1) | *** | *** |
| Hispanic | 11.8% (9.2-15.0) | *** | *** | 23.3% (20.1-26.9) | *** | *** | 26.9% (23.5-30.5) | *** | *** |
| Other non-Hispanic | 11.8% (9.6-14.4) | *** | *** | 17.9% (15.2-20.8) | *** | *** | 19.9% (17.2-22.8) | *** | *** |
| Total | 9.2% (8.4-10.0) | 2.6% (2.0-3.4) | 15.6% (14.2-17.0) | 19.7% (18.7-20.7) | 11.8% (10.6-13.2) | 27.2% (25.6-28.8) | 24.5% (23.4-25.6) | 19.6% (18.1-21.1) | 29.4% (27.8-31.0) |

*Used chewing tobacco or snuff on 1 or more of the 30 days preceding the survey

**Smoked cigars on 1 or more of the 30 days preceding the survey

***Smoked cigarettes or cigars or used chewing tobacco or snuff on 1 or more of the 30 days preceding the survey

Perceptions and beliefs-cigarettes

| | <i>Smoking 1+ packs per day is moderate or great risk</i> | | | <i>It is wrong or very wrong for someone your age to smoke</i> | | | <i>Parents feel it is wrong or very wrong for you to smoke</i> | | |
|-----------------------|---|----------------------|----------------------|--|----------------------|----------------------|--|----------------------|----------------------|
| Grade | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 91.9% (90.4-93.1) | 95.7% (94.2-96.8) | 88.2% (85.8-90.3) | 82.5% (80.8-84.2) | 86.1% (83.9-88.1) | 79.1% (76.3-81.6) | 96.8% (96.0-97.5) | 98.9% (97.8-99.5) | 94.8% (93.4-96.0) |
| 10th | 94.3% (93.3-95.2) | 95.3% (93.6-96.6) | 93.4% (91.9-94.6) | 74.4% (72.7-76.0) | 78.6% (76.3-80.8) | 70.4% (68.0-72.8) | 93.8% (92.9-94.7) | 95.8% (94.6-96.8) | 92.0% (90.4-93.3) |
| 11th | 89.8% (88.2-91.1) | 93.4% (91.2-95.1) | 86.3% (84.0-88.3) | 64.1% (62.0-66.0) | 69.8% (66.9-72.5) | 58.5% (55.7-61.4) | 91.8% (90.5-93.0) | 93.2% (91.3-94.7) | 90.6% (88.5-92.3) |
| 12th | 93.4% (91.0-95.2) | 98.0% (95.0-99.2) | 89.1% (84.9-92.2) | 63.0% (59.5-66.5) | 63.8% (59.0-68.4) | 62.3% (57.1-67.3) | 86.3% (83.6-88.6) | 89.3% (86.0-91.9) | 83.5% (79.3-87.1) |
| | | | | | | | | | |
| Race/Ethnicity | | | | | | | | | |
| White non-Hispanic | 95.3% (94.6-96.0) | *** | *** | 70.3% (68.9-71.7) | *** | *** | 93.4% (92.6-94.2) | *** | *** |
| Hispanic | 84.6% (81.8-87.0) | *** | *** | 72.2% (68.8-75.4) | *** | *** | 87.1% (83.9-89.7) | *** | *** |
| Other non-Hispanic | 83.6% (80.2-86.4) | *** | *** | 73.6% (70.3-76.7) | *** | *** | 90.8% (88.7-92.5) | *** | *** |
| | | | | | | | | | |
| Total | 92.4% (91.6-93.1) | 95.6% (94.7-96.4) | 89.2% (87.9-90.4) | 70.9% (69.7-72.1) | 74.6% (73.0-76.2) | 67.5% (65.7-69.2) | 92.2% (91.4-92.9) | 94.3% (93.3-95.2) | 90.2% (88.9-91.3) |

Alcohol Use

| Grade | Lifetime alcohol use* | | | Current alcohol use** | | | Binge drinking*** | | |
|-----------------------|-----------------------------|----------------------|----------------------|-----------------------------|----------------------|----------------------|-----------------------------|----------------------|----------------------|
| | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 49.4% (47.1-51.6) | 47.4% (44.3-50.6) | 51.0% (47.8-54.3) | 26.1% (24.2-28.1) | 28.0% (25.3-30.9) | 24.2% (21.6-27.1) | 15.1% (13.6-16.8) | 15.0% (12.8-17.5) | 15.2% (13.1-17.5) |
| 10th | 65.6% (63.8-67.3) | 64.3% (61.7-66.8) | 66.8% (64.2-69.3) | 34.0% (32.3-35.8) | 32.0% (29.6-34.6) | 35.8% (33.4-38.3) | 23.8% (22.3-25.4) | 22.9% (20.8-25.2) | 24.7% (22.6-26.9) |
| 11th | 78.1% (76.3-79.7) | 76.3% (73.7-78.8) | 79.7% (77.3-81.9) | 49.4% (47.3-51.6) | 48.9% (45.8-52.0) | 50.0% (47.0-52.9) | 31.0% (29.1-33.0) | 24.5% (21.9-27.4) | 37.4% (34.7-40.2) |
| 12th | 86.8% (83.8-89.2) | 87.7% (84.0-90.6) | 85.9% (81.1-89.6) | 59.5% (55.8-63.1) | 63.4% (58.6-67.9) | 55.6% (49.9-61.2) | 39.4% (35.9-43.0) | 44.7% (40.0-49.5) | 34.3% (29.1-39.8) |
| Race/Ethnicity | | | | | | | | | |
| White non-Hispanic | 70.8% (69.6-72.1) | *** | *** | 41.9% (40.5-43.4) | *** | *** | 28.0% (26.6-29.4) | *** | *** |
| Hispanic | 78.3% (75.4-81.0) | *** | *** | 54.0% (50.3-57.7) | *** | *** | 29.5% (26.3-32.9) | *** | *** |
| Other non-Hispanic | 60.2% (56.3-64.0) | *** | *** | 34.0% (30.4-37.8) | *** | *** | 22.5% (19.4-25.8) | *** | *** |
| Total | 70.4% (69.2-71.4) | 69.5% (68.0-71.0) | 71.1% (69.5-72.8) | 42.3% (41.1-43.6) | 43.3% (41.6-45.1) | 41.3% (39.4-43.2) | 27.4% (26.2-28.6) | 26.8% (25.2-28.4) | 28.0% (26.3-29.7) |

*More than a few sips

**Drank at least 1 drink of alcohol on 1 or more of the 30 days preceding the survey

***Drank 5 or more drinks of alcohol in a row (within a couple of hours) on 1 or more of the 30 days preceding the survey

Perceptions and beliefs-alcohol

| | <i>Drinking 1 or 2 drinks per day is moderate or great risk</i> | | | <i>It is wrong or very wrong for someone your age to drink</i> | | | <i>Parents feel it is wrong or very wrong for you to drink</i> | | |
|-----------------------|---|----------------------|----------------------|--|----------------------|----------------------|--|----------------------|----------------------|
| Grade | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 70.4% (68.4-72.4) | 78.5% (76.0-80.9) | 62.7% (59.5-65.7) | 75.4% (73.4-77.3) | 78.2% (75.6-80.7) | 72.7% (69.7-75.6) | 89.3% (87.8-90.6) | 91.9% (89.9-93.5) | 86.9% (84.6-88.8) |
| 10th | 67.6% (65.8-69.3) | 75.4% (73.0-77.7) | 60.2% (57.7-62.7) | 67.7% (66.0-69.4) | 72.7% (70.3-75.0) | 62.9% (60.4-65.3) | 88.8% (87.6-89.9) | 92.1% (90.6-93.4) | 85.6% (83.6-87.3) |
| 11th | 61.1% (59.1-63.2) | 70.8% (67.9-73.7) | 51.8% (49.0-54.7) | 59.4% (57.3-61.4) | 69.6% (66.7-72.3) | 49.8% (47.0-52.6) | 83.7% (82.0-85.3) | 88.8% (86.4-90.7) | 78.8% (76.3-81.1) |
| 12th | 61.6% (58.0-65.0) | 68.6% (63.8-73.0) | 55.1% (50.0-60.1) | 53.6% (50.1-57.1) | 61.3% (56.5-65.8) | 46.8% (41.6-51.9) | 77.4% (74.2-80.3) | 81.4% (77.0-85.2) | 73.6% (68.8-78.0) |
| | | | | | | | | | |
| Race/Ethnicity | | | | | | | | | |
| White non-Hispanic | 67.4% (66.0-68.8) | *** | *** | 63.3% (61.8-64.7) | *** | *** | 86.6% (85.4-87.6) | *** | *** |
| Hispanic | 57.3% (53.6-60.9) | *** | *** | 66.2% (62.7-69.4) | *** | *** | 73.5% (70.0-76.8) | *** | *** |
| Other non-Hispanic | 60.0% (56.2-63.7) | *** | *** | 68.3% (64.7-71.7) | *** | *** | 86.3% (83.2-88.8) | *** | *** |
| | | | | | | | | | |
| Total | 65.1% (63.9-66.3) | 73.3% (71.7-74.9) | 57.4% (55.6-59.2) | 63.9% (62.7-65.1) | 70.5% (68.8-72.0) | 57.8% (56.0-59.6) | 84.7% (83.7-85.7) | 88.5% (87.2-89.7) | 81.1% (79.6-82.6) |

Marijuana use

| | <i>Lifetime marijuana use*</i> | | | <i>Current marijuana use**</i> | | |
|-----------------------|--------------------------------|----------------------|----------------------|--------------------------------|----------------------|----------------------|
| Grade | Total | Female | Male | Total | Female | Male |
| 9th | 25.2% (23.4-27.2) | 20.4% (18.1-22.9) | 29.9% (27.0-33.0) | 17.7% (16.1-19.4) | 14.4% (12.5-16.6) | 20.8% (18.4-23.5) |
| 10th | 38.0% (36.2-39.7) | 35.3% (32.9-37.8) | 40.5% (38.0-43.1) | 24.0% (22.5-25.6) | 22.0% (20.0-24.2) | 25.9% (23.7-28.2) |
| 11th | 45.6% (43.6-47.6) | 33.6% (30.7-36.6) | 57.3% (54.6-59.9) | 28.8% (26.9-30.8) | 19.4% (17.0-22.1) | 38.0% (35.2-40.8) |
| 12th | 55.0% (51.5-58.4) | 58.8% (54.0-63.4) | 51.4% (46.2-56.6) | 34.1% (30.7-37.6) | 33.6% (29.2-38.4) | 34.5% (29.4-39.8) |
| Race/Ethnicity | | | | | | |
| White non-Hispanic | 40.3% (38.9-41.7) | *** | *** | 25.8% (24.5-27.1) | *** | *** |
| Hispanic | 50.5% (47.0-54.0) | *** | *** | 28.1% (24.8-31.6) | *** | *** |
| Other non-Hispanic | 36.5% (32.9-40.3) | *** | *** | 25.2% (22.0-28.8) | *** | *** |
| Total | 41.1% (39.9-42.3) | 37.1% (35.4-38.8) | 44.9% (43.2-46.7) | 26.2% (25.0-27.3) | 22.4% (20.9-24.0) | 29.8% (28.1-31.5) |

*Ever used marijuana

**Used marijuana 1 or more times during the 30 days preceding the survey

Perceptions and beliefs-marijuana

| | <i>Smoking marijuana regularly is a moderate or great risk</i> | | | <i>It is wrong or very wrong for someone your age to smoke marijuana</i> | | | <i>Parents feel it is wrong or very wrong for you to smoke marijuana</i> | | |
|-----------------------|--|----------------------|----------------------|--|----------------------|----------------------|--|----------------------|----------------------|
| Grade | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 65.2% (63.1-67.3) | 77.7% (75.0-80.1) | 53.3% (50.1-56.4) | 68.3% (66.2-70.3) | 71.8% (69.0-74.4) | 65.0% (61.9-68.0) | 90.4% (89.1-91.6) | 91.4% (89.5-93.0) | 89.4% (87.5-91.1) |
| 10th | 58.9% (57.0-60.7) | 64.8% (62.3-67.3) | 53.2% (50.6-55.7) | 53.7% (51.9-55.5) | 59.0% (56.4-61.6) | 48.5% (46.0-51.1) | 87.3% (86.1-88.4) | 88.2% (86.6-89.6) | 86.5% (84.6-88.2) |
| 11th | 53.2% (51.1-55.3) | 60.8% (57.8-63.8) | 45.8% (43.0-48.7) | 48.7% (46.7-50.8) | 55.3% (52.2-58.3) | 42.4% (39.7-45.2) | 85.6% (84.0-87.0) | 87.6% (85.2-89.6) | 83.7% (81.3-85.8) |
| 12th | 51.4% (47.8-54.9) | 58.2% (53.4-62.9) | 45.0% (39.8-50.3) | 45.8% (42.4-49.3) | 49.3% (44.7-54.0) | 42.5% (37.5-47.7) | 74.8% (71.4-78.0) | 77.6% (73.1-81.4) | 72.2% (66.9-77.0) |
| Race/Ethnicity | | | | | | | | | |
| White non-Hispanic | 58.2% (56.8-59.7) | *** | *** | 53.6% (52.1-55.0) | *** | *** | 84.5% (83.4-85.7) | *** | *** |
| Hispanic | 52.1% (48.5-55.6) | *** | *** | 52.6% (49.0-56.1) | *** | *** | 85.0% (81.7-87.7) | *** | *** |
| Other non-Hispanic | 56.4% (52.6-60.1) | *** | *** | 58.7% (55.0-62.4) | *** | *** | 85.2% (82.2-87.8) | *** | *** |
| Total | 57.1% (55.8-58.3) | 65.3% (63.6-67.0) | 49.3% (47.5-51.1) | 54.0% (52.8-55.2) | 58.8% (57.1-60.4) | 49.5% (47.6-51.3) | 84.5% (83.5-85.5) | 86.2% (84.8-87.4) | 82.9% (81.3-84.4) |

Early Initiation of Tobacco, Alcohol, and Marijuana Use

| Grade | <i>Smoked a whole cigarette before age 13 years</i> | | | <i>Drank alcohol before age 13 years*</i> | | | <i>Tried marijuana before age 13 years</i> | | |
|-----------------------|---|--------------------|----------------------|---|----------------------|----------------------|--|--------------------|----------------------|
| | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 10.0% (8.6-11.4) | 7.2% (5.7-9.0) | 12.6% (10.5-15.1) | 28.2% (26.2-30.3) | 24.2% (21.5-27.0) | 31.6% (28.6-34.7) | 8.4% (7.2-9.7) | 4.6% (3.4-6.0) | 12.0% (10.0-14.4) |
| 10th | 8.9% (7.7-10.1) | 5.4% (4.2-6.8) | 12.3% (10.4-14.4) | 21.9% (20.4-23.5) | 15.1% (13.3-17.0) | 28.6% (26.3-31.0) | 8.6% (7.6-9.9) | 4.8% (3.6-6.3) | 12.3% (10.5-14.3) |
| 11th | 8.2% (6.9-9.6) | 8.3% (6.4-10.6) | 8.0% (6.4-9.9) | 18.3% (16.5-20.2) | 17.2% (14.6-20.0) | 19.4% (17.0-22.0) | 6.9% (5.8-8.2) | 4.4% (3.0-6.4) | 9.4% (7.7-11.3) |
| 12th | 9.8% (7.6-12.4) | 6.4% (4.2-9.5) | 13.2% (9.7-17.6) | 23.6% (20.6-26.9) | 16.0% (12.4-20.4) | 30.6% (26.0-35.6) | 10.5% (8.4-13.1) | 9.3% (6.6-13.0) | 11.7% (8.6-15.6) |
| Race/Ethnicity | | | | | | | | | |
| White non-Hispanic | 6.8% (6.0-7.7) | *** | *** | 19.4% (18.2-20.7) | *** | *** | 7.5% (6.7-8.4) | *** | *** |
| Hispanic | 22.6% (19.3-26.1) | *** | *** | 38.6% (35.1-42.2) | *** | *** | 14.7% (12.0-18.0) | *** | *** |
| Other non-Hispanic | 9.1% (7.2-11.4) | *** | *** | 25.9% (22.5-29.7) | *** | *** | 8.4% (6.7-10.6) | *** | *** |
| Total | 9.2% (8.4-10.0) | 6.8% (5.9-7.8) | 11.5% (10.2-12.9) | 23.0% (21.8-24.1) | 17.9% (16.5-19.4) | 27.6% (25.9-29.3) | 8.6% (7.9-9.4) | 5.8% (4.8-6.8) | 11.4% (10.2-12.6) |

* More than a few sips

Substance Use on School Property-cigarettes, alcohol, marijuana

| Grade | <i>Smoked cigarettes on school property*</i> | | | <i>Drank alcohol on school property*</i> | | | <i>Used marijuana on school property*</i> | | |
|-----------------------|--|----------------------|---------------------|--|--------------------|--------------------|---|--------------------|----------------------|
| | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 5.3% (4.4-6.5) | 5.3% (4.1-6.8) | 5.4% (4.0-7.2) | 5.4% (4.4-6.5) | 5.9% (4.5-7.8) | 4.8% (3.7-6.2) | 5.7% (4.7-6.8) | 5.4% (4.2-6.9) | 6.0% (4.6-7.8) |
| 10th | 6.5% (5.6-7.6) | 5.4% (4.2-6.9) | 7.6% (6.2-9.3) | 7.6% (6.6-8.7) | 8.4% (6.9-10.2) | 6.7% (5.5-8.1) | 9.9% (8.8-11.1) | 9.3% (7.8-11.0) | 10.4% (8.8-12.3) |
| 11th | 8.5% (7.3-10.0) | 6.6% (5.0-8.7) | 10.4% (8.6-12.6) | 6.5% (5.5-7.8) | 6.0% (4.5-8.1) | 7.0% (5.7-8.6) | 9.1% (7.8-10.4) | 6.1% (4.6-8.0) | 11.9% (10.2-14.0) |
| 12th | 11.9% (9.8-14.4) | 13.6% (10.5-17.5) | 10.2% (7.6-13.8) | 7.4% (5.6-9.7) | 6.1% (3.8-9.6) | 8.6% (6.1-12.1) | 7.2% (5.4-9.3) | 7.4% (5.0-10.8) | 6.9% (4.7-10.1) |
| Race/Ethnicity | | | | | | | | | |
| White non-Hispanic | 7.4% (6.6-8.3) | *** | *** | 5.5% (4.8-6.3) | *** | *** | 7.7% (6.9-8.5) | *** | *** |
| Hispanic | 10.4% (8.0-13.5) | *** | *** | 12.4% (9.8-15.5) | *** | *** | 11.2% (8.8-14.1) | *** | *** |
| Other non-Hispanic | 8.3% (6.6-10.5) | *** | *** | 8.4% (6.4-10.8) | *** | *** | 6.6% (5.1-8.4) | *** | *** |
| Total | 8.1% (7.4-8.9) | 7.7% (6.7-8.9) | 8.4% (7.4-9.5) | 6.7% (6.0-7.4) | 6.6% (5.5-7.7) | 6.8% (5.9-7.8) | 7.9% (7.3-8.7) | 7.0% (6.1-8.1) | 8.8% (7.8-9.9) |

*One or more times during the last 30 days preceding the survey

Substance Use on School Property-tobacco and drugs

| | <i>Tobacco use on school property*</i> | | | <i>Offered, sold, or given an illegal drug on school property**</i> | | |
|-----------------------|--|-------------------|----------------------|---|----------------------|----------------------|
| Grade | Total | Female | Male | Total | Female | Male |
| 9th | 4.2% (3.4-5.1) | 1.8% (1.2-2.6) | 6.5% (5.1-8.1) | 35.0% (33.0-37.1) | 32.0% (29.3-34.9) | 37.8% (34.9-40.9) |
| 10th | 4.0% (3.3-4.8) | 0.6% (0.2-1.3) | 7.3% (6.0-8.7) | 35.2% (33.5-37.0) | 32.5% (30.1-35.0) | 37.8% (35.4-40.4) |
| 11th | 7.8% (6.7-9.0) | 2.2% (1.1-4.1) | 13.3% (11.5-15.3) | 37.9% (35.9-39.9) | 29.4% (26.8-32.2) | 46.0% (43.2-48.9) |
| 12th | 8.2% (6.3-10.7) | *** | 15.2% (11.7-19.5) | 31.9% (28.6-35.5) | 32.6% (28.2-37.4) | 31.3% (26.3-36.7) |
| Race/Ethnicity | | | | | | |
| White non-Hispanic | 5.0% (4.4-5.8) | *** | *** | 34.6% (33.2-36.0) | *** | *** |
| Hispanic | 8.8% (6.5-11.9) | *** | *** | 34.4% (31.0-37.9) | *** | *** |
| Other non-Hispanic | 8.9% (6.9-11.3) | *** | *** | 35.9% (32.2-39.8) | *** | *** |
| Total | 6.1% (5.4-6.8) | 1.4% (0.9-2.0) | 10.6% (9.4-11.8) | 35.0% (33.8-36.2) | 31.6% (30.0-33.3) | 38.2% (36.4-40.0) |

* Cigarettes, cigars, chewing tobacco, or snuff on 1 or more of the 30 days preceding the survey

** During the 12 months preceding the survey

Safety and Self-Injury

| | <i>Felt safe in their neighborhood*</i> | | | <i>Felt too unsafe to go to school**</i> | | | <i>Intentionally self-injured***</i> | | |
|-----------------------|---|----------------------|----------------------|--|-------------------|---------------------|--------------------------------------|----------------------|----------------------|
| Grade | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 89.3% (87.8-90.6) | 91.6% (89.8-93.2) | 87.1% (84.7-89.2) | 4.9% (4.0-6.0) | 4.3% (3.3-5.6) | 5.5% (4.1-7.3) | 18.7% (17.0-20.4) | 22.2% (19.8-24.8) | 15.3% (13.2-17.7) |
| 10th | 91.1% (89.9-92.1) | 91.2% (89.5-92.7) | 91.0% (89.3-92.4) | 5.6% (4.8-6.6) | 4.0% (3.0-5.3) | 7.2% (6.0-8.6) | 22.1% (20.6-23.7) | 29.8% (27.4-32.3) | 14.7% (12.8-16.8) |
| 11th | 92.6% (91.3-93.8) | 94.5% (92.5-96.0) | 90.8% (88.8-92.4) | 4.9% (4.0-6.1) | 2.7% (1.5-4.7) | 7.1% (5.7-8.8) | 17.7% (16.1-19.5) | 20.2% (17.8-22.9) | 15.4% (13.2-17.8) |
| 12th | 90.3% (87.6-92.4) | 92.7% (88.9-95.3) | 88.0% (83.8-91.2) | 7.6% (5.8-9.9) | 4.1% (2.3-7.4) | 10.8% (8.0-14.4) | 11.5% (9.5-13.9) | 12.6% (9.8-16.1) | 10.5% (7.7-14.0) |
| Race/Ethnicity | | | | | | | | | |
| White non-Hispanic | 95.6% (95.0-96.2) | *** | *** | 2.8% (2.3-3.3) | *** | *** | 16.5% (15.5-17.5) | *** | *** |
| Hispanic | 75.9% (72.5-79.0) | *** | *** | 15.6% (13.0-18.7) | *** | *** | 22.1% (19.1-25.4) | *** | *** |
| Other non-Hispanic | 80.7% (77.1-83.9) | *** | *** | 12.3% (10.0-15.0) | *** | *** | 18.5% (16.1-21.2) | *** | *** |
| Total | 90.8% (90.0-91.6) | 92.6% (91.4-93.5) | 89.2% (87.9-90.4) | 5.8% (5.2-6.5) | 3.8% (3.1-4.7) | 7.7% (6.7-8.8) | 17.5% (16.6-18.4) | 21.2% (19.9-22.6) | 13.9% (12.7-15.2) |

*Most of the time or always

**On 1 or more of the 30 days preceding the survey

***Self-injured (such as cutting or burning) without wanting to die during the 12 months preceding the survey

Harassment-ethnic/race or LGB

| Grade | Harassed* | | | Harassed because of race or ethnic origin* | | | Harassed because someone thought they were lesbian, gay, or bisexual* | | |
|--------------------|-----------------------------|----------------------|----------------------|--|--------------------|---------------------|---|-------------------|----------------------|
| | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 42.1% (39.9-44.4) | 43.3% (40.1-46.5) | 41.0% (37.8-44.3) | 9.2% (7.9-10.7) | 8.2% (6.6-10.1) | 10.2% (8.3-12.6) | 8.8% (7.5-10.2) | 5.2% (3.9-7.0) | 12.1% (10.2-14.4) |
| 10th | 37.2% (35.4-39.1) | 32.6% (30.0-35.3) | 41.5% (38.9-44.2) | 6.0% (5.1-7.1) | 4.8% (3.5-6.5) | 7.3% (6.1-8.7) | 6.0% (5.2-7.0) | 3.8% (2.8-5.0) | 8.2% (6.9-9.8) |
| 11th | 26.8% (24.8-28.8) | 23.8% (21.2-26.7) | 29.6% (26.8-32.5) | 6.1% (5.0-7.3) | 2.9% (1.9-4.3) | 9.1% (7.3-11.2) | 4.8% (3.8-5.9) | 2.8% (1.8-4.3) | 6.7% (5.2-8.5) |
| 12th | 23.7% (20.6-27.1) | 25.6% (21.4-30.4) | 21.7% (17.6-26.6) | 7.4% (5.6-9.6) | 3.4% (1.8-6.3) | 11.2% (8.3-15.0) | 5.5% (4.1-7.3) | 3.9% (2.3-6.5) | 7.0% (5.0-9.8) |
| | | | | | | | | | |
| Race/Ethnicity | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| White non-Hispanic | 30.9% (29.6-32.3) | *** *** | *** *** | 3.4% (3.0-4.0) | *** *** | *** *** | 4.8% (4.3-5.4) | *** *** | *** *** |
| Hispanic | 30.6% (27.0-34.5) | *** *** | *** *** | 19.4% (16.3-23.1) | *** *** | *** *** | 11.4% (8.9-14.5) | *** *** | *** *** |
| Other non-Hispanic | 41.2% (37.2-45.3) | *** *** | *** *** | 18.9% (15.9-22.3) | *** *** | *** *** | 9.2% (7.5-11.3) | *** *** | *** *** |
| | | | | | | | | | |
| Total | 32.3% (31.1-33.6) | 31.2% (29.4-32.9) | 33.5% (31.8-35.2) | 7.2% (6.5-7.9) | 4.8% (4.0-5.7) | 9.5% (8.4-10.7) | 6.2% (5.7-6.9) | 3.9% (3.2-4.7) | 8.5% (7.6-9.5) |

*At school (or on the way to school) during the 12 months preceding the survey

Harassment-religion, appearance, unwanted sexual attention

| Grade | <i>Harassed because of religious beliefs*</i> | | | <i>Harassed because of weight, size, physical appearance*</i> | | | <i>Received unwanted sexual comments or attention*</i> | | |
|-----------------------|---|-------------------|--------------------|---|----------------------|----------------------|--|----------------------|----------------------|
| | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 5.5% (4.5-6.8) | 5.6% (4.3-7.3) | 5.4% (4.0-7.3) | 17.1% (15.4-19.0) | 18.0% (15.6-20.8) | 16.2% (13.9-18.8) | 21.3% (19.5-23.2) | 29.0% (26.2-31.8) | 14.0% (11.8-16.6) |
| 10th | 6.2% (5.4-7.1) | 4.8% (3.8-6.1) | 7.5% (6.4-8.8) | 14.0% (12.8-15.4) | 14.1% (12.3-16.0) | 14.0% (12.4-15.8) | 18.9% (17.5-20.4) | 27.9% (25.6-30.3) | 10.3% (8.7-12.1) |
| 11th | 4.4% (3.5-5.4) | 3.6% (2.5-5.1) | 5.1% (3.9-6.6) | 9.0% (7.8-10.4) | 7.9% (6.3-10.0) | 10.0% (8.2-12.2) | 19.5% (17.8-21.2) | 26.9% (24.3-29.8) | 12.4% (10.7-14.4) |
| 12th | 7.1% (5.4-9.3) | 4.6% (2.8-7.5) | 9.6% (7.0-13.0) | 11.2% (9.1-13.8) | 14.1% (10.9-18.0) | 8.6% (5.9-12.3) | 16.5% (13.9-19.4) | 17.7% (14.4-21.7) | 15.3% (11.7-19.7) |
| Race/Ethnicity | | | | | | | | | |
| White non-Hispanic | 3.7% (3.2-4.2) | *** *** | *** *** | 12.0% (11.1-12.9) | *** *** | *** *** | 18.7% (17.6-19.8) | *** *** | *** *** |
| Hispanic | 9.3% (6.9-12.4) | *** *** | *** *** | 12.0% (9.4-15.1) | *** *** | *** *** | 20.5% (17.5-23.9) | *** *** | *** *** |
| Other non-Hispanic | 13.8% (11.2-16.8) | *** *** | *** *** | 17.0% (14.2-20.2) | *** *** | *** *** | 20.4% (17.4-23.8) | *** *** | *** *** |
| Total | 5.8% (5.2-6.5) | 4.6% (3.9-5.5) | 6.9% (6.0-7.9) | 12.8% (11.9-13.7) | 13.4% (12.2-14.8) | 12.2% (11.0-13.4) | 19.0% (18.0-20.1) | 25.4% (23.9-26.8) | 13.0% (11.7-14.4) |

*At school (or on the way to school) during the 12 months preceding the survey

Violence-weapons and physical fights

| Grade | <i>Carried a weapon*</i> | | | <i>Carried a gun*</i> | | | <i>In a physical fight**</i> | | |
|-----------------------|-----------------------------|--------------------|----------------------|----------------------------|-------------------|---------------------|------------------------------|----------------------|----------------------|
| | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 9.0% (7.6-10.6) | 3.6% (2.4-5.3) | 14.2% (11.9-16.9) | 3.6% (2.8-4.5) | *** | 6.5% (5.2-8.2) | 30.6% (28.6-32.6) | 19.1% (16.7-21.7) | 41.4% (38.3-44.6) |
| 10th | 14.2% (12.9-15.6) | 5.4% (4.2-7.1) | 22.6% (20.6-24.8) | 5.5% (4.8-6.4) | 2.2% (1.4-3.2) | 8.8% (7.6-10.3) | 27.2% (25.5-28.9) | 16.2% (14.3-18.3) | 37.9% (35.4-40.4) |
| 11th | 15.6% (14.0-17.2) | 5.5% (4.0-7.5) | 25.0% (22.5-27.7) | 3.6% (2.8-4.7) | 1.6% (0.8-3.4) | 5.5% (4.2-7.2) | 21.7% (20.0-23.5) | 11.2% (9.3-13.3) | 31.7% (29.1-34.5) |
| 12th | 13.2% (10.9-15.7) | 7.3% (5.0-10.6) | 18.5% (15.0-22.6) | 6.0% (4.5-8.1) | *** | 10.8% (8.0-14.4) | 25.7% (22.7-29.0) | 20.0% (16.4-24.1) | 31.3% (26.5-36.5) |
| Race/Ethnicity | | | | | | | | | |
| White non-Hispanic | 10.8% (9.9-11.7) | *** | *** | 2.9% (2.4-3.5) | *** | *** | 24.5% (23.3-25.8) | *** | *** |
| Hispanic | 22.8% (19.7-26.3) | *** | *** | 12.0% (9.5-15.1) | *** | *** | 32.6% (29.2-36.2) | *** | *** |
| Other non-Hispanic | 14.5% (12.1-17.2) | *** | *** | 7.4% (5.8-9.3) | *** | *** | 28.6% (25.3-32.0) | *** | *** |
| Total | 13.0% (12.2-13.9) | 5.5% (4.6-6.5) | 20.1% (18.8-21.6) | 4.7% (4.2-5.3) | 1.3% (0.9-2.0) | 7.9% (7.0-9.0) | 26.3% (25.2-27.4) | 16.6% (15.3-18.0) | 35.6% (33.8-37.3) |

*On 1 or more of the 30 days preceding the survey

**One or more times during the 12 months preceding the survey

Violence-weapons and physical fights on school property

| Grade | <i>In physical fight on school property*</i> | | | <i>Carried a weapon on school property**</i> | | | <i>Threatened or injured with a weapon on school property*</i> | | |
|-----------------------|--|--------------------|----------------------|--|-------------------|---------------------|--|-------------------|----------------------|
| | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 14.0% (12.5-15.7) | 8.0% (6.3-10.0) | 19.8% (17.3-22.5) | 2.2% (1.5-3.2) | *** | 3.3% (2.1-4.9) | 8.7% (7.4-10.1) | 3.9% (2.8-5.5) | 13.2% (11.1-15.5) |
| 10th | 12.9% (11.6-14.2) | 6.3% (5.0-8.0) | 19.2% (17.2-21.4) | 5.5% (4.7-6.5) | *** | 9.7% (8.3-11.4) | 7.0% (6.1-8.0) | 2.1% (1.4-3.2) | 11.7% (10.1-13.4) |
| 11th | 10.0% (8.7-11.5) | 5.5% (4.0-7.5) | 14.3% (12.3-16.6) | 6.8% (5.7-8.0) | 2.2% (1.3-3.8) | 11.0% (9.3-13.0) | 7.1% (6.0-8.4) | 3.3% (2.0-5.3) | 10.7% (8.9-12.8) |
| 12th | 11.4% (9.2-14.0) | 7.5% (5.3-10.4) | 15.1% (11.6-19.4) | 5.4% (3.9-7.5) | 4.1% (2.4-7.0) | 6.6% (4.3-10.0) | 8.5% (6.6-10.9) | 3.0% (1.4-6.1) | 13.6% (10.4-17.5) |
| Race/Ethnicity | | | | | | | | | |
| White non-Hispanic | 9.8% (9.0-10.7) | *** | *** | 3.4% (2.9-3.9) | *** | *** | 5.2% (4.6-5.9) | *** | *** |
| Hispanic | 20.9% (17.9-24.2) | *** | *** | 9.0% (6.7-12.0) | *** | *** | 15.4% (12.6-18.6) | *** | *** |
| Other non-Hispanic | 15.0% (12.3-18.1) | *** | *** | 7.2% (5.4-9.6) | *** | *** | 13.8% (11.5-16.4) | *** | *** |
| Total | 12.1% (11.2-12.9) | 6.8% (5.9-7.8) | 17.1% (15.7-18.5) | 5.0% (4.4-5.6) | 2.2% (1.6-3.0) | 7.7% (6.8-8.7) | 7.8% (7.1-8.6) | 3.1% (2.4-3.9) | 12.3% (11.1-13.5) |

*One or more times during the 12 months preceding the survey

**One or more times during the 30 days preceding the survey

Violence-sexual assault and dating violence

| | <i>Ever forced to have sexual intercourse</i> | | | <i>Ever touched sexually when they did not want to be touched*</i> | | | <i>Hurt by boyfriend/girlfriend**</i> | | |
|-----------------------|---|----------------------|----------------------|--|----------------------|----------------------|---------------------------------------|----------------------|----------------------|
| Grade | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 8.8% (7.6-10.2) | 9.0% (7.5-10.9) | 8.6% (6.8-10.6) | 17.7% (16.0-19.5) | 24.5% (22.0-27.2) | 11.2% (9.3-13.5) | 12.2% (10.8-13.8) | 9.9% (8.1-12.0) | 14.4% (12.3-16.8) |
| 10th | 7.0% (6.0-8.0) | 8.9% (7.5-10.6) | 5.1% (4.0-6.4) | 16.0% (14.6-17.4) | 22.0% (19.8-24.3) | 10.3% (8.7-12.1) | 9.6% (8.6-10.8) | 6.1% (4.9-7.4) | 13.1% (11.3-15.0) |
| 11th | 7.7% (6.5-9.0) | 6.0% (4.6-7.8) | 9.3% (7.5-11.4) | 18.9% (17.1-20.6) | 27.8% (25.0-30.7) | 10.1% (8.3-12.4) | 11.8% (10.4-13.4) | 6.6% (5.2-8.4) | 16.7% (14.4-19.3) |
| 12th | 16.7% (14.3-19.4) | 20.0% (16.5-24.1) | 13.6% (10.6-17.4) | 20.1% (17.4-23.1) | 26.1% (22.1-30.6) | 14.6% (11.2-18.7) | 15.0% (12.7-17.6) | 13.7% (10.6-17.6) | 16.1% (13.0-19.7) |
| | | | | | | | | | |
| Race/Ethnicity | | | | | | | | | |
| White non-Hispanic | 7.8% (7.0-8.7) | *** *** | *** *** | 16.8% (15.7-17.9) | *** *** | *** *** | 10.2% (9.3-11.1) | *** *** | *** *** |
| Hispanic | 16.3% (13.4-19.5) | *** *** | *** *** | 23.3% (20.1-26.8) | *** *** | *** *** | 17.4% (14.6-20.5) | *** *** | *** *** |
| Other non-Hispanic | 17.8% (15.0-20.9) | *** *** | *** *** | 20.8% (17.9-24.1) | *** *** | *** *** | 18.3% (15.7-21.1) | *** *** | *** *** |
| | | | | | | | | | |
| Total | 10.0% (9.3-10.9) | 11.0% (9.9-12.2) | 9.2% (8.1-10.4) | 18.1% (17.2-19.2) | 25.1% (23.6-26.7) | 11.6% (10.4-12.9) | 12.2% (11.3-13.0) | 9.0% (8.0-10.2) | 15.1% (13.8-16.4) |

*Other than forced sexual intercourse

**Hit, slapped, or physically hurt on purpose during the 12 months preceding the survey

Suicide

| Grade | <i>Felt sad or hopeless*</i> | | | <i>Seriously considered attempting suicide**</i> | | | <i>Attempted suicide**</i> | | |
|-----------------------|------------------------------|----------------------|----------------------|--|----------------------|----------------------|-----------------------------|---------------------|---------------------|
| | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 19.0% (17.4-20.8) | 24.8% (22.2-27.6) | 13.6% (11.8-15.8) | 12.9% (11.5-14.4) | 18.9% (16.7-21.4) | 7.2% (5.7-8.9) | 8.4% (7.2-9.8) | 11.3% (9.6-13.3) | 5.6% (4.1-7.6) |
| 10th | 26.0% (24.4-27.7) | 31.4% (28.9-33.9) | 20.9% (18.9-23.1) | 20.1% (18.7-21.6) | 23.5% (21.4-25.7) | 16.8% (15.0-18.8) | 7.7% (6.7-8.9) | 8.9% (7.4-10.7) | 6.5% (5.1-8.2) |
| 11th | 24.2% (22.4-26.1) | 27.0% (24.3-29.8) | 21.6% (19.1-24.2) | 13.4% (11.9-15.0) | 14.4% (12.4-16.8) | 12.4% (10.4-14.6) | 8.5% (7.2-10.1) | 7.9% (6.2-10.1) | 9.2% (7.2-11.6) |
| 12th | 28.1% (25.0-31.3) | 34.1% (29.8-38.7) | 22.4% (18.2-27.2) | 12.7% (10.5-15.3) | 12.8% (10.0-16.2) | 12.6% (9.4-16.7) | 7.2% (5.5-9.4) | *** | 11.3% (8.4-15.0) |
| Race/Ethnicity | | | | | | | | | |
| White | 22.7% (21.5-24.0) | *** *** | *** *** | 13.7% (12.8-14.7) | *** *** | *** *** | 5.1% (4.6-5.7) | *** *** | *** *** |
| Hispanic | 32.8% (29.4-36.4) | *** *** | *** *** | 21.2% (18.2-24.5) | *** *** | *** *** | 21.2% (17.8-25.0) | *** *** | *** *** |
| Other | 25.7% (22.5-29.2) | *** *** | *** *** | 14.6% (12.4-17.3) | *** *** | *** *** | 12.2% (9.6-15.3) | *** *** | *** *** |
| Total | 24.4% (23.3-25.5) | 29.3% (27.8-31.0) | 19.7% (18.2-21.2) | 14.8% (13.9-15.6) | 17.4% (16.2-18.7) | 12.3% (11.1-13.5) | 8.0% (7.3-8.7) | 7.7% (6.9-8.7) | 8.2% (7.1-9.4) |

*Almost every day, 2 weeks or more, during the 12 months preceding the survey

**During the 12 months preceding the survey

Other Drug use-cocaine, inhalants, and ecstasy use

| | <i>Lifetime cocaine use*</i> | | | <i>Lifetime Inhalant use**</i> | | | <i>Lifetime ecstasy use***</i> | | |
|-----------------------|------------------------------|----------------------|----------------------|--------------------------------|----------------------|----------------------|--------------------------------|----------------------|----------------------|
| Grade | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 5.0% (4.1-6.0) | 5.7% (4.5-7.3) | 4.2% (3.0-5.8) | 10.5% (9.2-12.0) | 12.7% (10.9-14.8) | 8.3% (6.5-10.6) | 4.3% (3.5-5.2) | 3.0% (2.1-4.1) | 5.6% (4.2-7.2) |
| 10th | 9.1% (8.0-10.4) | 7.4% (5.9-9.4) | 10.7% (9.1-12.6) | 11.1% (9.8-12.4) | 12.6% (10.8-14.7) | 9.5% (7.9-11.4) | 7.6% (6.5-8.8) | 5.2% (3.8-7.1) | 9.9% (8.4-11.7) |
| 11th | 8.9% (7.6-10.3) | 5.5% (4.0-7.4) | 12.2% (10.3-14.3) | 12.0% (10.6-13.6) | 11.6% (9.5-14.0) | 12.4% (10.5-14.6) | 9.6% (8.3-11.2) | 7.7% (6.0-10.0) | 11.5% (9.5-13.7) |
| 12th | 15.5% (13.1-18.4) | 17.9% (14.3-22.1) | 13.4% (10.2-17.4) | 10.0% (8.0-12.3) | 13.7% (10.8-17.2) | 6.5% (4.2-10.1) | 15.6% (13.2-18.3) | 16.6% (13.4-20.4) | 14.6% (11.2-18.9) |
| Race/Ethnicity | | | | | | | | | |
| White non-Hispanic | 8.3% (7.4-9.3) | *** | *** | 9.6% (8.8-10.5) | *** | *** | 7.8% (7.0-8.8) | *** | *** |
| Hispanic | 19.8% (16.6-23.5) | *** | *** | 19.3% (16.2-22.8) | *** | *** | 19.5% (16.3-23.2) | *** | *** |
| Other non-Hispanic | 8.2% (6.6-10.2) | *** | *** | 9.5% (7.6-11.8) | *** | *** | 7.5% (5.9-9.5) | *** | *** |
| Total | 9.7% (8.9-10.6) | 9.1% (8.0-10.4) | 10.2% (9.1-11.4) | 10.9% (10.1-11.7) | 12.6% (11.5-13.9) | 9.2% (8.1-10.4) | 9.4% (8.6-10.2) | 8.2% (7.1-9.4) | 10.5% (9.3-11.8) |

*Ever tried any form of cocaine (e.g., "powder," "crack," or "freebase")

**Ever sniffed glue or breathed the contents of aerosol spray cans or inhaled any paints to get high

***Ever used ecstasy

Other Drug use-lifetime heroin, methamphetamine, and steroid use

| Grade | Lifetime heroin use* | | | Lifetime methamphetamine use ** | | | Lifetime illegal steroid use*** | | |
|-----------------------|----------------------------|-------------------|-------------------|---------------------------------|-------------------|--------------------|---------------------------------|-------------------|--------------------|
| | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 3.2% (2.4-4.1) | 2.9% (2.0-4.1) | 3.5% (2.4-5.1) | 4.2% (3.4-5.2) | 3.5% (2.6-4.8) | 4.8% (3.6-6.5) | 3.1% (2.3-4.0) | 3.4% (2.6-4.6) | 2.7% (1.6-4.4) |
| 10th | 3.9% (3.1-4.9) | 1.6% (0.9-3.0) | 6.1% (4.9-7.6) | 5.4% (4.6-6.4) | *** | 9.6% (8.1-11.4) | 5.7% (4.8-6.8) | 3.2% (2.3-4.6) | 8.1% (6.6-9.8) |
| 11th | 4.3% (3.4-5.5) | 1.6% (0.8-3.4) | 6.9% (5.3-8.8) | 5.9% (4.8-7.2) | 3.3% (2.1-5.1) | 8.5% (6.8-10.6) | 5.6% (4.6-7.0) | 3.9% (2.6-5.7) | 7.4% (5.7-9.5) |
| 12th | 4.7% (3.3-6.7) | 3.9% (2.2-6.8) | 5.4% (3.4-8.6) | 6.2% (4.5-8.6) | 5.9% (3.8-9.0) | 6.6% (4.0-10.6) | 6.6% (4.9-8.8) | 5.1% (3.2-8.0) | 8.0% (5.3-11.7) |
| Race/Ethnicity | | | | | | | | | |
| White non-Hispanic | 2.0% (1.6-2.5) | *** | *** | 3.8% (3.2-4.5) | *** | *** | 3.2% (2.6-3.9) | *** | *** |
| Hispanic | 11.8% (9.2-15.1) | *** | *** | 12.1% (9.4-15.6) | *** | *** | 13.4% (10.7-16.7) | *** | *** |
| Other non-Hispanic | 7.0% (5.5-9.0) | *** | *** | 7.7% (6.1-9.7) | *** | *** | 7.6% (6.1-9.5) | *** | *** |
| Total | 4.0% (3.5-4.6) | 2.5% (1.9-3.4) | 5.5% (4.6-6.5) | 5.5% (4.8-6.2) | 3.4% (2.7-4.3) | 7.4% (6.4-8.6) | 5.3% (4.7-6.0) | 3.9% (3.2-4.8) | 6.6% (5.6-7.7) |

*Ever used heroin (also called smack, junk, or China White)

**Ever used methamphetamines (also called speed, crystal, crank, or ice)

***Ever taken steroid pills or shots without a doctor's prescription

Other Drug use-other drugs and current cocaine/methamphetamine use

| Grade | Lifetime use of other illegal drugs* | | | Current cocaine use** | | | Current methamphetamine use*** | | |
|--------------------|--------------------------------------|---------------------------|-----------------------------|--------------------------|--------------------------|--------------------------|--------------------------------|--------------------------|--------------------------|
| | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 7.2% (6.1-8.5) | 4.2% (3.1-5.6) | 10.2% (8.3-12.4) | 2.0% (1.4-2.8) | 1.8% (1.2-2.9) | 2.1% (1.2-3.5) | 2.6% (1.9-3.4) | 2.4% (1.7-3.2) | 2.8% (1.8-4.3) |
| 10th | 12.0% (10.7-13.4) | 6.4% (5.0-8.1) | 17.4% (15.3-19.6) | 4.7% (3.8-5.7) | 2.6% (1.7-4.1) | 6.6% (5.3-8.2) | 3.7% (3.1-4.6) | *** | 6.8% (5.6-8.2) |
| 11th | 13.2% (11.8-14.9) | 7.7% (6.0-9.9) | 18.5% (16.3-21.1) | 4.7% (3.8-5.8) | 2.7% (1.6-4.6) | 6.7% (5.4-8.2) | 3.4% (2.5-4.5) | *** | 5.6% (4.1-7.5) |
| 12th | 19.3% (16.6-22.2) | 20.3% (16.6-24.5) | 18.3% (14.7-22.6) | 5.2% (3.7-7.2) | 6.1% (3.9-9.4) | 4.3% (2.5-7.1) | 1.9% (0.9-3.9) | *** | *** |
| | | | | | | | | | |
| Race/Ethnicity | | | | | | | | | |
| White non-Hispanic | 11.7% (10.7-12.8) | *** | *** | 3.0% (2.5-3.6) | *** | *** | 1.2% (1.0-1.6) | *** | *** |
| Hispanic | 21.6% (18.4-25.2) | *** | *** | 10.7% (8.2-13.8) | *** | *** | 8.6% (6.3-11.7) | *** | *** |
| Other non-Hispanic | 10.4% (8.6-12.7) | *** | *** | 4.0% (2.9-5.6) | *** | *** | 5.5% (4.2-7.3) | *** | *** |
| | | | | | | | | | |
| Total | 13.0% (12.1-13.9) | 9.7% (8.5-11.0) | 16.2% (14.8-17.6) | 4.1% (3.6-4.8) | 3.3% (2.6-4.3) | 4.9% (4.2-5.8) | 2.9% (2.4-3.4) | 1.3% (0.8-1.9) | 4.4% (3.7-5.4) |

*Ever used any other type of illegal drugs, such as LSD (acid), PCP, mushrooms, Ketamine (Special K), Rohypnol (Roofies), or GHB

**Used any form of cocaine (e.g. "powder," "crack," or "freebase") 1 or more times during the 30 days preceding the survey

***During the 30 days preceding the survey

Sexual Behaviors- sexual intercourse and sexual activity

| Grade | <i>Ever had sexual intercourse</i> | | | <i>Currently sexually active*</i> | | |
|-----------------------|------------------------------------|----------------------|----------------------|-----------------------------------|----------------------|----------------------|
| | Total | Female | Male | Total | Female | Male |
| 9th | 13.6% (12.1-15.2) | 8.0% (6.4-9.9) | 19.0% (16.6-21.6) | 9.2% (8.0-10.5) | 6.0% (4.8-7.5) | 12.3% (10.4-14.5) |
| 10th | 19.7% (18.1-21.3) | 17.8% (15.8-20.0) | 21.6% (19.3-24.2) | 11.8% (10.5-13.2) | 10.7% (9.0-12.7) | 12.9% (11.0-15.1) |
| 11th | 35.2% (33.1-37.4) | 35.8% (32.8-39.0) | 34.6% (31.8-37.5) | 27.4% (25.5-29.4) | 28.9% (26.0-32.0) | 25.9% (23.3-28.6) |
| 12th | 54.1% (50.5-57.7) | 53.3% (48.5-58.1) | 54.9% (49.4-60.2) | 40.1% (36.6-43.8) | 38.9% (34.3-43.7) | 41.3% (36.0-46.8) |
| Race/Ethnicity | | | | | | |
| White non-Hispanic | 28.4% (27.0-29.9) | *** *** | *** *** | 21.4% (20.1-22.8) | *** *** | *** *** |
| Hispanic | 49.0% (45.2-52.8) | *** *** | *** *** | 28.5% (24.9-32.4) | *** *** | *** *** |
| Other non-Hispanic | 29.0% (25.1-33.2) | *** *** | *** *** | 20.5% (17.1-24.3) | *** *** | *** *** |
| Total | 31.0% (29.8-32.3) | 29.1% (27.4-30.8) | 33.0% (31.1-35.0) | 22.5% (21.3-23.7) | 21.4% (19.9-23.0) | 23.5% (21.7-25.4) |

*Sexual intercourse during the 3 months preceding the survey

Sexual Behaviors- 13 or younger and multiple sex partners

| | <i>First sexual intercourse under age 13</i> | | | <i>Four or more partners during lifetime</i> | | |
|-----------------------|--|-------------------|-------------------|--|----------------------|----------------------|
| Grade | Total | Female | Male | Total | Female | Male |
| 9th | 3.6% (2.9-4.5) | 1.8% (1.4-2.4) | 5.3% (4.0-7.0) | 3.9% (3.2-4.8) | 2.5% (1.8-3.4) | 5.4% (4.1-6.9) |
| 10th | 3.2% (2.6-4.1) | 2.3% (1.6-3.4) | 4.2% (3.1-5.6) | 2.9% (2.3-3.7) | *** | 5.5% (4.4-6.9) |
| 11th | 2.4% (1.7-3.4) | 1.9% (1.0-3.5) | 2.9% (1.9-4.5) | 9.3% (8.0-10.8) | 6.8% (5.1-9.0) | 11.9% (9.9-14.2) |
| 12th | 2.3% (1.6-3.4) | *** | 4.6% (3.1-6.8) | 16.1% (13.4-19.1) | 17.1% (13.7-21.2) | 15.0% (11.1-20.1) |
| Race/Ethnicity | | | | | | |
| White non-Hispanic | 1.4% (1.1-1.8) | *** | *** | 6.7% (5.8-7.6) | *** | *** |
| Hispanic | 7.0% (5.5-8.9) | *** | *** | 18.3% (15.0-22.1) | *** | *** |
| Other non-Hispanic | 8.2% (6.3-10.7) | *** | *** | 7.5% (5.2-10.6) | *** | *** |
| Total | 2.9% (2.5-3.3) | 1.5% (1.1-1.9) | 4.3% (3.6-5.1) | 8.2% (7.4-9.1) | 6.8% (5.8-8.1) | 9.6% (8.3-11.0) |

Sexual Behaviors- condoms, alcohol/drugs, and pregnancy

| | <i>Condom use during last sexual intercourse*</i> | | | <i>Alcohol or drug use at last sexual intercourse*</i> | | | <i>Have been pregnant or gotten someone pregnant</i> | | |
|-----------------------|---|----------------------|----------------------|--|----------------------|----------------------|--|-------------------|-------------------|
| Grade | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 69.5% (62.2-75.9) | 57.8% (46.2-68.6) | 75.1% (65.5-82.7) | 40.0% (33.3-47.1) | 44.1% (33.1-55.7) | 38.1% (30.0-46.9) | 1.0% (0.6-1.6) | *** | *** |
| 10th | 90.0% (84.9-93.6) | 94.4% (89.3-97.2) | 86.2% (77.5-91.9) | 40.6% (34.4-47.1) | 40.3% (31.3-49.9) | 40.9% (32.4-50.0) | 1.5% (1.1-2.2) | 1.5% (0.9-2.3) | 1.6% (0.9-2.7) |
| 11th | 68.0% (63.6-72.1) | 68.1% (61.6-74.0) | 67.9% (61.9-73.3) | 34.7% (30.6-39.0) | 31.2% (25.4-37.8) | 38.5% (33.0-44.4) | 3.0% (2.3-4.1) | 2.8% (1.8-4.4) | 3.2% (2.2-4.7) |
| 12th | 62.9% (56.7-68.7) | 61.2% (52.8-69.0) | 64.5% (55.3-72.8) | 19.4% (14.9-24.8) | 29.2% (22.8-36.6) | 10.2% (5.0-19.9) | 2.0% (1.1-3.4) | *** | *** |
| Race/Ethnicity | | | | | | | | | |
| White non-Hispanic | 69.6% (65.7-73.2) | *** | *** | 26.6% (23.4-30.0) | *** | *** | 1.2% (0.9-1.5) | *** | *** |
| Hispanic | 68.2% (59.6-75.7) | *** | *** | 30.9% (24.3-38.5) | *** | *** | 6.4% (4.5-9.0) | *** | *** |
| Other non-Hispanic | 61.1% (50.8-70.5) | *** | *** | 35.9% (27.6-45.1) | *** | *** | 2.0% (1.0-4.0) | *** | *** |
| Total | 68.6% (65.2-71.8) | 67.5% (62.7-71.9) | 69.7% (64.8-74.2) | 28.8% (26.0-31.8) | 32.3% (28.3-36.6) | 25.7% (21.9-29.9) | 1.9% (1.5-2.3) | 1.5% (1.1-2.1) | 2.3% (1.7-3.0) |

*Among the 22.5% of students who are currently sexually active.

Body Weight-overweight

| | <i>At risk for becoming overweight*</i> | | | <i>Overweight*</i> | | | <i>Thought they were overweight</i> | | |
|-----------------------|---|--------------------|----------------------|-----------------------------|--------------------|----------------------|-------------------------------------|----------------------|----------------------|
| Grade | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 10.2% (9.0-11.7) | 6.2% (4.9-7.8) | 14.2% (12.1-16.6) | 6.4% (5.2-7.8) | 3.3% (2.2-4.9) | 9.5% (7.6-11.8) | 19.0% (17.3-20.7) | 25.6% (23.1-28.3) | 12.5% (10.6-14.8) |
| 10th | 7.1% (6.1-8.1) | 7.2% (5.9-8.8) | 6.9% (5.7-8.4) | 7.3% (6.3-8.5) | 8.3% (6.7-10.2) | 6.4% (5.3-7.7) | 19.8% (18.3-21.4) | 26.7% (24.3-29.1) | 13.2% (11.6-15.1) |
| 11th | 8.3% (7.2-9.7) | 6.1% (4.7-7.9) | 10.6% (8.8-12.6) | 8.3% (7.2-9.5) | 4.2% (3.0-5.8) | 12.3% (10.6-14.2) | 18.8% (17.0-20.6) | 21.9% (19.2-24.8) | 15.8% (13.7-18.2) |
| 12th | 7.4% (5.7-9.6) | 8.7% (6.7-11.3) | 6.3% (3.8-10.1) | 2.9% (1.8-4.5) | *** | 4.3% (2.4-7.5) | 16.1% (13.6-19.0) | 19.2% (15.7-23.3) | 13.2% (9.8-17.8) |
| Race/Ethnicity | | | | | | | | | |
| White non-Hispanic | 7.9% (7.2-8.7) | *** | *** | 4.4% (4.0-5.0) | *** | *** | 16.5% (15.4-17.6) | *** | *** |
| Hispanic | 9.5% (7.5-11.9) | *** | *** | 17.2% (14.2-20.8) | *** | *** | 24.8% (21.6-28.3) | *** | *** |
| Other non-Hispanic | 8.5% (6.4-11.3) | *** | *** | 7.4% (5.8-9.2) | *** | *** | 20.9% (18.0-24.1) | *** | *** |
| Total | 8.2% (7.6-9.0) | 7.0% (6.2-7.9) | 9.4% (8.4-10.6) | 6.3% (5.7-6.9) | 4.4% (3.7-5.1) | 8.1% (7.2-9.1) | 18.4% (17.4-19.4) | 23.3% (21.9-24.8) | 13.7% (12.4-15.1) |

*Based on body mass index reference data from the National Center for Health Statistics

Body Weight-weight loss

| | <i>Attempting weight loss</i> | | | <i>Exercised to lose weight or avoid gaining weight*</i> | | | <i>Ate less food, fewer calories, or foods low in fat to avoid weight gain*</i> | | |
|-----------------------|-------------------------------|----------------------|----------------------|--|----------------------|----------------------|---|----------------------|----------------------|
| Grade | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 33.9% (31.9-36.0) | 47.8% (44.8-50.8) | 20.6% (18.1-23.4) | 56.7% (54.5-58.8) | 66.3% (63.5-69.0) | 47.5% (44.4-50.6) | 30.0% (28.0-32.0) | 43.3% (40.4-46.3) | 17.2% (14.8-19.9) |
| 10th | 38.4% (36.6-40.1) | 56.6% (54.0-59.2) | 20.9% (18.9-23.0) | 50.0% (48.2-51.8) | 65.1% (62.6-67.6) | 35.7% (33.3-38.1) | 32.1% (30.5-33.8) | 49.0% (46.4-51.6) | 15.7% (13.9-17.7) |
| 11th | 33.6% (31.6-35.6) | 48.5% (45.4-51.6) | 19.4% (17.3-21.8) | 53.2% (51.1-55.3) | 66.8% (63.8-69.6) | 40.2% (37.3-43.1) | 29.4% (27.5-31.4) | 42.5% (39.5-45.6) | 17.1% (15.0-19.4) |
| 12th | 27.3% (24.2-30.6) | 44.1% (39.4-49.0) | 11.9% (8.7-16.1) | 48.8% (45.3-52.4) | 59.3% (54.5-64.0) | 39.2% (34.1-44.4) | 28.5% (25.4-31.8) | 40.6% (35.9-45.3) | 17.4% (13.7-22.0) |
| Race/Ethnicity | | | | | | | | | |
| White non-Hispanic | 32.1% (30.8-33.4) | *** | *** | 51.6% (50.1-53.1) | *** | *** | 29.8% (28.5-31.1) | *** | *** |
| Hispanic | 40.8% (37.3-44.2) | *** | *** | 56.9% (53.3-60.3) | *** | *** | 29.8% (26.6-33.2) | *** | *** |
| Other non-Hispanic | 31.8% (28.3-35.5) | *** | *** | 48.8% (45.0-52.6) | *** | *** | 29.8% (26.6-33.2) | *** | *** |
| Total | 33.3% (32.1-34.4) | 49.3% (47.5-51.0) | 18.1% (16.8-19.5) | 52.1% (50.9-53.4) | 64.4% (62.7-66.0) | 40.6% (38.8-42.4) | 30.0% (28.9-31.2) | 43.9% (42.1-45.6) | 16.8% (15.5-18.3) |

*During the 30 days preceding the survey

Body Weight - unhealthy weight loss practices

| | <i>Fasting 24 hours or more to lose weight or to avoid gaining weight*</i> | | | <i>Took diet pills, powders, or liquids to lose weight or to avoid gaining weight**</i> | | | <i>Vomited or took laxatives to lose weight or to avoid gaining weight*</i> | | |
|-----------------------|--|----------------------|-------------------|---|--------------------|-------------------|---|--------------------|-------------------|
| Grade | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 9.3% (8.0-10.8) | 12.1% (10.1-14.4) | 6.7% (5.1-8.7) | 3.3% (2.5-4.4) | 2.7% (1.8-4.1) | 3.9% (2.7-5.6) | 5.1% (4.1-6.2) | 6.1% (4.8-7.7) | 4.1% (2.9-5.8) |
| 10th | 8.4% (7.2-9.6) | 13.3% (11.4-15.5) | 3.6% (2.6-4.9) | 5.4% (4.5-6.4) | 5.6% (4.3-7.2) | 5.2% (4.1-6.6) | 5.8% (5.0-6.8) | 7.6% (6.2-9.2) | 4.2% (3.2-5.4) |
| 11th | 8.0% (6.8-9.3) | 10.0% (8.2-12.1) | 6.0% (4.5-8.0) | 6.0% (4.8-7.4) | 6.6% (4.8-9.0) | 5.4% (4.1-7.2) | 5.9% (4.9-7.2) | 7.2% (5.6-9.3) | 4.7% (3.4-6.4) |
| 12th | 6.2% (4.7-8.1) | 8.5% (6.2-11.6) | 4.0% (2.3-6.7) | 5.5% (4.1-7.4) | 8.5% (5.8-12.2) | 2.8% (1.9-4.1) | 5.4% (3.9-7.5) | 8.6% (6.1-11.9) | 2.5% (1.1-5.8) |
| Race/Ethnicity | | | | | | | | | |
| White non-Hispanic | 5.6% (5.1-6.3) | *** *** | *** *** | 2.9% (2.4-3.5) | *** *** | *** *** | 3.5% (3.1-4.1) | *** *** | *** *** |
| Hispanic | 15.5% (12.7-18.8) | *** *** | *** *** | 13.0% (10.6-15.8) | *** *** | *** *** | 9.5% (7.5-11.9) | *** *** | *** *** |
| Other non-Hispanic | 13.7% (11.2-16.8) | *** *** | *** *** | 9.4% (7.4-12.0) | *** *** | *** *** | 12.8% (10.0-16.4) | *** *** | *** *** |
| Total | 7.9% (7.3-8.7) | 11.0% (9.9-12.1) | 5.0% (4.2-6.0) | 5.1% (4.5-5.7) | 5.8% (4.9-7.0) | 4.3% (3.7-5.1) | 5.6% (5.0-6.2) | 7.4% (6.4-8.4) | 3.8% (3.1-4.7) |

*During the 30 days preceding the survey

**During the 30 days preceding the survey (not including meal replacement products, such as Slim Fast)

Physical Activity

| | <i>Participated in vigorous physical activity*</i> | | | <i>Played on one or more sports teams**</i> | | | <i>Got enough sleep***</i> | | |
|-----------------------|--|----------------------|----------------------|---|----------------------|----------------------|----------------------------|-------------------|--------------------|
| Grade | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| 9th | 70.6% (68.7-72.5) | 68.4% (65.7-70.9) | 72.8% (69.8-75.6) | 72.2% (70.2-74.2) | 72.7% (69.9-75.4) | 71.8% (68.8-74.6) | 6.6% (5.5-7.8) | 5.3% (4.2-6.8) | 7.7% (6.1-9.7) |
| 10th | 66.2% (64.5-67.9) | 60.1% (57.5-62.6) | 72.1% (69.8-74.4) | 59.6% (57.8-61.4) | 57.9% (55.3-60.4) | 61.3% (58.9-63.7) | 5.1% (4.3-6.0) | 4.9% (3.8-6.3) | 5.2% (4.1-6.6) |
| 11th | 69.8% (67.9-71.7) | 65.6% (62.6-68.4) | 73.9% (71.2-76.5) | 68.6% (66.5-70.6) | 65.6% (62.5-68.6) | 71.4% (68.6-74.1) | 6.3% (5.3-7.5) | 4.3% (3.0-6.1) | 8.2% (6.8-9.9) |
| 12th | 65.8% (62.3-69.1) | 58.3% (53.6-62.9) | 72.8% (67.9-77.1) | 63.5% (60.0-66.9) | 61.3% (56.6-65.8) | 65.5% (60.1-70.5) | 4.2% (2.8-6.1) | *** | 8.0% (5.4-11.6) |
| Race/Ethnicity | | | | | | | | | |
| White non-Hispanic | 70.6% (69.2-71.9) | *** | *** | 67.2% (65.8-68.6) | *** | *** | 5.0% (4.4-5.6) | *** | *** |
| Hispanic | 59.1% (55.7-62.4) | *** | *** | 58.7% (55.0-62.3) | *** | *** | 10.2% (8.0-13.0) | *** | *** |
| Other non-Hispanic | 63.1% (59.6-66.5) | *** | *** | 66.2% (62.7-69.6) | *** | *** | 4.9% (3.2-7.4) | *** | *** |
| Total | 68.1% (66.9-69.3) | 63.1% (61.4-64.7) | 72.9% (71.2-74.5) | 65.9% (64.7-67.1) | 64.3% (62.7-66.0) | 67.5% (65.7-69.2) | 5.5% (4.9-6.1) | 3.6% (3.1-4.3) | 7.3% (6.3-8.4) |

*For at least 60 minutes on 3 or more of the 7 days preceding the survey

**During the 12 months preceding the survey, including those run by school or community groups

***Enough sleep to feel rested upon waking in the morning 7 out of the 7 days preceding the survey