

YRBS: 2007 BOULDER COUNTY Tables

Seatbelts and Helmets

	<i>Rarely or never wore seatbelts*</i>			<i>Rarely or never wore bicycle helmets**</i>		
Grade	Total	Female	Male	Total	Female	Male
9th	5.2% (4.4-6.0)	3.2% (2.4-4.2)	7.0% (5.9-8.4)	62.7% (61.2-64.2)	62.3% (60.1-64.4)	63.1% (60.9-65.2)
10th	7.2% (6.4-8.2)	4.4% (3.6-5.5)	10.0% (8.6-11.5)	69.9% (68.4-71.4)	70.4% (68.2-72.6)	69.5% (67.4-71.5)
11th	7.5% (6.5-8.7)	4.1% (3.1-5.4)	10.7% (9.0-12.6)	67.6% (65.8-69.4)	65.0% (61.8-68.0)	69.5% (67.2-71.8)
12th	2.4% (1.8-3.2)	***	3.6% (2.6-5.1)	60.3% (57.1-63.4)	59.7% (54.7-64.5)	60.8% (56.5-64.8)
Race/Ethnicity						
White, non-Hispanic	3.9% (3.5-4.4)	***	***	59.3% (58.1-60.4)	***	***
Hispanic	10.6% (9.3-12.1)	***	***	87.6% (85.6-89.4)	***	***
Other, non-Hispanic	6.5% (5.3-7.8)	***	***	69.6% (66.4-72.5)	***	***
Sexual Orientation						
Heterosexual	5.0% (4.6-5.5)	***	***	65.2% (64.2-66.2)	***	***
LGBQ	7.5% (5.7-9.8)	***	***	63.7% (59.4-67.7)	***	***
Total	5.6% (5.2-6.0)	3.2% (2.8-3.7)	7.8% (7.2-8.6)	65.4% (64.4-66.3)	64.7% (63.2-66.2)	65.8% (64.5-67.2)

*When riding in a car driven by someone else

**Among the 76.3% of students who rode a bicycle during the 12 months preceding the survey

Drinking and Driving

	<i>Rode with a driver who had been drinking alcohol*</i>			<i>Drove after drinking alcohol*</i>		
Grade	Total	Female	Male	Total	Female	Male
9th	20.4% (19.2-21.7)	19.7% (18.1-21.4)	21.2% (19.4-23.1)	3.6% (3.0-4.3)	3.1% (2.4-4.0)	4.1% (3.2-5.2)
10th	23.1% (21.8-24.5)	23.7% (21.7-25.7)	22.5% (20.7-24.5)	6.6% (5.8-7.5)	5.0% (4.0-6.3)	8.1% (6.9-9.4)
11th	25.2% (23.6-26.8)	25.2% (22.8-27.8)	25.1% (23.0-27.3)	11.6% (10.5-12.8)	11.3% (9.6-13.2)	11.9% (10.4-13.6)
12th	23.2% (21.0-25.6)	22.9% (20.1-26.0)	23.5% (20.2-27.1)	15.9% (14.0-18.0)	15.0% (12.6-17.8)	16.8% (14.0-19.9)
Race/Ethnicity						
White, non-Hispanic	21.7% (20.7-22.7)	*** ***	*** ***	8.8% (8.1-9.6)	*** ***	*** ***
Hispanic	31.0% (28.8-33.2)	*** ***	*** ***	10.5% (9.1-12.1)	*** ***	*** ***
Other, non-Hispanic	15.9% (13.8-18.2)	*** ***	*** ***	8.2% (6.6-10.0)	*** ***	*** ***
Sexual Orientation						
Heterosexual	22.1% (21.3-23.0)	*** ***	*** ***	9.2% (8.5-9.8)	*** ***	*** ***
LGBQ	28.8% (25.6-32.3)	*** ***	*** ***	9.9% (7.7-12.6)	*** ***	*** ***
Total	22.9% (22.1-23.8)	22.8% (21.7-24.0)	23.0% (21.8-24.2)	9.3% (8.7-9.9)	8.4% (7.6-9.3)	10.1% (9.2-11.0)

*One or more times during the 30 days preceding the survey

Tobacco Use-cigarettes

	<i>Ever smoked cigarettes*</i>			<i>Current cigarette user**</i>			<i>Current frequent cigarette use***</i>		
Grade	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	31.7% (30.3-33.2)	30.3% (28.3-32.4)	33.1% (31.0-35.3)	10.9% (9.9-11.9)	9.8% (8.5-11.3)	11.8% (10.4-13.4)	3.1% (2.5-3.7)	2.2% (1.6-3.0)	3.9% (3.0-5.0)
10th	44.3% (42.7-45.9)	42.2% (39.7-44.6)	46.4% (44.2-48.6)	18.1% (16.8-19.6)	17.2% (15.3-19.4)	19.0% (17.2-21.0)	7.0% (6.2-8.0)	5.7% (4.6-7.0)	8.3% (7.0-9.8)
11th	46.9% (45.1-48.7)	41.8% (39.1-44.6)	51.8% (49.4-54.2)	19.2% (17.8-20.8)	16.0% (14.0-18.1)	22.5% (20.4-24.6)	7.8% (6.8-9.0)	5.8% (4.5-7.5)	9.8% (8.2-11.5)
12th	57.4% (54.8-60.0)	59.4% (55.7-62.9)	55.5% (51.6-59.3)	23.5% (21.4-25.8)	25.9% (22.8-29.3)	21.0% (18.1-24.3)	8.2% (6.8-9.9)	8.1% (6.2-10.5)	8.3% (6.2-11.0)
Race/Ethnicity									
White, non-Hispanic	39.7% (38.6-40.8)	*** ***	*** ***	16.9% (16.0-17.9)	*** ***	*** ***	6.4% (5.8-7.0)	*** ***	*** ***
Hispanic	62.2% (59.9-64.5)	*** ***	*** ***	20.2% (18.4-22.3)	*** ***	*** ***	6.9% (5.7-8.5)	*** ***	*** ***
Other, non-Hispanic	45.2% (42.3-48.2)	*** ***	*** ***	16.8% (14.5-19.2)	*** ***	*** ***	5.7% (4.5-7.2)	*** ***	*** ***
Sexual Orientation									
Heterosexual	43.2% (42.2-44.2)	*** ***	*** ***	16.1% (15.3-16.9)	*** ***	*** ***	5.2% (4.7-5.8)	*** ***	*** ***
LGBQ	65.0% (61.5-68.3)	*** ***	*** ***	37.5% (33.5-41.6)	*** ***	*** ***	20.5% (17.4-24.0)	*** ***	*** ***
Total	44.9% (44.0-45.9)	43.4% (42.0-44.8)	46.4% (45.0-47.8)	17.7% (17.0-18.5)	17.1% (16.0-18.3)	18.4% (17.3-19.5)	6.4% (5.9-7.0)	5.4% (4.7-6.2)	7.5% (6.7-8.3)

*Even one or two puffs

**Smoked cigarettes on 1 or more of the 30 days preceding the survey

***Smoked cigarettes on 20 or more of the 30 days preceding the survey

Tobacco use-smokeless tobacco and cigars

	<i>Current smokeless tobacco use*</i>			<i>Current cigar use**</i>			<i>Current tobacco use***</i>		
Grade	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	5.6% (4.9-6.3)	1.6% (1.1-2.1)	9.4% (8.2-10.7)	11.4% (10.5-12.4)	7.1% (6.1-8.3)	15.5% (14.0-17.1)	16.1% (15.0-17.3)	12.3% (10.9-13.9)	19.6% (17.9-21.4)
10th	8.8% (7.8-9.8)	2.4% (1.6-3.6)	14.9% (13.4-16.6)	21.7% (20.4-23.1)	16.0% (14.1-17.9)	27.4% (25.5-29.4)	26.6% (25.1-28.2)	22.1% (20.0-24.5)	31.1% (29.0-33.2)
11th	9.5% (8.5-10.5)	4.2% (3.1-5.5)	14.5% (12.9-16.2)	22.5% (21.0-24.0)	15.6% (13.6-17.7)	29.0% (26.8-31.2)	28.6% (26.9-30.3)	21.0% (18.8-23.4)	36.1% (33.7-38.5)
12th	11.1% (9.5-13.0)	4.0% (2.7-6.0)	18.1% (15.3-21.2)	25.6% (23.3-27.9)	15.1% (12.6-18.0)	35.7% (32.2-39.4)	34.1% (31.6-36.6)	30.2% (26.9-33.8)	38.1% (34.4-41.9)
Race/Ethnicity									
White, non-Hispanic	8.4% (7.7-9.1)	***	***	19.9% (19.0-20.8)	***	***	26.4% (25.4-27.4)	***	***
Hispanic	8.1% (6.9-9.5)	***	***	21.4% (19.4-23.4)	***	***	25.8% (23.7-27.9)	***	***
Other, non-Hispanic	10.0% (8.4-11.8)	***	***	18.8% (16.6-21.1)	***	***	22.9% (20.5-25.6)	***	***
Sexual Orientation									
Heterosexual	8.7% (8.1-9.3)	***	***	19.4% (18.7-20.3)	***	***	25.0% (24.1-25.9)	***	***
LGBQ	6.6% (5.0-8.8)	***	***	27.5% (24.0-31.3)	***	***	39.2% (35.2-43.2)	***	***
Total	8.7% (8.1-9.3)	3.0% (2.5-3.6)	14.1% (13.2-15.1)	20.2% (19.4-21.0)	13.4% (12.4-14.4)	26.7% (25.5-27.9)	26.1% (25.2-26.9)	21.3% (20.1-22.5)	30.8% (29.5-32.0)

*Used chewing tobacco or snuff on 1 or more of the 30 days preceding the survey

**Smoked cigars on 1 or more of the 30 days preceding the survey

***Smoked cigarettes or cigars or used chewing tobacco or snuff on 1 or more of the 30 days preceding the survey

Perceptions and Beliefs – Cigarettes

	<i>Smoking 1+ packs per day is moderate or great risk</i>			<i>It is wrong or very wrong for someone your age to smoke</i>			<i>Parents feel it is wrong or very wrong for you to smoke</i>		
Grade	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	91.3% (90.3-92.2)	95.5% (94.4-96.4)	87.4% (85.7-88.9)	83.1% (81.9-84.3)	85.7% (84.1-87.1)	80.7% (78.8-82.4)	96.5% (95.9-97.0)	97.6% (96.8-98.2)	95.5% (94.5-96.3)
10th	91.6% (90.6-92.6)	94.5% (93.2-95.6)	88.8% (87.3-90.3)	71.2% (69.7-72.7)	74.7% (72.4-76.8)	67.9% (65.7-69.9)	93.3% (92.4-94.1)	93.9% (92.6-95.1)	92.7% (91.6-93.7)
11th	89.9% (88.7-91.0)	95.2% (93.9-96.3)	85.0% (82.9-86.8)	66.5% (64.8-68.2)	71.4% (68.9-73.7)	62.0% (59.6-64.3)	91.8% (90.7-92.8)	93.6% (92.1-94.8)	90.2% (88.5-91.7)
12th	92.9% (91.2-94.3)	96.7% (95.3-97.8)	89.2% (86.2-91.7)	64.3% (61.7-66.8)	65.6% (62.0-69.0)	63.1% (59.3-66.6)	88.7% (87.0-90.3)	91.0% (88.7-93.0)	86.5% (83.9-88.8)
Race/Ethnicity									
White, non-Hispanic	94.6% (94.0-95.1)	*** ***	*** ***	69.5% (68.4-70.6)	*** ***	*** ***	93.0% (92.4-93.6)	*** ***	*** ***
Hispanic	85.3% (83.4-87.1)	*** ***	*** ***	76.6% (74.6-78.5)	*** ***	*** ***	92.0% (90.5-93.3)	*** ***	*** ***
Other, non-Hispanic	84.1% (81.8-86.2)	*** ***	*** ***	75.5% (72.8-77.9)	*** ***	*** ***	92.7% (91.2-93.9)	*** ***	*** ***
Sexual Orientation									
Heterosexual	92.5% (92.0-93.1)	*** ***	*** ***	73.0% (72.1-74.0)	*** ***	*** ***	93.6% (93.1-94.2)	*** ***	*** ***
LGBQ	88.2% (85.6-90.5)	*** ***	*** ***	53.4% (49.5-57.2)	*** ***	*** ***	84.4% (81.3-87.1)	*** ***	*** ***
Total	91.4% (90.9-92.0)	95.5% (94.9-96.0)	87.6% (86.6-88.6)	71.5% (70.6-72.4)	74.5% (73.2-75.7)	68.6% (67.3-69.9)	92.7% (92.1-93.2)	94.1% (93.3-94.8)	91.3% (90.5-92.1)

Alcohol Use

	<i>Lifetime alcohol use*</i>			<i>Current alcohol use**</i>			<i>Binge drinking***</i>		
Grade	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	52.1% (50.5-53.7)	52.7% (50.6-54.9)	51.6% (49.3-53.9)	28.3% (26.9-29.7)	29.7% (27.8-31.8)	26.9% (25.0-28.9)	15.0% (13.9-16.1)	15.4% (13.8-17.1)	14.6% (13.1-16.2)
10th	71.4% (70.0-72.9)	72.0% (69.8-74.0)	70.9% (68.9-72.9)	39.8% (38.2-41.4)	41.1% (38.7-43.6)	38.5% (36.4-40.7)	28.1% (26.6-29.6)	30.3% (28.0-32.6)	25.9% (24.0-27.9)
11th	78.9% (77.3-80.5)	79.4% (76.9-81.6)	78.5% (76.4-80.6)	49.3% (47.4-51.3)	49.5% (46.7-52.4)	49.2% (46.6-51.8)	30.8% (29.1-32.5)	26.1% (23.8-28.5)	35.2% (32.8-37.6)
12th	83.9% (81.6-86.0)	82.4% (79.0-85.3)	85.4% (82.2-88.1)	56.1% (53.4-58.9)	59.0% (55.2-62.8)	53.2% (49.1-57.2)	35.6% (33.1-38.3)	38.1% (34.6-41.8)	33.1% (29.4-37.0)
Race/Ethnicity									
White, non-Hispanic	70.7% (69.7-71.8)	*** ***	*** ***	42.5% (41.4-43.7)	*** ***	*** ***	27.1% (26.1-28.2)	*** ***	*** ***
Hispanic	78.6% (76.4-80.5)	*** ***	*** ***	48.4% (45.9-51.0)	*** ***	*** ***	29.8% (27.6-32.0)	*** ***	*** ***
Other, non-Hispanic	64.1% (61.2-66.9)	*** ***	*** ***	36.6% (33.6-39.6)	*** ***	*** ***	22.2% (19.8-24.9)	*** ***	*** ***
Sexual Orientation									
Heterosexual	71.4% (70.5-72.3)	*** ***	*** ***	43.1% (42.1-44.2)	*** ***	*** ***	27.0% (26.1-27.9)	*** ***	*** ***
LGBQ	79.7% (76.4-82.8)	*** ***	*** ***	49.4% (45.4-53.4)	*** ***	*** ***	32.0% (28.3-36.0)	*** ***	*** ***
Total	71.6% (70.7-72.5)	71.7% (70.4-73.0)	71.5% (70.2-72.7)	43.1% (42.1-44.1)	44.7% (43.3-46.2)	41.6% (40.1-43.0)	27.1% (26.2-28.0)	27.3% (26.1-28.6)	26.9% (25.7-28.2)

*More than a few sips

**Drank at least 1 drink of alcohol on 1 or more of the 30 days preceding the survey

***Drank 5 or more drinks of alcohol in a row (within a couple of hours) on 1 or more of the 30 days preceding the survey

Perceptions and beliefs-alcohol

	<i>Drinking 1 or 2 drinks per day is moderate or great risk</i>			<i>It is wrong or very wrong for someone your age to drink</i>			<i>Parents feel it is wrong or very wrong for you to drink</i>		
Grade	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	69.6% (68.1-71.0)	77.4% (75.6-79.2)	62.2% (60.0-64.4)	74.4% (73.0-75.7)	76.2% (74.3-78.0)	72.7% (70.6-74.7)	89.4% (88.4-90.3)	90.4% (89.0-91.7)	88.4% (86.9-89.7)
10th	67.3% (65.8-68.8)	72.9% (70.6-75.0)	62.0% (59.9-64.0)	65.4% (63.8-66.9)	68.0% (65.7-70.2)	62.8% (60.7-64.9)	88.5% (87.4-89.5)	92.1% (90.6-93.4)	85.0% (83.4-86.5)
11th	64.4% (62.6-66.1)	75.0% (72.6-77.3)	54.5% (52.0-56.9)	62.1% (60.4-63.9)	70.2% (67.6-72.6)	54.7% (52.2-57.1)	85.0% (83.6-86.2)	90.1% (88.2-91.7)	80.2% (78.2-82.1)
12th	63.3% (60.7-65.8)	72.5% (69.0-75.7)	54.4% (50.7-58.2)	56.3% (53.7-58.8)	63.6% (60.0-67.0)	49.3% (45.6-53.0)	77.1% (74.8-79.3)	82.3% (79.2-85.0)	72.0% (68.5-75.4)
Race/Ethnicity									
White, non-Hispanic	66.6% (65.6-67.7)	*** ***	*** ***	63.3% (62.2-64.4)	*** ***	*** ***	85.3% (84.4-86.1)	*** ***	*** ***
Hispanic	65.2% (62.8-67.5)	*** ***	*** ***	69.8% (67.6-71.9)	*** ***	*** ***	84.5% (82.7-86.2)	*** ***	*** ***
Other, non-Hispanic	65.0% (62.2-67.7)	*** ***	*** ***	65.5% (62.7-68.2)	*** ***	*** ***	86.2% (84.0-88.1)	*** ***	*** ***
Sexual Orientation									
Heterosexual	66.3% (65.3-67.2)	*** ***	*** ***	64.7% (63.8-65.7)	*** ***	*** ***	85.8% (85.0-86.5)	*** ***	*** ***
LGBQ	69.9% (66.4-73.3)	*** ***	*** ***	60.1% (56.3-63.7)	*** ***	*** ***	80.3% (77.0-83.2)	*** ***	*** ***
Total	66.2% (65.3-67.1)	74.5% (73.2-75.7)	58.4% (57.0-59.7)	64.7% (63.8-65.6)	69.6% (68.2-70.8)	60.1% (58.8-61.5)	85.1% (84.4-85.8)	88.8% (87.8-89.7)	81.6% (80.5-82.7)

Marijuana use

	<i>Lifetime marijuana use*</i>			<i>Current marijuana use**</i>		
Grade	Total	Female	Male	Total	Female	Male
9th	22.7% (21.4-24.0)	19.8% (18.1-21.5)	25.4% (23.5-27.4)	14.3% (13.2-15.4)	12.8% (11.5-14.3)	15.7% (14.1-17.4)
10th	40.3% (38.7-41.9)	37.8% (35.5-40.2)	42.7% (40.6-44.9)	25.1% (23.7-26.6)	22.4% (20.4-24.5)	27.8% (25.9-29.9)
11th	45.7% (44.0-47.5)	38.0% (35.4-40.6)	53.1% (50.7-55.4)	27.2% (25.6-28.8)	19.8% (17.8-22.0)	34.1% (31.9-36.4)
12th	51.6% (49.0-54.3)	54.4% (50.6-58.1)	48.9% (45.2-52.7)	28.6% (26.2-31.1)	27.3% (24.1-30.7)	29.9% (26.4-33.6)
Race/Ethnicity						
White, non-Hispanic	37.2% (36.1-38.3)	*** ***	*** ***	22.4% (21.5-23.4)	*** ***	*** ***
Hispanic	49.1% (46.8-51.5)	*** ***	*** ***	25.7% (23.7-27.7)	*** ***	*** ***
Other, non-Hispanic	39.1% (36.2-42.0)	*** ***	*** ***	25.9% (23.3-28.8)	*** ***	*** ***
Sexual Orientation						
Heterosexual	38.9% (37.9-39.9)	*** ***	*** ***	22.7% (21.8-23.6)	*** ***	*** ***
LGBQ	52.9% (48.9-56.7)	*** ***	*** ***	34.4% (30.7-38.3)	*** ***	*** ***
Total	39.8% (38.9-40.8)	37.3% (36.0-38.7)	42.3% (41.0-43.6)	23.6% (22.8-24.5)	20.5% (19.4-21.6)	26.7% (25.4-27.9)

*Ever used marijuana

**Used marijuana 1 or more times during the 30 days preceding the survey

Perceptions and beliefs-marijuana

	<i>Smoking marijuana regularly is a moderate or great risk</i>			<i>It is wrong or very wrong for someone your age to smoke marijuana</i>			<i>Parents feel it is wrong or very wrong for you to smoke marijuana</i>		
Grade	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	71.1% (69.7-72.5)	79.4% (77.6-81.1)	63.3% (61.1-65.5)	72.8% (71.4-74.2)	75.1% (73.2-76.9)	70.7% (68.6-72.7)	92.4% (91.6-93.2)	93.7% (92.5-94.7)	91.2% (89.9-92.3)
10th	60.1% (58.5-61.7)	64.6% (62.2-66.8)	55.7% (53.6-57.9)	55.3% (53.7-56.9)	59.5% (57.1-61.8)	51.2% (49.0-53.3)	89.4% (88.4-90.3)	90.8% (89.4-92.0)	88.1% (86.6-89.4)
11th	58.1% (56.3-59.9)	66.3% (63.7-68.8)	50.4% (48.0-52.9)	54.5% (52.8-56.3)	60.6% (57.9-63.1)	48.8% (46.5-51.2)	87.8% (86.6-89.0)	89.5% (87.7-91.0)	86.3% (84.6-87.9)
12th	56.6% (53.9-59.2)	63.5% (59.8-67.1)	49.8% (46.0-53.7)	51.4% (48.8-54.0)	54.4% (50.7-58.0)	48.4% (44.7-52.2)	80.7% (78.6-82.7)	82.1% (79.1-84.7)	79.4% (76.1-82.3)
Race/Ethnicity									
White, non-Hispanic	62.7% (61.6-63.8)	***	***	57.1% (56.0-58.2)	***	***	87.2% (86.4-88.0)	***	***
Hispanic	60.6% (58.3-63.0)	***	***	64.0% (61.8-66.2)	***	***	90.4% (88.7-91.8)	***	***
Other, non-Hispanic	58.5% (55.6-61.4)	***	***	59.7% (56.8-62.5)	***	***	87.0% (84.8-88.9)	***	***
Sexual Orientation									
Heterosexual	63.8% (62.8-64.7)	***	***	60.1% (59.2-61.1)	***	***	88.7% (88.1-89.4)	***	***
LGBQ	45.6% (41.8-49.4)	***	***	40.3% (36.6-44.0)	***	***	77.4% (73.6-80.7)	***	***
Total	61.6% (60.7-62.6)	68.5% (67.2-69.8)	55.0% (53.7-56.4)	58.7% (57.8-59.6)	62.5% (61.2-63.8)	55.0% (53.7-56.4)	87.7% (87.0-88.4)	89.1% (88.2-90.0)	86.4% (85.4-87.4)

Early Initiation of Tobacco, Alcohol, and Marijuana Use

	<i>Smoked a whole cigarette before age 13</i>			<i>Drank alcohol before age 13 years*</i>			<i>Tried marijuana before age 13 years</i>		
Grade	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	9.7% (8.8-10.8)	9.4% (8.2-10.9)	10.0% (8.6-11.6)	28.2% (26.8-29.7)	27.5% (25.6-29.6)	28.8% (26.8-31.0)	7.9% (7.0-8.8)	5.7% (4.7-6.8)	10.0% (8.6-11.5)
10th	10.9% (9.9-12.1)	8.7% (7.3-10.3)	13.2% (11.6-14.9)	25.9% (24.5-27.4)	21.8% (19.8-24.0)	30.0% (28.0-32.0)	9.6% (8.6-10.7)	7.2% (5.8-8.9)	12.0% (10.6-13.5)
11th	11.0% (9.8-12.3)	10.4% (8.8-12.3)	11.5% (9.9-13.4)	20.7% (19.2-22.4)	19.0% (16.8-21.4)	22.3% (20.2-24.5)	8.1% (7.2-9.2)	6.8% (5.4-8.4)	9.5% (8.1-11.0)
12th	10.2% (8.5-12.0)	8.4% (6.5-10.7)	12.0% (9.4-15.1)	20.1% (17.9-22.4)	13.6% (11.1-16.6)	26.2% (22.9-29.9)	9.4% (7.9-11.2)	9.1% (7.0-11.8)	9.7% (7.7-12.2)
Race/Ethnicity									
White, non-Hispanic	8.1% (7.5-8.8)	*** ***	*** ***	20.6% (19.7-21.6)	*** ***	*** ***	7.3% (6.7-7.9)	*** ***	*** ***
Hispanic	17.2% (15.3-19.3)	*** ***	*** ***	31.7% (29.5-34.0)	*** ***	*** ***	14.1% (12.4-16.0)	*** ***	*** ***
Other, non-Hispanic	10.9% (9.2-12.8)	*** ***	*** ***	26.3% (23.7-29.1)	*** ***	*** ***	8.8% (7.3-10.4)	*** ***	*** ***
Sexual Orientation									
Heterosexual	8.9% (8.3-9.5)	*** ***	*** ***	22.6% (21.7-23.4)	*** ***	*** ***	7.6% (7.1-8.2)	*** ***	*** ***
LGBQ	25.5% (22.0-29.3)	*** ***	*** ***	39.2% (35.4-43.2)	*** ***	*** ***	19.9% (16.7-23.6)	*** ***	*** ***
Total	10.4% (9.8-11.1)	9.2% (8.4-10.1)	11.6% (10.7-12.6)	23.8% (22.9-24.6)	20.4% (19.3-21.6)	26.9% (25.6-28.1)	8.8% (8.2-9.4)	7.2% (6.4-8.0)	10.3% (9.5-11.2)

*More than a few sips

Substance Use on School Property-cigarettes, alcohol, marijuana

	<i>Smoked cigarettes on school property*</i>			<i>Drank alcohol on school property*</i>			<i>Used marijuana on school property*</i>		
Grade	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	4.2% (3.6-4.9)	4.0% (3.2-4.9)	4.5% (3.6-5.6)	4.0% (3.3-4.6)	4.5% (3.6-5.7)	3.4% (2.6-4.3)	3.8% (3.2-4.5)	3.9% (3.1-4.8)	3.8% (2.9-4.8)
10th	7.7% (6.8-8.7)	8.7% (7.4-10.3)	6.6% (5.5-7.9)	7.1% (6.3-8.1)	8.8% (7.4-10.5)	5.5% (4.7-6.4)	8.3% (7.4-9.3)	9.2% (7.7-10.8)	7.5% (6.5-8.7)
11th	8.4% (7.4-9.6)	7.1% (5.7-8.8)	9.7% (8.3-11.4)	5.4% (4.6-6.3)	3.2% (2.3-4.3)	7.5% (6.2-8.9)	8.0% (7.1-8.9)	6.3% (5.1-7.7)	9.6% (8.3-11.0)
12th	10.4% (8.7-12.3)	13.0% (10.5-16.1)	7.8% (5.9-10.2)	5.9% (4.7-7.3)	5.4% (3.9-7.6)	6.3% (4.8-8.3)	5.2% (4.1-6.5)	5.5% (3.9-7.7)	4.8% (3.4-6.7)
Race/Ethnicity									
White, non-Hispanic	7.1% (6.4-7.8)	*** ***	*** ***	4.7% (4.2-5.2)	*** ***	*** ***	5.9% (5.4-6.5)	*** ***	*** ***
Hispanic	8.7% (7.4-10.2)	*** ***	*** ***	8.6% (7.3-10.2)	*** ***	*** ***	7.3% (6.2-8.6)	*** ***	*** ***
Other, non-Hispanic	7.8% (6.1-9.8)	*** ***	*** ***	5.4% (4.2-6.9)	*** ***	*** ***	6.8% (5.4-8.6)	*** ***	*** ***
Sexual Orientation									
Heterosexual	6.6% (6.0-7.2)	*** ***	*** ***	5.2% (4.8-5.7)	*** ***	*** ***	5.6% (5.2-6.1)	*** ***	*** ***
LGBQ	18.3% (15.1-22.0)	*** ***	*** ***	9.3% (7.1-12.1)	*** ***	*** ***	11.8% (9.6-14.5)	*** ***	*** ***
Total	7.6% (7.0-8.2)	8.1% (7.3-9.1)	7.1% (6.4-7.9)	5.6% (5.1-6.0)	5.5% (4.9-6.2)	5.6% (5.0-6.3)	6.3% (5.8-6.8)	6.2% (5.5-7.0)	6.4% (5.8-7.0)

*One or more times during the last 30 days preceding the survey

Substance Use on School Property-tobacco and drugs

	<i>Tobacco use on school property*</i>			<i>Offered, sold, or given an illegal drug on school property**</i>		
Grade	Total	Female	Male	Total	Female	Male
9th	3.0% (2.6-3.6)	1.4% (1.0-2.0)	4.6% (3.8-5.6)	29.9% (28.5-31.3)	28.6% (26.7-30.6)	31.1% (29.1-33.1)
10th	5.3% (4.5-6.1)	1.6% (1.0-2.6)	8.8% (7.6-10.3)	33.3% (31.8-34.8)	34.2% (31.9-36.5)	32.4% (30.5-34.4)
11th	5.6% (4.8-6.4)	1.1% (0.6-2.2)	9.8% (8.6-11.3)	34.0% (32.3-35.7)	27.7% (25.5-30.1)	39.9% (37.5-42.3)
12th	6.7% (5.4-8.1)	2.1% (1.2-3.6)	11.1% (9.0-13.7)	27.3% (25.0-29.8)	25.0% (22.0-28.3)	29.6% (26.0-33.4)
Race/Ethnicity						
White, non-Hispanic	4.8% (4.3-5.4)	*** ***	*** ***	30.8% (29.8-31.8)	*** ***	*** ***
Hispanic	5.2% (4.2-6.5)	*** ***	*** ***	30.9% (28.8-33.2)	*** ***	*** ***
Other, non-Hispanic	6.3% (5.1-7.9)	*** ***	*** ***	31.9% (29.2-34.8)	*** ***	*** ***
Sexual Orientation						
Heterosexual	4.9% (4.5-5.4)	*** ***	*** ***	30.3% (29.4-31.2)	*** ***	*** ***
LGBQ	5.4% (3.8-7.4)	*** ***	*** ***	40.2% (36.5-43.9)	*** ***	*** ***
Total	5.1% (4.7-5.6)	1.6% (1.2-2.0)	8.5% (7.8-9.3)	31.1% (30.2-32.0)	29.0% (27.7-30.2)	33.2% (31.9-34.5)

*Cigarettes, cigars, chewing tobacco, or snuff on 1 or more of the 30 days preceding the survey

**During the 12 months preceding the survey

Safety and Self-Injury

	<i>Felt safe in their neighborhood*</i>			<i>Felt too unsafe to go to school**</i>			<i>Intentionally self-injured***</i>		
Grade	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	88.6% (87.6-89.6)	89.3% (87.9-90.5)	88.1% (86.4-89.5)	4.8% (4.1-5.6)	5.0% (4.2-6.1)	4.5% (3.6-5.7)	19.8% (18.6-21.1)	25.1% (23.2-27.0)	14.9% (13.4-16.5)
10th	90.4% (89.3-91.3)	90.3% (88.6-91.7)	90.4% (89.1-91.6)	5.8% (5.0-6.7)	5.9% (4.7-7.3)	5.8% (4.9-6.9)	22.3% (20.9-23.7)	30.7% (28.5-32.9)	14.1% (12.5-15.8)
11th	92.7% (91.7-93.7)	93.8% (92.2-95.0)	91.7% (90.2-93.1)	3.9% (3.2-4.8)	1.9% (1.1-3.1)	5.8% (4.6-7.2)	18.1% (16.7-19.5)	23.3% (21.1-25.7)	13.3% (11.7-15.1)
12th	91.7% (90.0-93.0)	93.7% (91.5-95.4)	89.7% (87.1-91.8)	5.8% (4.6-7.2)	4.7% (3.2-6.9)	6.8% (5.2-9.0)	16.6% (14.7-18.6)	17.2% (14.6-20.1)	16.0% (13.5-18.9)
Race/Ethnicity									
White, non-Hispanic	94.0% (93.5-94.5)	***	***	2.8% (2.4-3.2)	***	***	19.7% (18.8-20.7)	***	***
Hispanic	84.0% (82.3-85.6)	***	***	8.3% (7.0-9.8)	***	***	18.3% (16.6-20.2)	***	***
Other, non-Hispanic	84.5% (82.0-86.7)	***	***	12.1% (10.2-14.4)	***	***	17.7% (15.7-19.9)	***	***
Sexual Orientation									
Heterosexual	92.1% (91.5-92.6)	***	***	4.0% (3.6-4.4)	***	***	17.6% (16.9-18.4)	***	***
LGBQ	82.4% (79.0-85.3)	***	***	12.4% (9.6-15.9)	***	***	38.9% (35.4-42.6)	***	***
Total	90.8% (90.2-91.4)	91.7% (90.9-92.4)	90.0% (89.1-90.8)	5.1% (4.6-5.6)	4.4% (3.8-5.1)	5.7% (5.1-6.4)	19.2% (18.5-20.0)	24.2% (23.0-25.4)	14.6% (13.6-15.6)

*Most of the time or always

**On 1 or more of the 30 days preceding the survey

***Self-injured (such as cutting or burning) without wanting to die during the 12 months preceding the survey

Harassment-ethnic/race or LGB

	<i>Harassed*</i>			<i>Harassed because of race or ethnic origin*</i>			<i>Harassed because someone thought you were lesbian, gay, or bisexual*</i>		
Grade	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	40.1% (38.5-41.7)	43.3% (41.0-45.6)	37.1% (34.9-39.4)	7.2% (6.3-8.1)	6.6% (5.5-7.8)	7.7% (6.5-9.2)	7.6% (6.8-8.6)	5.7% (4.6-7.0)	9.4% (8.2-10.8)
10th	33.5% (32.0-35.1)	34.0% (31.5-36.4)	33.1% (31.2-35.2)	6.6% (5.8-7.5)	7.1% (5.8-8.6)	6.2% (5.3-7.2)	5.8% (5.1-6.7)	4.4% (3.4-5.5)	7.3% (6.3-8.6)
11th	29.6% (27.8-31.5)	28.1% (25.5-30.9)	31.1% (28.7-33.6)	6.2% (5.3-7.3)	3.5% (2.4-5.0)	8.8% (7.4-10.5)	4.9% (4.2-5.7)	3.0% (2.2-4.2)	6.6% (5.5-7.9)
12th	22.0% (19.7-24.4)	23.5% (20.3-27.0)	20.3% (17.4-23.6)	6.6% (5.4-8.1)	4.0% (2.7-5.8)	9.3% (7.3-11.8)	3.7% (2.9-4.6)	2.1% (1.2-3.5)	5.2% (4.0-6.8)
Race/Ethnicity									
White, non-Hispanic	30.9% (29.8-32.0)	*** ***	*** ***	3.4% (3.0-3.8)	*** ***	*** ***	4.9% (4.5-5.4)	*** ***	*** ***
Hispanic	28.9% (26.7-31.2)	*** ***	*** ***	13.6% (12.0-15.4)	*** ***	*** ***	5.6% (4.6-6.9)	*** ***	*** ***
Other, non-Hispanic	39.0% (36.0-42.1)	*** ***	*** ***	16.2% (14.1-18.6)	*** ***	*** ***	9.2% (7.9-10.9)	*** ***	*** ***
Sexual Orientation									
Heterosexual	29.5% (28.5-30.4)	*** ***	*** ***	5.8% (5.3-6.3)	*** ***	*** ***	3.1% (2.8-3.5)	*** ***	*** ***
LGBQ	54.5% (50.3-58.6)	*** ***	*** ***	13.0% (10.6-15.9)	*** ***	*** ***	32.5% (29.0-36.1)	*** ***	*** ***
Total	31.5% (30.6-32.5)	32.3% (31.0-33.7)	30.8% (29.5-32.0)	6.7% (6.2-7.2)	5.3% (4.7-6.0)	8.0% (7.2-8.8)	5.6% (5.2-6.0)	3.8% (3.3-4.4)	7.2% (6.6-7.9)

*At school (or on the way to school) during the 12 months preceding the survey

Harassment-religion, appearance, unwanted sexual attention

	<i>Harassed because of religious beliefs*</i>			<i>Harassed because of weight, size, physical appearance*</i>			<i>Received unwanted sexual comments or attention*</i>		
Grade	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	5.7% (5.0-6.5)	6.2% (5.1-7.4)	5.2% (4.2-6.4)	19.0% (17.7-20.3)	21.9% (20.1-23.9)	16.3% (14.6-18.0)	22.2% (20.9-23.5)	30.8% (28.8-32.8)	14.2% (12.6-15.8)
10th	6.1% (5.4-6.9)	5.6% (4.5-6.9)	6.6% (5.7-7.7)	15.2% (14.1-16.5)	18.1% (16.2-20.2)	12.5% (11.2-14.0)	22.8% (21.4-24.3)	34.1% (31.8-36.4)	11.7% (10.3-13.3)
11th	4.1% (3.5-4.8)	3.3% (2.6-4.2)	4.8% (3.9-6.0)	11.2% (10.0-12.4)	10.7% (9.1-12.5)	11.6% (10.0-13.4)	20.2% (18.8-21.8)	29.2% (26.8-31.8)	11.9% (10.4-13.5)
12th	4.8% (3.8-6.0)	4.0% (2.8-5.7)	5.6% (4.2-7.4)	9.2% (7.7-10.9)	11.9% (9.6-14.6)	6.6% (4.9-8.9)	17.0% (15.0-19.2)	22.7% (19.6-26.1)	11.4% (9.0-14.3)
Race/Ethnicity									
White, non-Hispanic	4.2% (3.9-4.7)	*** ***	*** ***	13.4% (12.7-14.2)	*** ***	*** ***	20.1% (19.2-21.0)	*** ***	*** ***
Hispanic	4.9% (4.0-6.1)	*** ***	*** ***	11.7% (10.2-13.4)	*** ***	*** ***	21.7% (19.7-23.8)	*** ***	*** ***
Other, non-Hispanic	11.2% (9.5-13.3)	*** ***	*** ***	18.3% (16.1-20.8)	*** ***	*** ***	21.2% (18.9-23.8)	*** ***	*** ***
Sexual Orientation									
Heterosexual	4.5% (4.1-4.9)	*** ***	*** ***	12.2% (11.6-12.9)	*** ***	*** ***	18.9% (18.1-19.7)	*** ***	*** ***
LGBQ	10.6% (8.6-13.0)	*** ***	*** ***	31.1% (27.6-34.8)	*** ***	*** ***	37.3% (33.6-41.1)	*** ***	*** ***
Total	5.2% (4.8-5.6)	4.8% (4.2-5.4)	5.6% (5.0-6.2)	13.7% (13.1-14.4)	15.7% (14.7-16.8)	11.8% (11.0-12.7)	20.6% (19.8-21.4)	29.3% (28.0-30.6)	12.3% (11.4-13.3)

*At school (or on the way to school) during the 12 months preceding the survey

Violence-weapons and physical fights

	<i>Carried a weapon*</i>			<i>Carried a gun*</i>			<i>In a physical fight**</i>		
Grade	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	10.2% (9.2-11.2)	4.5% (3.6-5.7)	15.5% (13.9-17.3)	3.0% (2.5-3.6)	*** (4.5-6.3)	5.3% (4.5-6.3)	28.9% (27.5-30.4)	20.9% (19.1-22.8)	36.4% (34.3-38.6)
10th	16.8% (15.6-18.0)	7.9% (6.5-9.6)	25.4% (23.5-27.3)	4.9% (4.3-5.5)	2.4% (1.8-3.3)	7.2% (6.3-8.3)	30.2% (28.7-31.7)	21.3% (19.4-23.4)	38.9% (36.8-41.0)
11th	15.8% (14.5-17.1)	6.9% (5.6-8.4)	24.0% (22.1-26.2)	3.6% (3.0-4.4)	0.9% (0.4-1.8)	6.2% (5.1-7.5)	23.5% (22.0-25.0)	13.0% (11.3-15.0)	33.3% (31.1-35.6)
12th	12.2% (10.6-14.0)	7.5% (5.6-9.9)	16.8% (14.4-19.6)	3.6% (2.7-4.7)	*** (4.9-8.6)	6.5% (4.9-8.6)	21.9% (19.8-24.2)	15.2% (12.8-18.1)	28.6% (25.2-32.3)
Race/Ethnicity									
White, non-Hispanic	12.1% (11.4-12.9)	*** ***	*** ***	2.5% (2.2-2.9)	*** ***	*** ***	23.9% (23.0-24.9)	*** ***	*** ***
Hispanic	16.3% (14.7-18.0)	*** ***	*** ***	6.3% (5.2-7.5)	*** ***	*** ***	32.3% (30.1-34.6)	*** ***	*** ***
Other, non-Hispanic	17.5% (15.4-19.7)	*** ***	*** ***	6.4% (5.3-7.7)	*** ***	*** ***	28.2% (25.7-30.9)	*** ***	*** ***
Sexual Orientation									
Heterosexual	12.7% (12.0-13.4)	*** ***	*** ***	3.3% (3.0-3.7)	*** ***	*** ***	24.9% (24.0-25.7)	*** ***	*** ***
LGBQ	23.9% (20.8-27.2)	*** ***	*** ***	6.2% (4.5-8.3)	*** ***	*** ***	34.9% (31.4-38.5)	*** ***	*** ***
Total	13.7% (13.1-14.4)	6.7% (5.9-7.5)	20.4% (19.4-21.5)	3.8% (3.4-4.1)	1.1% (0.8-1.5)	6.3% (5.7-7.0)	26.2% (25.4-27.1)	17.7% (16.7-18.8)	34.4% (33.2-35.7)

*On 1 or more of the 30 days preceding the survey

**One or more times during the 12 months preceding the survey

Violence-weapons and physical fights on school property

Grade	<i>In physical fight on school property*</i>			<i>Carried a weapon on school property**</i>			<i>Threatened or injured with a weapon on school property*</i>		
	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	12.4% (11.4-13.5)	7.2% (6.1-8.5)	17.3% (15.6-19.1)	2.8% (2.2-3.4)	1.4% (0.9-2.3)	4.0% (3.2-5.0)	7.4% (6.6-8.3)	3.9% (3.0-5.0)	10.6% (9.3-12.2)
10th	14.3% (13.1-15.5)	10.7% (9.1-12.5)	17.8% (16.2-19.6)	6.3% (5.6-7.1)	2.8% (2.1-3.8)	9.6% (8.4-10.9)	7.9% (7.0-8.8)	4.2% (3.2-5.5)	11.4% (10.2-12.8)
11th	11.0% (10.0-12.2)	6.0% (4.8-7.6)	15.6% (14.0-17.4)	6.1% (5.3-7.0)	2.8% (2.0-4.0)	9.1% (7.9-10.6)	7.4% (6.6-8.5)	4.6% (3.5-6.1)	10.1% (8.7-11.6)
12th	8.0% (6.5-9.7)	4.8% (3.4-6.8)	11.0% (8.6-14.0)	5.8% (4.6-7.2)	3.6% (2.3-5.4)	7.9% (6.1-10.1)	5.6% (4.5-7.0)	1.6% (0.8-3.2)	9.4% (7.5-11.8)
Race/Ethnicity									
White, non-Hispanic	9.2% (8.6-9.9)	*** ***	*** ***	4.1% (3.7-4.6)	*** ***	*** ***	5.6% (5.1-6.1)	*** ***	*** ***
Hispanic	17.2% (15.4-19.2)	*** ***	*** ***	6.0% (5.0-7.2)	*** ***	*** ***	8.8% (7.6-10.2)	*** ***	*** ***
Other, non-Hispanic	14.4% (12.3-16.8)	*** ***	*** ***	8.4% (6.9-10.3)	*** ***	*** ***	12.1% (10.4-14.0)	*** ***	*** ***
Sexual Orientation									
Heterosexual	10.4% (9.8-11.0)	*** ***	*** ***	4.5% (4.1-4.9)	*** ***	*** ***	5.8% (5.4-6.3)	*** ***	*** ***
LGBQ	15.3% (13.0-18.0)	*** ***	*** ***	11.4% (9.0-14.4)	*** ***	*** ***	17.1% (14.4-20.2)	*** ***	*** ***
Total	11.5% (10.9-12.1)	7.2% (6.5-8.0)	15.5% (14.6-16.5)	5.2% (4.8-5.6)	2.6% (2.2-3.2)	7.6% (7.0-8.4)	7.1% (6.6-7.6)	3.6% (3.1-4.2)	10.4% (9.6-11.2)

*One or more times during the 12 months preceding the survey

**One or more times during the 30 days preceding the survey

Violence-sexual assault and dating violence

Grade	<i>Ever forced to have sexual intercourse</i>			<i>Ever touched sexually when you did not want to be touched*</i>			<i>Hurt by boyfriend/girlfriend**</i>		
	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	8.7% (7.8-9.6)	10.5% (9.3-11.8)	7.0% (5.9-8.3)	17.4% (16.2-18.6)	25.8% (24.0-27.8)	9.5% (8.3-10.9)	11.1% (10.2-12.1)	9.8% (8.6-11.1)	12.3% (10.9-13.8)
10th	9.3% (8.3-10.4)	12.9% (11.3-14.7)	5.8% (4.8-7.0)	19.4% (18.1-20.7)	28.5% (26.4-30.8)	10.5% (9.2-11.9)	13.6% (12.5-14.8)	13.2% (11.4-15.1)	14.1% (12.6-15.7)
11th	8.5% (7.5-9.6)	8.2% (6.8-9.8)	8.8% (7.5-10.3)	20.2% (18.8-21.8)	29.4% (26.9-32.0)	11.7% (10.1-13.5)	13.1% (11.8-14.5)	9.9% (8.2-12.0)	16.1% (14.4-18.0)
12th	13.0% (11.4-14.8)	13.8% (11.7-16.2)	12.2% (9.8-14.9)	21.3% (19.1-23.7)	31.0% (27.6-34.7)	12.0% (9.6-15.0)	15.5% (13.6-17.6)	13.0% (10.6-15.9)	17.9% (15.1-21.1)
Race/Ethnicity									
White, non-Hispanic	8.7% (8.0-9.4)	***	***	18.3% (17.4-19.2)	***	***	12.2% (11.4-13.0)	***	***
Hispanic	11.5% (10.2-13.0)	***	***	22.2% (20.2-24.3)	***	***	15.4% (13.6-17.3)	***	***
Other, non-Hispanic	14.1% (12.2-16.1)	***	***	20.9% (18.5-23.5)	***	***	16.6% (14.6-18.8)	***	***
Sexual Orientation									
Heterosexual	8.3% (7.8-8.9)	***	***	17.6% (16.8-18.5)	***	***	12.5% (11.8-13.2)	***	***
LGBQ	23.7% (20.6-27.1)	***	***	41.8% (38.0-45.7)	***	***	23.3% (19.9-27.1)	***	***
Total	9.8% (9.2-10.4)	11.4% (10.5-12.2)	8.4% (7.6-9.2)	19.5% (18.7-20.4)	28.7% (27.4-30.0)	10.9% (10.0-11.8)	13.3% (12.6-14.0)	11.5% (10.5-12.5)	15.0% (14.0-16.0)

*Other than forced sexual intercourse

**Hit, slapped, or physically hurt on purpose during the 12 months preceding the survey

Suicide

	<i>Felt sad or hopeless*</i>			<i>Seriously considered attempting suicide**</i>			<i>Attempted suicide**</i>		
Grade	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	23.4% (22.1-24.7)	31.0% (29.0-33.0)	16.3% (14.8-17.9)	15.4% (14.3-16.5)	22.2% (20.5-24.0)	9.0% (7.8-10.3)	9.8% (8.9-10.9)	12.1% (10.6-13.6)	7.7% (6.4-9.2)
10th	31.8% (30.3-33.4)	40.3% (37.9-42.7)	23.6% (21.8-25.5)	22.2% (20.8-23.6)	28.2% (26.1-30.5)	16.3% (14.8-17.9)	9.7% (8.7-10.9)	13.1% (11.3-15.0)	6.3% (5.2-7.6)
11th	27.1% (25.4-28.9)	33.0% (30.4-35.7)	21.7% (19.6-24.0)	15.7% (14.4-17.1)	17.9% (15.9-20.2)	13.6% (11.9-15.4)	8.2% (7.1-9.4)	7.7% (6.2-9.6)	8.6% (7.1-10.3)
12th	27.7% (25.3-30.2)	34.5% (31.1-38.1)	21.0% (17.9-24.5)	12.4% (10.8-14.2)	14.0% (11.8-16.7)	10.9% (8.8-13.5)	6.1% (4.9-7.5)	3.2% (2.0-5.2)	8.8% (6.9-11.2)
Race/Ethnicity									
White, non-Hispanic	25.5% (24.5-26.5)	*** ***	*** ***	15.8% (15.0-16.6)	*** ***	*** ***	6.7% (6.2-7.3)	*** ***	*** ***
Hispanic	33.7% (31.4-36.1)	*** ***	*** ***	19.7% (17.9-21.8)	*** ***	*** ***	14.4% (12.6-16.4)	*** ***	*** ***
Other, non-Hispanic	27.1% (24.6-29.8)	*** ***	*** ***	14.9% (13.2-16.8)	*** ***	*** ***	9.6% (7.9-11.7)	*** ***	*** ***
Sexual Orientation									
Heterosexual	25.4% (24.5-26.3)	*** ***	*** ***	14.3% (13.7-15.0)	*** ***	*** ***	7.2% (6.6-7.7)	*** ***	*** ***
LGBQ	53.2% (49.5-57.0)	*** ***	*** ***	45.7% (41.9-49.6)	*** ***	*** ***	23.0% (19.6-26.9)	*** ***	*** ***
Total	27.5% (26.6-28.4)	34.7% (33.4-36.1)	20.6% (19.5-21.8)	16.5% (15.8-17.2)	20.8% (19.7-21.9)	12.4% (11.6-13.3)	8.5% (7.9-9.1)	9.1% (8.3-10.0)	7.8% (7.1-8.7)

*Almost every day, 2 weeks or more, during the 12 months preceding the survey

**During the 12 months preceding the survey

Other Drug use-cocaine, inhalants, and ecstasy use

	<i>Lifetime cocaine use*</i>			<i>Lifetime Inhalant use**</i>			<i>Lifetime ecstasy use***</i>		
Grade	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	4.5% (3.9-5.3)	5.1% (4.2-6.2)	4.0% (3.2-5.1)	11.0% (10.0-12.0)	14.8% (13.4-16.4)	7.4% (6.2-8.7)	4.3% (3.7-5.0)	3.5% (2.8-4.4)	5.1% (4.2-6.2)
10th	8.5% (7.6-9.5)	7.3% (6.0-8.7)	9.8% (8.5-11.2)	13.4% (12.3-14.6)	15.6% (13.9-17.4)	11.3% (9.9-12.9)	8.1% (7.1-9.2)	7.1% (5.6-8.8)	9.1% (7.8-10.6)
11th	9.9% (8.8-11.1)	8.4% (6.8-10.3)	11.3% (9.8-13.0)	11.1% (10.0-12.3)	11.4% (9.8-13.2)	10.8% (9.2-12.5)	9.4% (8.4-10.5)	7.7% (6.2-9.4)	11.0% (9.5-12.7)
12th	12.0% (10.3-13.8)	12.8% (10.4-15.6)	11.2% (9.0-13.8)	8.4% (7.1-10.0)	10.9% (8.9-13.3)	6.1% (4.4-8.4)	11.8% (10.2-13.6)	9.6% (7.7-11.9)	14.0% (11.5-16.8)
Race/Ethnicity									
White, non-Hispanic	7.4% (6.7-8.1)	*** ***	*** ***	9.7% (9.1-10.4)	*** ***	*** ***	7.8% (7.1-8.5)	*** ***	*** ***
Hispanic	14.0% (12.3-15.9)	*** ***	*** ***	16.1% (14.4-17.9)	*** ***	*** ***	11.4% (9.8-13.1)	*** ***	*** ***
Other, non-Hispanic	7.2% (6.0-8.7)	*** ***	*** ***	9.4% (7.9-11.2)	*** ***	*** ***	6.0% (4.9-7.4)	*** ***	*** ***
Sexual Orientation									
Heterosexual	7.5% (6.9-8.1)	*** ***	*** ***	9.5% (8.9-10.1)	*** ***	*** ***	7.4% (6.9-8.0)	*** ***	*** ***
LGBQ	19.2% (16.2-22.6)	*** ***	*** ***	31.8% (28.2-35.5)	*** ***	*** ***	19.1% (16.2-22.5)	*** ***	*** ***
Total	8.7% (8.1-9.3)	8.3% (7.5-9.2)	9.0% (8.2-9.8)	11.0% (10.4-11.6)	13.2% (12.4-14.2)	8.9% (8.1-9.7)	8.3% (7.8-8.9)	6.9% (6.2-7.7)	9.7% (8.9-10.6)

*Ever tried any form of cocaine (e.g., "powder," "crack," or "freebase")

**Ever sniffed glue or breathed the contents of aerosol spray cans or inhaled any paints to get high

***Ever used ecstasy

Other Drug use-lifetime heroin, methamphetamine, and steroid use

Grade	Lifetime heroin use*			Lifetime methamphetamine use **			Lifetime illegal steroid use***		
	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	2.7% (2.2-3.3)	1.9% (1.4-2.7)	3.3% (2.5-4.4)	3.1% (2.6-3.8)	2.7% (2.1-3.6)	3.5% (2.6-4.5)	2.5% (2.0-3.1)	2.4% (1.8-3.2)	2.5% (1.8-3.5)
10th	3.5% (2.9-4.1)	2.1% (1.5-3.1)	4.8% (3.9-5.8)	5.8% (5.2-6.6)	3.2% (2.4-4.1)	8.5% (7.4-9.7)	5.9% (5.1-6.7)	4.7% (3.7-6.0)	7.0% (5.9-8.2)
11th	3.8% (3.2-4.6)	1.3% (0.7-2.2)	6.2% (5.1-7.4)	5.1% (4.3-6.0)	3.8% (2.8-5.2)	6.2% (5.1-7.6)	4.1% (3.4-4.9)	2.8% (2.0-3.8)	5.4% (4.3-6.7)
12th	3.0% (2.1-4.1)	2.1% (1.2-3.6)	3.8% (2.5-5.8)	3.8% (2.8-5.1)	3.1% (2.0-4.8)	4.4% (2.9-6.7)	4.6% (3.5-5.9)	3.4% (2.3-5.2)	5.7% (4.1-7.9)
Race/Ethnicity									
White, non-Hispanic	2.0% (1.6-2.3)	*** ***	*** ***	3.6% (3.2-4.0)	*** ***	*** ***	3.4% (3.0-3.9)	*** ***	*** ***
Hispanic	4.9% (3.9-6.1)	*** ***	*** ***	6.2% (5.1-7.6)	*** ***	*** ***	5.9% (4.9-7.2)	*** ***	*** ***
Other, non-Hispanic	6.8% (5.6-8.3)	*** ***	*** ***	6.1% (4.9-7.5)	*** ***	*** ***	5.4% (4.4-6.7)	*** ***	*** ***
Sexual Orientation									
Heterosexual	2.5% (2.2-2.8)	*** ***	*** ***	3.5% (3.1-3.9)	*** ***	*** ***	3.6% (3.2-4.0)	*** ***	*** ***
LGBQ	8.9% (6.7-11.7)	*** ***	*** ***	12.6% (10.0-15.8)	*** ***	*** ***	9.5% (7.2-12.4)	*** ***	*** ***
Total	3.2% (2.9-3.6)	1.9% (1.5-2.3)	4.5% (4.0-5.1)	4.4% (4.0-4.9)	3.2% (2.7-3.8)	5.6% (5.0-6.3)	4.3% (3.9-4.7)	3.4% (2.9-3.9)	5.1% (4.5-5.8)

*Ever used heroin (also called smack, junk, or China White)

**Ever used methamphetamines (also called speed, crystal, crank, or ice)

***Ever taken steroid pills or shots without a doctor's prescription

Other Drug Use – Other Drugs and Current Cocaine/Methamphetamine Use

	<i>Lifetime use of other illegal drugs*</i>			<i>Current cocaine use**</i>			<i>Current methamphetamine use***</i>		
Grade	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	6.2% (5.4-7.0)	4.4% (3.6-5.5)	7.9% (6.7-9.2)	1.9% (1.4-2.4)	2.0% (1.4-2.8)	1.7% (1.2-2.6)	1.6% (1.2-2.1)	1.5% (1.1-2.0)	1.7% (1.1-2.6)
10th	12.4% (11.3-13.6)	10.7% (9.1-12.6)	14.1% (12.6-15.7)	4.5% (3.8-5.3)	3.4% (2.5-4.6)	5.5% (4.6-6.6)	3.2% (2.7-3.9)	1.2% (0.7-2.0)	5.2% (4.4-6.3)
11th	13.2% (12.0-14.5)	9.4% (7.8-11.2)	16.8% (15.0-18.8)	4.8% (4.0-5.6)	3.1% (2.2-4.4)	6.3% (5.2-7.6)	2.8% (2.2-3.5)	1.4% (0.8-2.3)	4.1% (3.2-5.4)
12th	15.0% (13.3-17.0)	12.8% (10.5-15.4)	17.2% (14.6-20.1)	4.2% (3.2-5.6)	4.1% (2.7-6.1)	4.4% (3.0-6.3)	1.5% (0.9-2.6)	***	2.4% (1.3-4.4)
Race/Ethnicity									
White non-Hispanic	11.0% (10.2-11.7)	***	***	2.8% (2.4-3.3)	***	***	1.4% (1.1-1.6)	***	***
Hispanic	13.7% (12.0-15.5)	***	***	7.2% (6.0-8.6)	***	***	4.0% (3.1-5.1)	***	***
Other non-Hispanic	11.4% (9.8-13.2)	***	***	3.4% (2.6-4.6)	***	***	4.2% (3.3-5.4)	***	***
Sexual Orientation									
Heterosexual	10.1% (9.5-10.8)	***	***	3.2% (2.8-3.6)	***	***	1.7% (1.5-2.0)	***	***
LGBQ	27.5% (23.9-31.4)	***	***	9.1% (6.9-11.9)	***	***	5.6% (3.6-8.5)	***	***
Total	11.6% (11.0-12.3)	9.3% (8.4-10.2)	13.9% (13.0-14.9)	3.8% (3.4-4.2)	3.1% (2.6-3.8)	4.5% (3.9-5.1)	2.3% (2.0-2.6)	1.1% (0.9-1.5)	3.4% (2.9-3.9)

*Ever used any other type of illegal drugs, such as LSD (acid), PCP, mushrooms, Ketamine (Special K), Rohypnol (Roofies), or GHB

**Used any form of cocaine (e.g. "powder," "crack," or "freebase") 1 or more times during the 30 days preceding the survey

***During the 30 days preceding the survey

Sexual Behaviors- sexual intercourse and sexual activity

	<i>Ever had sexual intercourse</i>			<i>Currently sexually active*</i>		
Grade	Total	Female	Male	Total	Female	Male
9th	14.8% (13.6-16.0)	12.0% (10.6-13.6)	17.5% (15.8-19.4)	9.9% (9.0-10.9)	8.3% (7.1-9.7)	11.4% (10.0-13.0)
10th	26.7% (25.1-28.3)	22.5% (20.4-24.8)	31.0% (28.8-33.3)	17.8% (16.4-19.2)	17.2% (15.2-19.4)	18.3% (16.4-20.3)
11th	39.6% (37.8-41.5)	39.2% (36.4-41.9)	40.1% (37.6-42.6)	27.4% (25.8-29.1)	27.4% (25.0-29.8)	27.5% (25.3-29.8)
12th	53.5% (50.8-56.3)	53.6% (49.7-57.4)	53.4% (49.4-57.4)	38.5% (35.8-41.2)	39.7% (36.0-43.5)	37.2% (33.4-41.2)
Race/Ethnicity						
White, non-Hispanic	30.1% (29.0-31.2)	*** ***	*** ***	21.6% (20.5-22.6)	*** ***	*** ***
Hispanic	45.7% (43.1-48.2)	*** ***	*** ***	28.0% (25.7-30.4)	*** ***	*** ***
Other, non-Hispanic	31.6% (28.6-34.9)	*** ***	*** ***	23.3% (20.4-26.4)	*** ***	*** ***
Sexual Orientation						
Heterosexual	31.9% (30.9-32.9)	*** ***	*** ***	22.4% (21.4-23.3)	*** ***	*** ***
LGBQ	53.0% (48.9-57.1)	*** ***	*** ***	31.1% (27.2-35.2)	*** ***	*** ***
Total	33.5% (32.5-34.5)	31.6% (30.2-33.0)	35.3% (33.9-36.8)	23.2% (22.4-24.2)	23.0% (21.8-24.3)	23.5% (22.2-24.8)

*Sexual intercourse during the 3 months preceding the survey

Sexual Behaviors- first sex under age 13 and multiple sex partners

	<i>First sexual intercourse under age 13</i>			<i>Four or more sex partners during lifetime</i>		
Grade	Total	Female	Male	Total	Female	Male
9th	3.4% (2.8-4.0)	2.4% (1.8-3.1)	4.4% (3.5-5.5)	3.3% (2.8-4.0)	2.5% (1.8-3.3)	4.1% (3.3-5.2)
10th	3.7% (3.1-4.4)	1.7% (1.2-2.4)	5.8% (4.8-7.1)	5.7% (4.9-6.6)	3.4% (2.4-4.7)	8.2% (7.0-9.6)
11th	4.2% (3.4-5.1)	3.5% (2.5-4.9)	4.8% (3.8-6.2)	8.8% (7.8-10.0)	4.9% (3.8-6.3)	12.6% (10.9-14.5)
12th	2.2% (1.5-3.1)	***	4.4% (3.0-6.3)	16.7% (14.6-19.0)	18.6% (15.7-21.9)	14.7% (11.8-18.2)
Race/Ethnicity						
White, non-Hispanic	2.1% (1.8-2.4)	***	***	7.1% (6.5-7.8)	***	***
Hispanic	6.4% (5.2-7.8)	***	***	12.6% (10.7-14.7)	***	***
Other, non-Hispanic	6.9% (5.5-8.6)	***	***	8.4% (6.5-10.8)	***	***
Sexual Orientation						
Heterosexual	2.6% (2.3-3.0)	***	***	7.6% (6.9-8.2)	***	***
LGBQ	10.3% (8.1-12.9)	***	***	18.9% (15.4-23.0)	***	***
Total	3.4% (3.0-3.8)	1.9% (1.6-2.3)	4.8% (4.2-5.5)	8.6% (7.9-9.2)	7.3% (6.4-8.3)	9.8% (8.9-10.9)

Sexual Behaviors-condoms, alcohol/drugs, and pregnancy

	<i>Condom use during last sexual intercourse*</i>			<i>Alcohol or drug use at last sexual intercourse*</i>			<i>Have been pregnant or gotten someone pregnant</i>		
Grade	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	70.0% (64.7-74.8)	57.6% (49.4-65.5)	78.6% (71.3-84.4)	33.3% (28.5-38.6)	33.6% (26.4-41.8)	33.1% (26.8-40.1)	0.6% (0.4-1.0)	***	***
10th	72.1% (67.7-76.1)	70.5% (63.5-76.6)	73.7% (68.2-78.6)	41.6% (37.1-46.2)	47.1% (40.3-54.0)	36.2% (30.4-42.5)	2.4% (1.9-3.0)	2.9% (2.1-3.8)	1.9% (1.2-2.8)
11th	68.8% (65.4-71.9)	65.4% (60.4-70.1)	72.2% (67.8-76.2)	30.9% (27.8-34.3)	29.0% (24.6-34.0)	32.8% (28.5-37.4)	2.7% (2.2-3.4)	1.8% (1.2-2.8)	3.6% (2.8-4.6)
12th	62.8% (58.3-67.1)	56.6% (50.4-62.7)	69.5% (63.0-75.3)	21.4% (17.9-25.5)	23.5% (18.8-29.1)	19.2% (14.3-25.3)	2.2% (1.5-3.1)	2.3% (1.4-3.8)	2.1% (1.2-3.6)
Race/Ethnicity									
White, non-Hispanic	69.9% (67.1-72.6)	***	***	30.5% (28.0-33.1)	***	***	1.4% (1.2-1.7)	***	***
Hispanic	55.8% (50.8-60.7)	***	***	25.5% (21.4-30.0)	***	***	3.5% (2.8-4.4)	***	***
Other, non-Hispanic	75.5% (68.8-81.1)	***	***	30.6% (24.3-37.8)	***	***	2.9% (1.7-4.8)	***	***
Sexual Orientation									
Heterosexual	69.1% (66.7-71.4)	***	***	29.3% (27.1-31.6)	***	***	1.6% (1.4-1.9)	***	***
LGBQ	48.6% (40.6-56.7)	***	***	28.0% (21.2-36.1)	***	***	4.6% (3.2-6.5)	***	***
Total	67.1% (64.8-69.3)	61.9% (58.5-65.2)	72.2% (69.1-75.1)	29.3% (27.2-31.4)	30.4% (27.4-33.6)	28.2% (25.3-31.2)	2.0% (1.7-2.3)	1.9% (1.5-2.3)	2.0% (1.7-2.5)

*Among the 23.2% of students who are currently sexually active.

Body Weight-overweight

	<i>At risk for becoming overweight*</i>			<i>Overweight*</i>			<i>Thought they were overweight</i>		
Grade	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	11.3% (10.3-12.3)	7.8% (6.8-9.0)	14.5% (13.0-16.2)	8.9% (8.0-10.0)	5.8% (4.8-7.0)	11.9% (10.4-13.6)	22.3% (21.0-23.6)	27.2% (25.4-29.2)	17.6% (16.0-19.4)
10th	9.4% (8.5-10.4)	8.9% (7.7-10.3)	9.9% (8.6-11.4)	7.9% (7.0-8.9)	6.6% (5.5-8.0)	9.2% (7.9-10.6)	22.5% (21.2-23.9)	29.0% (26.9-31.2)	16.2% (14.6-17.9)
11th	11.3% (10.1-12.5)	9.8% (8.3-11.5)	12.7% (11.1-14.6)	9.9% (8.8-11.3)	6.4% (5.1-8.0)	13.4% (11.5-15.5)	21.7% (20.1-23.3)	25.3% (22.9-27.8)	18.3% (16.4-20.4)
12th	7.1% (5.9-8.6)	7.3% (5.8-9.2)	6.9% (5.1-9.2)	7.9% (6.4-9.9)	4.2% (2.7-6.5)	11.5% (8.9-14.7)	19.8% (17.7-22.1)	22.7% (19.6-26.1)	17.0% (14.2-20.3)
Race/Ethnicity									
White non-Hispanic	9.3% (8.7-10.0)	***	***	6.3% (5.7-6.9)	***	***	19.8% (18.8-20.7)	***	***
Hispanic	12.1% (10.7-13.6)	***	***	16.5% (14.5-18.6)	***	***	27.4% (25.3-29.6)	***	***
Other non-Hispanic	9.4% (7.7-11.4)	***	***	9.6% (8.1-11.3)	***	***	21.6% (19.1-24.2)	***	***
Sexual Orientation									
Heterosexual	9.5% (9.0-10.1)	***	***	7.8% (7.2-8.5)	***	***	20.6% (19.7-21.4)	***	***
LGBQ	14.3% (12.1-16.8)	***	***	16.5% (13.7-19.8)	***	***	31.4% (27.9-35.0)	***	***
Total	9.8% (9.2-10.4)	8.5% (7.8-9.2)	11.1% (10.3-12.0)	8.7% (8.1-9.3)	5.8% (5.1-6.6)	11.5% (10.5-12.5)	21.6% (20.8-22.4)	26.1% (24.9-27.3)	17.3% (16.2-18.4)

*Based on body mass index reference data from the National Center for Health Statistics

Body Weight-weight loss

	<i>Attempting weight loss</i>			<i>Exercised to lose weight or avoid gaining weight*</i>			<i>Ate less food, fewer calories, or foods low in fat to avoid weight gain*</i>		
Grade	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	39.0% (37.5-40.5)	52.1% (50.0-54.2)	26.6% (24.7-28.6)	57.2% (55.7-58.7)	66.6% (64.5-68.5)	48.4% (46.2-50.6)	32.4% (31.0-33.9)	44.9% (42.8-47.0)	20.6% (18.8-22.6)
10th	40.4% (38.9-42.0)	56.7% (54.4-59.1)	24.6% (22.7-26.6)	57.3% (55.7-58.8)	70.5% (68.3-72.6)	44.5% (42.4-46.7)	35.4% (33.8-37.0)	51.9% (49.5-54.3)	19.2% (17.5-21.1)
11th	35.7% (33.9-37.4)	52.7% (49.9-55.4)	19.8% (17.9-21.8)	55.8% (53.9-57.6)	69.6% (67.0-72.0)	42.8% (40.3-45.3)	31.1% (29.4-32.8)	44.1% (41.4-46.9)	18.9% (17.0-20.9)
12th	35.6% (33.0-38.3)	54.1% (50.4-57.8)	17.8% (14.9-21.3)	53.7% (50.9-56.4)	67.0% (63.4-70.3)	40.8% (37.1-44.7)	31.6% (29.1-34.2)	46.8% (43.0-50.6)	17.1% (14.4-20.3)
Race/Ethnicity									
White non-Hispanic	36.1% (35.0-37.2)	*** ***	*** ***	55.1% (54.0-56.3)	*** ***	*** ***	32.5% (31.4-33.6)	*** ***	*** ***
Hispanic	44.5% (42.1-46.9)	*** ***	*** ***	59.3% (57.0-61.7)	*** ***	*** ***	33.3% (31.2-35.5)	*** ***	*** ***
Other non-Hispanic	33.6% (30.8-36.5)	*** ***	*** ***	54.5% (51.6-57.4)	*** ***	*** ***	31.1% (28.4-33.9)	*** ***	*** ***
Sexual Orientation									
Heterosexual	37.2% (36.2-38.2)	*** ***	*** ***	56.6% (55.6-57.6)	*** ***	*** ***	32.4% (31.5-33.4)	*** ***	*** ***
LGBQ	47.3% (43.5-51.1)	*** ***	*** ***	49.9% (46.1-53.8)	*** ***	*** ***	36.6% (33.1-40.2)	*** ***	*** ***
Total	37.7% (36.8-38.7)	53.9% (52.5-55.3)	22.3% (21.2-23.5)	56.0% (55.0-57.0)	68.4% (67.1-69.7)	44.2% (42.9-45.6)	32.6% (31.7-33.6)	47.0% (45.6-48.4)	19.0% (17.9-20.1)

*During the 30 days preceding the survey

Body Weight- unhealthy weight loss practices

	<i>Fasting 24 hours or more to lose weight or to avoid gaining weight*</i>			<i>Took diet pills, powders, or liquids to lose weight or to avoid gaining weight**</i>			<i>Vomited or took laxatives to lose weight or to avoid gaining weight*</i>		
Grade	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	10.0% (9.0-11.0)	14.6% (13.1-16.2)	5.6% (4.6-6.9)	3.4% (2.8-4.1)	3.8% (3.0-4.9)	3.0% (2.2-4.1)	4.9% (4.3-5.7)	6.9% (5.8-8.1)	3.1% (2.3-4.1)
10th	12.6% (11.4-13.9)	20.0% (18.0-22.2)	5.4% (4.4-6.6)	6.3% (5.5-7.2)	7.7% (6.4-9.3)	4.9% (4.0-6.0)	6.6% (5.8-7.4)	8.7% (7.4-10.1)	4.5% (3.7-5.6)
11th	9.0% (7.9-10.1)	12.7% (11.1-14.6)	5.5% (4.3-6.9)	4.4% (3.7-5.3)	4.8% (3.7-6.3)	4.0% (3.1-5.1)	4.2% (3.6-5.0)	5.5% (4.5-6.8)	3.0% (2.3-3.9)
12th	6.6% (5.4-8.0)	9.6% (7.7-12.0)	3.6% (2.5-5.3)	3.4% (2.5-4.7)	4.4% (3.0-6.4)	2.5% (1.4-4.2)	4.2% (3.3-5.4)	6.2% (4.7-8.1)	2.4% (1.3-4.3)
Race/Ethnicity									
White non-Hispanic	8.2% (7.6-8.8)	***	***	2.6% (2.2-3.1)	***	***	3.6% (3.2-4.0)	***	***
Hispanic	12.6% (11.2-14.3)	***	***	7.3% (6.1-8.7)	***	***	7.4% (6.4-8.6)	***	***
Other non-Hispanic	12.9% (10.9-15.2)	***	***	9.4% (7.9-11.3)	***	***	9.1% (7.3-11.3)	***	***
Sexual Orientation									
Heterosexual	8.6% (8.0-9.2)	***	***	4.0% (3.6-4.4)	***	***	4.6% (4.2-5.1)	***	***
LGBQ	20.8% (17.9-24.0)	***	***	6.0% (4.4-8.3)	***	***	9.4% (7.6-11.6)	***	***
Total	9.6% (9.0-10.2)	14.3% (13.4-15.3)	5.1% (4.5-5.7)	4.4% (4.0-4.8)	5.2% (4.6-5.9)	3.6% (3.1-4.2)	5.0% (4.6-5.4)	6.8% (6.2-7.6)	3.2% (2.8-3.8)

*During the 30 days preceding the survey

**During the 30 days preceding the survey (not including meal replacement products, such as Slim Fast)

Physical Activity

	<i>Participated in vigorous physical activity*</i>			<i>Played on one or more sports teams**</i>			<i>Got enough sleep***</i>		
Grade	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	71.4% (70.0-72.7)	67.4% (65.5-69.2)	75.2% (73.2-77.1)	68.7% (67.2-70.1)	67.1% (65.1-69.1)	70.2% (68.1-72.3)	7.2% (6.4-8.1)	5.1% (4.3-6.0)	9.2% (7.9-10.7)
10th	69.4% (67.8-70.8)	63.2% (60.9-65.5)	75.3% (73.4-77.1)	58.6% (57.0-60.2)	55.6% (53.2-57.9)	61.6% (59.6-63.7)	6.4% (5.6-7.4)	5.5% (4.3-6.9)	7.4% (6.3-8.6)
11th	70.9% (69.2-72.6)	65.9% (63.2-68.4)	75.7% (73.4-77.8)	63.7% (61.9-65.5)	62.2% (59.4-64.9)	65.1% (62.7-67.5)	7.6% (6.6-8.7)	5.0% (3.8-6.5)	10.0% (8.5-11.6)
12th	69.9% (67.4-72.3)	65.7% (62.2-69.0)	74.0% (70.4-77.3)	62.3% (59.6-64.9)	58.6% (54.8-62.2)	65.9% (62.0-69.6)	5.4% (4.2-7.0)	3.4% (2.1-5.7)	7.4% (5.6-9.7)
Race/Ethnicity									
White non-Hispanic	74.3% (73.3-75.3)	***	***	66.6% (65.6-67.7)	***	***	5.8% (5.2-6.4)	***	***
Hispanic	58.8% (56.4-61.1)	***	***	53.5% (51.1-56.0)	***	***	10.2% (8.9-11.8)	***	***
Other non-Hispanic	68.0% (65.4-70.5)	***	***	63.1% (60.4-65.8)	***	***	6.0% (4.6-7.7)	***	***
Sexual Orientation									
Heterosexual	72.5% (71.6-73.4)	***	***	65.6% (64.6-66.6)	***	***	6.8% (6.2-7.3)	***	***
LGBQ	47.7% (43.9-51.6)	***	***	39.0% (35.4-42.8)	***	***	7.3% (5.5-9.6)	***	***
Total	70.4% (69.5-71.3)	65.5% (64.2-66.8)	75.0% (73.8-76.2)	63.4% (62.4-64.3)	60.8% (59.5-62.2)	65.8% (64.4-67.0)	6.7% (6.2-7.2)	4.8% (4.1-5.5)	8.5% (7.7-9.3)

*For at least 60 minutes on 3 or more of the 7 days preceding the survey

**During the 12 months preceding the survey, including those run by school or community groups

***Enough sleep to feel rested upon waking in the morning 7 out of the 7 days preceding the survey