

# YRBS: 2007 SVVSD TABLES

## Seatbelts and Helmets

	<i>Rarely or never wore seatbelts*</i>			<i>Rarely or never wore bicycle helmets**</i>		
<b>Grade</b>	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male
9th	<b>4.7%</b> (3.8-5.9)	3.0% (2.1-4.4)	6.3% (4.8-8.2)	<b>71.6%</b> (69.6-73.6)	73.9% (71.1-76.5)	69.8% (66.8-72.6)
10th	<b>9.2%</b> (7.8-11.0)	4.6% (3.3-6.6)	13.8% (11.3-16.7)	<b>85.1%</b> (82.9-87.2)	88.8% (85.7-91.4)	82.0% (78.7-84.8)
11th	<b>9.1%</b> (7.4-11.2)	6.2% (4.3-8.8)	11.8% (9.1-15.2)	<b>75.5%</b> (72.4-78.3)	79.0% (73.4-83.6)	73.2% (69.4-76.7)
12th	<b>1.6%</b> (0.9-2.9)	***	3.2% (1.8-5.9)	<b>71.6%</b> (66.7-76.0)	68.9% (60.3-76.3)	73.3% (67.3-78.6)
<b>Race/Ethnicity</b>						
White non-Hispanic	<b>4.7%</b> (4.0-5.6)	***	***	<b>70.8%</b> (69.0-72.5)	***	***
Hispanic	<b>9.0%</b> (7.4-10.8)	***	***	<b>89.9%</b> (87.2-92.1)	***	***
Other non-Hispanic	<b>7.1%</b> (5.1-9.8)	***	***	<b>79.0%</b> (74.7-82.7)	***	***
<b>Total</b>	<b>6.2%</b> (5.5-7.0)	3.5% (2.8-4.3)	8.9% (7.7-10.2)	<b>76.3%</b> (74.9-77.6)	78.6% (76.4-80.7)	74.5% (72.6-76.3)

\*When riding in a car driven by someone else

\*\*Among the 74.2% of students who reported riding a bicycle in the past 12 months

## Drinking and Driving

	<i>Rode with a driver who had been drinking alcohol*</i>			<i>Drove after drinking alcohol*</i>		
<b>Grade</b>	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male
9th	<b>21.8%</b> (20.0-23.6)	21.6% (19.2-24.2)	21.9% (19.4-24.7)	<b>4.2%</b> (3.3-5.3)	3.4% (2.4-4.7)	4.9% (3.6-6.7)
10th	<b>25.8%</b> (23.6-28.2)	25.6% (22.2-29.2)	26.1% (23.1-29.4)	<b>8.2%</b> (6.9-9.9)	8.9% (6.8-11.4)	7.6% (5.9-9.8)
11th	<b>27.0%</b> (24.4-29.9)	28.2% (24.2-32.8)	25.9% (22.5-29.7)	<b>10.8%</b> (9.0-12.9)	9.2% (6.7-12.5)	12.3% (9.9-15.1)
12th	<b>18.3%</b> (15.2-21.7)	13.4% (10.2-17.4)	23.3% (18.4-28.9)	<b>13.4%</b> (10.8-16.4)	11.8% (8.6-15.9)	15.0% (11.2-19.7)
<b>Race/Ethnicity</b>						
White non-Hispanic	<b>21.3%</b> (19.8-22.8)	*** ***	*** ***	<b>9.6%</b> (8.6-10.9)	*** ***	*** ***
Hispanic	<b>29.9%</b> (27.2-32.7)	*** ***	*** ***	<b>6.8%</b> (5.3-8.6)	*** ***	*** ***
Other non-Hispanic	<b>16.7%</b> (13.6-20.3)	*** ***	*** ***	<b>7.6%</b> (5.1-11.3)	*** ***	*** ***
<b>Total</b>	<b>23.3%</b> (22.0-24.6)	22.2% (20.6-24.0)	24.3% (22.5-26.1)	<b>8.9%</b> (8.0-9.8)	8.1% (6.9-9.5)	9.6% (8.3-11.0)

\*One or more times during the 30 days preceding the survey

## Tobacco Use-cigarettes

Grade	Ever smoked cigarettes*			Current cigarette user**			Current frequent cigarette use***		
	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	<b>33.1%</b> (31.0-35.2)	34.1% (31.2-37.1)	32.1% (29.2-35.2)	<b>10.4%</b> (9.1-11.9)	8.8% (7.0-10.9)	11.9% (10.0-14.1)	<b>2.7%</b> (2.0-3.6)	2.5% (1.6-3.8)	2.8% (1.8-4.4)
10th	<b>52.5%</b> (49.8-55.1)	50.0% (45.9-54.1)	55.0% (51.5-58.4)	<b>22.7%</b> (20.3-25.3)	21.8% (18.4-25.8)	23.6% (20.4-27.2)	<b>8.4%</b> (7.0-10.2)	7.7% (5.8-10.1)	9.1% (7.0-11.9)
11th	<b>51.2%</b> (48.2-54.3)	47.5% (42.8-52.2)	54.7% (50.7-58.6)	<b>19.7%</b> (17.4-22.2)	16.8% (13.6-20.6)	22.3% (19.1-25.9)	<b>9.1%</b> (7.4-11.2)	7.9% (5.6-11.0)	10.3% (7.9-13.3)
12th	<b>55.3%</b> (51.4-59.2)	49.2% (43.6-54.9)	61.7% (56.2-67.0)	<b>23.4%</b> (20.2-27.0)	24.9% (20.3-30.2)	21.8% (17.6-26.7)	<b>6.2%</b> (4.3-9.0)	5.2% (2.8-9.4)	7.3% (4.6-11.5)
<b>Race/Ethnicity</b>									
White	<b>41.1%</b> (39.3-42.9)	*** ***	*** ***	<b>18.1%</b> (16.6-19.6)	*** ***	*** ***	<b>6.8%</b> (5.8-7.9)	*** ***	*** ***
Hispanic	<b>61.0%</b> (58.0-63.9)	*** ***	*** ***	<b>19.4%</b> (17.1-21.9)	*** ***	*** ***	<b>6.3%</b> (4.9-8.1)	*** ***	*** ***
Other	<b>47.6%</b> (43.0-52.3)	*** ***	*** ***	<b>19.3%</b> (15.2-24.2)	*** ***	*** ***	<b>4.1%</b> (2.6-6.6)	*** ***	*** ***
<b>Total</b>	<b>47.5%</b> (46.1-49.0)	45.0% (42.8-47.2)	50.0% (48.0-52.0)	<b>18.6%</b> (17.4-19.9)	17.8% (16.1-19.6)	19.4% (17.8-21.2)	<b>6.4%</b> (5.7-7.3)	5.7% (4.7-6.9)	7.2% (6.1-8.5)

\*Even one or two puffs

\*\*Smoked cigarettes on 1 or more of the 30 days preceding the survey

\*\*\*Smoked cigarettes on 20 or more of the 30 days preceding the survey

## Tobacco use-smokeless tobacco and cigars

	<i>Current smokeless tobacco use*</i>			<i>Current cigar use**</i>			<i>Current tobacco use***</i>		
<b>Grade</b>	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male
9th	<b>5.5%</b> (4.6-6.7)	1.3% (0.8-2.3)	9.4% (7.7-11.4)	<b>10.3%</b> (9.1-11.7)	6.7% (5.3-8.4)	13.7% (11.7-15.9)	<b>16.3%</b> (14.7-18.0)	11.8% (9.9-14.0)	20.5% (18.1-23.1)
10th	<b>10.5%</b> (9.0-12.3)	2.8% (1.6-4.7)	18.3% (15.6-21.4)	<b>26.5%</b> (24.2-29.0)	22.2% (18.9-25.8)	30.9% (27.6-34.4)	<b>33.3%</b> (30.6-36.0)	29.6% (25.7-33.8)	37.1% (33.6-40.7)
11th	<b>7.7%</b> (6.3-9.4)	5.2% (3.6-7.3)	10.0% (7.8-12.8)	<b>23.6%</b> (21.2-26.2)	17.1% (14.0-20.8)	29.5% (26.1-33.2)	<b>28.7%</b> (26.0-31.5)	22.4% (18.7-26.7)	34.5% (30.7-38.5)
12th	<b>9.3%</b> (7.2-12.0)	5.1% (2.9-8.7)	13.7% (10.2-18.2)	<b>23.8%</b> (20.6-27.3)	15.0% (11.7-19.2)	32.8% (27.7-38.3)	<b>35.2%</b> (31.5-39.1)	30.4% (25.3-36.0)	40.4% (35.0-46.1)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>8.8%</b> (7.7-9.9)	***	***	<b>20.9%</b> (19.4-22.4)	***	***	<b>28.3%</b> (26.6-30.0)	***	***
Hispanic	<b>6.5%</b> (5.2-8.0)	***	***	<b>20.6%</b> (18.2-23.2)	***	***	<b>25.5%</b> (23.0-28.2)	***	***
Other non-Hispanic	<b>7.3%</b> (5.3-10.0)	***	***	<b>20.3%</b> (16.8-24.4)	***	***	<b>28.1%</b> (23.8-33.0)	***	***
<b>Total</b>	<b>8.2%</b> (7.4-9.1)	3.4% (2.7-4.4)	12.8% (11.4-14.2)	<b>20.7%</b> (19.6-22.0)	15.2% (13.7-16.8)	26.1% (24.3-27.9)	<b>27.7%</b> (26.4-29.1)	23.2% (21.3-25.2)	32.2% (30.3-34.2)

\*Used chewing tobacco or snuff on 1 or more of the 30 days preceding the survey

\*\*Smoked cigars on 1 or more of the 30 days preceding the survey

\*\*\*Smoked cigarettes or cigars or used chewing tobacco or snuff on 1 or more of the 30 days preceding the survey

## Perceptions and beliefs-cigarettes

	<i>Smoking 1+ packs per day is moderate or great risk</i>			<i>It is wrong or very wrong for someone your age to smoke</i>			<i>Parents feel it is wrong or very wrong for you to smoke</i>		
<b>Grade</b>	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male
9th	<b>90.6%</b> (89.1-92.0)	95.2% (93.5-96.5)	86.5% (84.0-88.6)	<b>83.8%</b> (82.1-85.4)	85.2% (82.8-87.3)	82.5% (80.0-84.7)	<b>96.2%</b> (95.3-96.9)	96.1% (94.8-97.2)	96.2% (94.9-97.2)
10th	<b>88.7%</b> (86.9-90.3)	93.6% (91.6-95.2)	83.8% (80.9-86.4)	<b>67.7%</b> (65.0-70.2)	70.3% (66.4-74.0)	65.0% (61.4-68.4)	<b>92.7%</b> (91.2-94.0)	91.9% (89.1-93.9)	93.6% (91.8-95.0)
11th	<b>90.1%</b> (88.0-91.8)	97.2% (95.8-98.2)	83.5% (79.9-86.6)	<b>69.3%</b> (66.4-72.0)	73.1% (69.1-76.8)	65.8% (61.9-69.5)	<b>91.8%</b> (89.9-93.4)	94.0% (91.5-95.7)	89.8% (86.9-92.2)
12th	<b>92.4%</b> (89.8-94.3)	95.3% (93.5-96.7)	89.4% (84.6-92.8)	<b>65.7%</b> (61.8-69.4)	67.5% (62.0-72.6)	63.8% (58.4-69.0)	<b>91.4%</b> (89.0-93.3)	92.9% (89.2-95.4)	89.8% (86.5-92.4)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>93.6%</b> (92.7-94.4)	*** ***	*** ***	<b>68.5%</b> (66.7-70.2)	*** ***	*** ***	<b>92.4%</b> (91.3-93.3)	*** ***	*** ***
Hispanic	<b>85.8%</b> (83.4-88.0)	*** ***	*** ***	<b>78.5%</b> (76.0-80.8)	*** ***	*** ***	<b>94.4%</b> (92.8-95.7)	*** ***	*** ***
Other non-Hispanic	<b>84.2%</b> (80.8-87.0)	*** ***	*** ***	<b>78.4%</b> (73.9-82.4)	*** ***	*** ***	<b>95.3%</b> (92.9-96.9)	*** ***	*** ***
<b>Total</b>	<b>90.4%</b> (89.5-91.2)	95.3% (94.4-96.0)	85.7% (84.1-87.2)	<b>72.1%</b> (70.7-73.4)	74.3% (72.3-76.2)	69.9% (68.0-71.8)	<b>93.2%</b> (92.4-93.9)	93.7% (92.5-94.8)	92.6% (91.5-93.6)

## Alcohol Use

	<i>Lifetime alcohol use*</i>			<i>Current alcohol use**</i>			<i>Binge drinking***</i>		
<b>Grade</b>	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male
9th	<b>55.2%</b> (53.0-57.4)	58.4% (55.4-61.4)	52.2% (48.9-55.5)	<b>30.6%</b> (28.7-32.7)	31.6% (28.8-34.6)	29.8% (27.0-32.7)	<b>14.8%</b> (13.3-16.4)	15.7% (13.6-18.2)	13.9% (11.9-16.2)
10th	<b>78.1%</b> (75.6-80.3)	80.8% (77.2-83.9)	75.4% (72.2-78.5)	<b>46.5%</b> (43.7-49.3)	51.0% (46.8-55.3)	41.7% (38.0-45.4)	<b>32.9%</b> (30.3-35.6)	38.3% (34.4-42.4)	27.3% (24.1-30.8)
11th	<b>79.8%</b> (77.0-82.4)	82.6% (78.1-86.3)	77.3% (73.5-80.7)	<b>49.2%</b> (45.9-52.5)	50.2% (45.2-55.2)	48.3% (44.0-52.6)	<b>30.4%</b> (27.6-33.4)	27.9% (24.0-32.1)	32.8% (28.8-37.0)
12th	<b>80.7%</b> (77.0-83.9)	76.7% (70.8-81.6)	84.8% (80.4-88.4)	<b>52.6%</b> (48.5-56.7)	54.4% (48.4-60.3)	50.7% (45.0-56.5)	<b>31.4%</b> (27.7-35.3)	30.9% (25.7-36.6)	31.9% (26.9-37.4)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>70.8%</b> (69.0-72.5)	*** ***	*** ***	<b>43.5%</b> (41.6-45.4)	*** ***	*** ***	<b>26.0%</b> (24.4-27.7)	*** ***	*** ***
Hispanic	<b>78.6%</b> (75.8-81.1)	*** ***	*** ***	<b>46.2%</b> (42.9-49.4)	*** ***	*** ***	<b>30.0%</b> (27.2-32.9)	*** ***	*** ***
Other non-Hispanic	<b>69.9%</b> (65.8-73.7)	*** ***	*** ***	<b>40.8%</b> (36.0-45.9)	*** ***	*** ***	<b>22.3%</b> (18.3-26.8)	*** ***	*** ***
<b>Total</b>	<b>73.1%</b> (71.7-74.4)	74.4% (72.3-76.3)	71.8% (70.0-73.6)	<b>44.2%</b> (42.6-45.8)	46.5% (44.2-48.8)	41.9% (39.8-44.0)	<b>26.9%</b> (25.6-28.3)	28.1% (26.1-30.2)	25.8% (23.9-27.7)

\*More than a few sips

\*\*Drank at least 1 drink of alcohol on 1 or more of the 30 days preceding the survey

\*\*\*Drank 5 or more drinks of alcohol in a row (within a couple of hours) on 1 or more of the 30 days preceding the survey

## Perceptions and beliefs-alcohol

	<i>Drinking 1 or 2 drinks per day is moderate or great risk</i>			<i>It is wrong or very wrong for someone your age to drink</i>			<i>Parents feel it is wrong or very wrong for you to drink</i>		
<b>Grade</b>	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male
9th	<b>68.7%</b> (66.6-70.7)	76.2% (73.6-78.6)	61.8% (58.7-64.8)	<b>73.2%</b> (71.3-75.1)	73.9% (71.1-76.5)	72.7% (69.8-75.4)	<b>89.5%</b> (88.1-90.7)	88.8% (86.7-90.7)	90.0% (88.1-91.7)
10th	<b>67.0%</b> (64.4-69.5)	70.1% (66.1-73.8)	63.9% (60.5-67.3)	<b>62.7%</b> (60.0-65.4)	62.7% (58.6-66.7)	62.7% (59.2-66.2)	<b>88.3%</b> (86.4-89.9)	92.2% (89.4-94.2)	84.4% (81.6-86.8)
11th	<b>68.0%</b> (65.0-70.8)	79.6% (75.6-83.1)	57.4% (53.2-61.5)	<b>65.3%</b> (62.2-68.2)	70.9% (66.4-75.0)	60.2% (56.0-64.2)	<b>86.4%</b> (84.2-88.4)	91.6% (88.3-94.0)	81.7% (78.5-84.6)
12th	<b>65.4%</b> (61.5-69.1)	76.8% (71.6-81.3)	53.7% (48.0-59.2)	<b>59.2%</b> (55.4-62.9)	66.0% (60.7-71.0)	52.2% (46.8-57.4)	<b>76.9%</b> (73.4-80.0)	83.3% (78.8-87.0)	70.3% (64.9-75.2)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>65.6%</b> (63.9-67.3)	*** ***	*** ***	<b>63.2%</b> (61.5-65.0)	*** ***	*** ***	<b>83.7%</b> (82.3-85.1)	*** ***	*** ***
Hispanic	<b>69.1%</b> (66.1-72.0)	*** ***	*** ***	<b>71.2%</b> (68.4-73.9)	*** ***	*** ***	<b>90.0%</b> (87.8-91.7)	*** ***	*** ***
Other non-Hispanic	<b>72.0%</b> (67.8-75.9)	*** ***	*** ***	<b>61.0%</b> (56.4-65.5)	*** ***	*** ***	<b>85.9%</b> (82.5-88.7)	*** ***	*** ***
<b>Total</b>	<b>67.3%</b> (65.9-68.7)	75.5% (73.5-77.3)	59.5% (57.5-61.5)	<b>65.4%</b> (64.0-66.8)	68.4% (66.3-70.3)	62.6% (60.6-64.6)	<b>85.6%</b> (84.5-86.6)	89.0% (87.5-90.4)	82.3% (80.6-83.8)

## Marijuana use

	<i>Lifetime marijuana use*</i>			<i>Current marijuana use**</i>		
<b>Grade</b>	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male
9th	<b>19.8%</b> (18.0-21.6)	19.1% (16.8-21.6)	20.4% (18.0-23.0)	<b>10.4%</b> (9.2-11.9)	11.0% (9.2-13.0)	9.9% (8.2-12.0)
10th	<b>42.9%</b> (40.2-45.7)	40.7% (36.6-44.9)	45.2% (41.6-48.8)	<b>26.4%</b> (24.0-29.0)	22.7% (19.3-26.6)	29.9% (26.6-33.5)
11th	<b>45.8%</b> (42.8-48.8)	42.8% (38.4-47.4)	48.5% (44.5-52.5)	<b>25.3%</b> (22.9-27.9)	20.2% (17.0-23.8)	30.0% (26.6-33.6)
12th	<b>48.0%</b> (44.0-52.0)	49.6% (43.8-55.5)	46.2% (40.9-51.7)	<b>22.6%</b> (19.4-26.1)	20.3% (16.1-25.3)	25.0% (20.4-30.2)
<b>Race/Ethnicity</b>						
White non-Hispanic	<b>33.1%</b> (31.4-34.9)	***	***	<b>18.1%</b> (16.7-19.6)	***	***
Hispanic	<b>48.2%</b> (45.2-51.3)	***	***	<b>24.5%</b> (22.2-27.0)	***	***
Other non-Hispanic	<b>42.9%</b> (38.2-47.8)	***	***	<b>26.8%</b> (22.6-31.6)	***	***
<b>Total</b>	<b>38.4%</b> (36.9-39.8)	37.5% (35.4-39.7)	39.2% (37.3-41.2)	<b>20.8%</b> (19.6-22.1)	18.4% (16.7-20.2)	23.2% (21.5-25.0)

\*Ever used marijuana

\*\*Used marijuana 1 or more times during the 30 days preceding the survey



## Perceptions and beliefs-marijuana

	<i>Smoking marijuana regularly is a moderate or great risk</i>			<i>It is wrong or very wrong for someone your age to smoke marijuana</i>			<i>Parents feel it is wrong or very wrong for you to smoke marijuana</i>		
<b>Grade</b>	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male
9th	<b>77.8%</b> (75.8-79.6)	81.2% (78.7-83.5)	74.6% (71.6-77.3)	<b>77.8%</b> (76.0-79.6)	78.8% (76.3-81.1)	77.0% (74.2-79.6)	<b>94.6%</b> (93.5-95.4)	96.1% (94.8-97.1)	93.1% (91.4-94.5)
10th	<b>61.5%</b> (58.8-64.1)	64.3% (60.2-68.1)	58.6% (55.1-62.1)	<b>57.0%</b> (54.3-59.7)	60.0% (55.8-64.0)	54.1% (50.6-57.6)	<b>91.8%</b> (90.1-93.2)	93.8% (91.2-95.6)	89.8% (87.4-91.8)
11th	<b>63.6%</b> (60.5-66.5)	72.3% (68.1-76.2)	55.5% (51.3-59.7)	<b>60.9%</b> (58.0-63.7)	66.4% (62.0-70.5)	55.9% (52.1-59.7)	<b>90.4%</b> (88.4-92.0)	91.6% (88.7-93.8)	89.3% (86.5-91.6)
12th	<b>62.4%</b> (58.3-66.3)	69.4% (63.8-74.6)	55.2% (49.4-60.7)	<b>57.4%</b> (53.5-61.3)	59.9% (54.2-65.4)	54.9% (49.5-60.1)	<b>87.0%</b> (84.3-89.3)	87.1% (83.1-90.3)	86.9% (83.1-90.0)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>68.6%</b> (66.9-70.3)	***	***	<b>61.8%</b> (60.0-63.6)	***	***	<b>90.5%</b> (89.4-91.5)	***	***
Hispanic	<b>65.0%</b> (61.9-67.9)	***	***	<b>69.4%</b> (66.7-72.0)	***	***	<b>93.0%</b> (91.1-94.5)	***	***
Other non-Hispanic	<b>61.2%</b> (56.5-65.7)	***	***	<b>61.2%</b> (56.6-65.6)	***	***	<b>89.7%</b> (86.2-92.4)	***	***
<b>Total</b>	<b>66.7%</b> (65.2-68.1)	71.9% (69.9-73.9)	61.7% (59.6-63.6)	<b>63.8%</b> (62.4-65.2)	66.6% (64.4-68.6)	61.2% (59.3-63.1)	<b>91.2%</b> (90.3-92.0)	92.4% (91.0-93.5)	90.0% (88.7-91.1)

## Early Initiation of Tobacco, Alcohol, and Marijuana Use

	<i>Smoked whole cigarette before age 13</i>			<i>Drank alcohol before age 13</i>			<i>Tried marijuana before age 13</i>		
<b>Grade</b>	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male
9th	<b>9.4%</b> (8.1-10.9)	11.9% (9.9-14.3)	7.1% (5.5-9.1)	<b>28.2%</b> (26.2-30.4)	31.2% (28.3-34.2)	25.6% (22.9-28.6)	<b>7.3%</b> (6.2-8.7)	6.9% (5.4-8.9)	7.7% (6.1-9.7)
10th	<b>13.2%</b> (11.4-15.3)	12.3% (9.7-15.4)	14.1% (11.7-17.0)	<b>30.5%</b> (28.0-33.1)	29.5% (25.8-33.6)	31.5% (28.2-34.9)	<b>10.7%</b> (9.0-12.7)	9.8% (7.3-13.1)	11.6% (9.6-14.1)
11th	<b>14.2%</b> (12.2-16.4)	12.8% (10.2-16.1)	15.3% (12.5-18.6)	<b>23.4%</b> (20.8-26.1)	20.9% (17.3-25.1)	25.5% (22.1-29.2)	<b>9.5%</b> (7.9-11.3)	9.4% (7.1-12.3)	9.6% (7.5-12.1)
12th	<b>10.6%</b> (8.3-13.5)	10.5% (7.7-14.3)	10.7% (7.2-15.6)	<b>16.1%</b> (13.2-19.6)	10.9% (7.6-15.4)	21.4% (16.8-26.9)	<b>8.3%</b> (6.3-10.8)	8.8% (5.9-13.0)	7.7% (5.3-11.0)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>9.8%</b> (8.8-10.9)	***	***	<b>22.3%</b> (20.8-23.8)	***	***	<b>6.9%</b> (6.0-7.8)	***	***
Hispanic	<b>14.7%</b> (12.5-17.3)	***	***	<b>28.5%</b> (25.8-31.4)	***	***	<b>14.0%</b> (11.9-16.3)	***	***
Other non-Hispanic	<b>13.6%</b> (10.8-17.0)	***	***	<b>27.0%</b> (23.0-31.3)	***	***	<b>9.2%</b> (6.9-12.1)	***	***
<b>Total</b>	<b>11.8%</b> (10.8-12.8)	11.9% (10.6-13.4)	11.7% (10.3-13.2)	<b>24.8%</b> (23.6-26.2)	23.4% (21.6-25.4)	26.2% (24.4-28.0)	<b>8.9%</b> (8.1-9.8)	8.7% (7.5-10.2)	9.2% (8.1-10.3)

## Substance Use on School Property-cigarettes, alcohol, marijuana

Grade	Smoked cigarettes on school property*			Drank alcohol on school property*			Used marijuana on school property*		
	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	3.0% (2.3-3.9)	2.5% (1.6-3.7)	3.6% (2.5-5.0)	2.4% (1.7-3.4)	3.0% (2.0-4.4)	1.9% (1.1-3.3)	1.7% (1.2-2.6)	2.2% (1.4-3.6)	1.3% (0.7-2.4)
10th	9.0% (7.4-10.8)	12.5% (10.0-15.5)	5.5% (3.9-7.8)	6.7% (5.3-8.3)	9.2% (6.9-12.4)	4.1% (3.1-5.4)	6.6% (5.2-8.4)	9.0% (6.6-12.2)	4.2% (3.1-5.8)
11th	8.3% (6.7-10.3)	7.6% (5.4-10.7)	9.0% (6.8-11.7)	4.1% (3.0-5.6)	***	7.9% (5.9-10.6)	6.8% (5.5-8.2)	6.5% (4.8-8.7)	7.0% (5.3-9.1)
12th	8.8% (6.5-11.9)	12.4% (8.6-17.4)	5.1% (2.8-9.0)	4.4% (3.1-6.0)	4.7% (2.9-7.4)	4.0% (2.5-6.4)	3.0% (1.8-4.8)	3.5% (1.7-6.8)	2.4% (1.2-4.7)
Race/Ethnicity									
White non-Hispanic	6.8% (5.7-7.9)	*** ***	*** ***	3.7% (3.0-4.4)	*** ***	*** ***	3.6% (3.0-4.4)	*** ***	*** ***
Hispanic	8.0% (6.5-9.8)	*** ***	*** ***	6.9% (5.4-8.7)	*** ***	*** ***	5.5% (4.3-6.9)	*** ***	*** ***
Other non-Hispanic	6.7% (3.9-11.2)	*** ***	*** ***	1.0% (0.7-1.5)	*** ***	*** ***	6.9% (4.4-10.7)	*** ***	*** ***
<b>Total</b>	7.1% (6.3-8.0)	8.6% (7.3-10.1)	5.7% (4.7-6.8)	4.4% (3.8-5.0)	4.4% (3.5-5.4)	4.4% (3.6-5.3)	4.5% (3.9-5.1)	5.3% (4.3-6.5)	3.7% (3.0-4.4)

\*One or more times during the last 30 days preceding the survey

## Substance Use on School Property-tobacco and drugs

Grade	Tobacco use on school property*			Offered, sold, or given an illegal drug on school property**		
	Total	Female	Male	Total	Female	Male
9th	1.8% (1.3-2.6)	***	2.6% (1.7-3.9)	24.2% (22.4-26.2)	24.8% (22.3-27.6)	23.7% (21.2-26.4)
10th	6.7% (5.4-8.3)	2.8% (1.6-4.7)	10.6% (8.4-13.3)	31.2% (28.7-33.7)	36.0% (32.1-40.0)	26.4% (23.6-29.5)
11th	3.2% (2.2-4.4)	***	6.1% (4.4-8.4)	29.6% (26.9-32.5)	25.9% (22.2-29.9)	33.1% (29.2-37.2)
12th	5.1% (3.7-6.9)	3.4% (1.9-5.8)	6.8% (4.7-9.8)	22.1% (19.0-25.6)	16.7% (12.9-21.3)	27.7% (22.8-33.2)
<b>Race/Ethnicity</b>						
White non-Hispanic	4.6% (3.8-5.4)	***	***	25.8% (24.3-27.4)	***	***
Hispanic	3.7% (2.6-5.0)	***	***	29.1% (26.4-31.8)	***	***
Other non-Hispanic	***	***	***	25.7% (21.8-30.0)	***	***
<b>Total</b>	<b>4.1%</b> <b>(3.6-4.8)</b>	<b>1.8%</b> <b>(1.2-2.5)</b>	<b>6.4%</b> <b>(5.5-7.5)</b>	<b>26.8%</b> <b>(25.5-28.1)</b>	<b>26.1%</b> <b>(24.3-28.0)</b>	<b>27.5%</b> <b>(25.7-29.4)</b>

\*Cigarettes, cigars, chewing tobacco, or snuff on 1 or more of the 30 days preceding the survey

\*\*During the 12 months preceding the survey

## Safety and Self-Injury

Grade	<i>Felt safe in their neighborhood*</i>			<i>Felt too unsafe to go to school**</i>			<i>Intentionally self-injured***</i>		
	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male
9th	<b>87.9%</b> (86.4-89.3)	86.7% (84.5-88.6)	89.1% (86.8-91.0)	<b>4.6%</b> (3.7-5.7)	5.8% (4.5-7.5)	3.5% (2.4-5.1)	<b>21.1%</b> (19.3-23.0)	28.2% (25.5-31.2)	14.5% (12.5-16.7)
10th	<b>89.5%</b> (87.7-91.1)	89.2% (86.2-91.6)	89.8% (87.6-91.7)	<b>6.1%</b> (4.7-7.7)	7.9% (5.7-10.8)	4.2% (2.9-6.1)	<b>22.4%</b> (20.2-24.9)	31.7% (28.0-35.6)	13.4% (11.0-16.3)
11th	<b>92.9%</b> (91.1-94.3)	93.0% (90.4-94.9)	92.8% (90.1-94.7)	<b>2.7%</b> (1.7-4.3)	***	4.3% (2.6-7.1)	<b>18.4%</b> (16.2-20.8)	26.7% (22.9-30.9)	11.0% (8.8-13.7)
12th	<b>93.2%</b> (91.3-94.7)	94.8% (92.4-96.6)	91.5% (88.5-93.8)	<b>3.9%</b> (2.5-6.0)	5.3% (3.1-8.9)	2.5% (1.2-5.1)	<b>22.1%</b> (19.1-25.5)	22.2% (17.9-27.1)	22.1% (18.0-26.9)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>92.0%</b> (91.1-92.9)	***	***	<b>2.8%</b> (2.3-3.4)	***	***	<b>23.8%</b> (22.3-25.4)	***	***
Hispanic	<b>87.8%</b> (85.8-89.5)	***	***	<b>4.9%</b> (3.6-6.7)	***	***	<b>16.4%</b> (14.4-18.7)	***	***
Other non-Hispanic	<b>90.2%</b> (87.0-92.7)	***	***	<b>11.7%</b> (8.5-15.8)	***	***	<b>16.2%</b> (13.1-19.9)	***	***
<b>Total</b>	<b>90.7%</b> (89.8-91.5)	90.7% (89.5-91.8)	90.7% (89.5-91.8)	<b>4.4%</b> (3.8-5.1)	5.2% (4.2-6.3)	3.6% (2.9-4.6)	<b>21.1%</b> (19.9-22.3)	27.4% (25.5-29.3)	15.0% (13.6-16.6)

\*Most of the time or always

\*\*On 1 or more of the 30 days preceding the survey

\*\*\*Self-injured (such as cutting or burning) without wanting to die during the 12 months preceding the survey

## Harassment-ethnic/race or LGB

Grade	<i>Harassed*</i>			Harassed because of Race/Ethnicity or ethnic origin*			<i>Harassed because someone thought they were lesbian, gay, or bisexual*</i>		
	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	<b>37.8%</b> (35.6-40.1)	43.3% (40.1-46.5)	32.7% (29.7-35.9)	<b>4.9%</b> (3.9-6.1)	4.8% (3.6-6.5)	4.9% (3.6-6.7)	<b>6.3%</b> (5.2-7.6)	6.2% (4.7-8.3)	6.4% (5.0-8.0)
10th	<b>29.5%</b> (27.0-32.2)	35.5% (31.4-39.9)	23.7% (20.9-26.7)	<b>7.3%</b> (6.0-8.8)	9.7% (7.5-12.5)	4.9% (3.7-6.4)	<b>5.7%</b> (4.5-7.1)	5.0% (3.4-7.3)	6.3% (4.7-8.5)
11th	<b>32.9%</b> (29.8-36.1)	32.9% (28.4-37.8)	32.8% (28.8-37.1)	<b>6.5%</b> (5.0-8.4)	4.2% (2.4-7.1)	8.6% (6.4-11.4)	<b>5.0%</b> (4.0-6.3)	3.4% (2.2-5.2)	6.5% (4.9-8.5)
12th	<b>20.0%</b> (16.9-23.5)	21.1% (16.6-26.4)	18.7% (14.9-23.4)	<b>5.8%</b> (4.2-7.8)	4.6% (2.8-7.5)	7.1% (4.8-10.4)	<b>1.6%</b> (1.0-2.4)	***	3.2% (2.1-4.8)
Race/Ethnicity									
White non-Hispanic	<b>30.7%</b> (29.0-32.4)	***	***	<b>3.2%</b> (2.6-3.9)	***	***	<b>5.1%</b> (4.5-5.9)	***	***
Hispanic	<b>28.1%</b> (25.4-31.1)	***	***	<b>10.9%</b> (9.2-12.9)	***	***	<b>2.8%</b> (2.0-4.0)	***	***
Other non-Hispanic	<b>35.1%</b> (30.8-39.7)	***	***	<b>11.7%</b> (9.1-14.8)	***	***	<b>8.9%</b> (6.8-11.7)	***	***
<b>Total</b>	<b>30.5%</b> (29.1-31.9)	33.6% (31.4-35.8)	27.5% (25.7-29.3)	<b>6.1%</b> (5.4-6.9)	5.9% (4.9-7.1)	6.2% (5.3-7.3)	<b>4.8%</b> (4.2-5.4)	3.8% (3.1-4.7)	5.7% (4.9-6.6)

\*At school (or on the way to school) during the 12 months preceding the survey

## Harassment-religion, appearance, unwanted sexual attention

	<i>Harassed because of religious beliefs*</i>			<i>Harassed because of weight, size, physical appearance*</i>			<i>Received unwanted sexual comments or attention*</i>		
<b>Grade</b>	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male
9th	<b>5.8%</b> (4.9-7.0)	6.8% (5.3-8.6)	5.0% (3.8-6.6)	<b>21.0%</b> (19.2-22.9)	26.3% (23.5-29.3)	16.3% (14.1-18.8)	<b>23.2%</b> (21.4-25.0)	32.8% (30.0-35.7)	14.4% (12.4-16.5)
10th	<b>6.0%</b> (4.8-7.5)	6.4% (4.6-9.0)	5.6% (4.3-7.4)	<b>16.7%</b> (14.6-19.0)	22.8% (19.3-26.7)	10.8% (8.8-13.3)	<b>27.2%</b> (24.7-29.7)	40.9% (36.9-45.0)	13.3% (11.0-16.1)
11th	<b>3.8%</b> (3.0-4.8)	3.0% (2.2-3.9)	4.5% (3.2-6.4)	<b>13.6%</b> (11.6-15.7)	13.8% (11.1-17.1)	13.4% (10.8-16.4)	<b>21.0%</b> (18.7-23.6)	31.8% (27.6-36.2)	11.3% (9.0-14.1)
12th	<b>2.3%</b> (1.6-3.3)	***	***	<b>7.0%</b> (5.2-9.3)	9.5% (6.6-13.4)	4.4% (2.6-7.4)	<b>17.9%</b> (14.8-21.5)	28.2% (23.0-34.0)	7.2% (4.5-11.3)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>5.1%</b> (4.4-5.9)	***	***	<b>15.4%</b> (14.2-16.7)	***	***	<b>22.0%</b> (20.5-23.5)	***	***
Hispanic	<b>2.9%</b> (2.2-3.9)	***	***	<b>11.8%</b> (10.0-13.8)	***	***	<b>22.7%</b> (20.2-25.4)	***	***
Other non-Hispanic	<b>7.2%</b> (5.4-9.4)	***	***	<b>20.4%</b> (16.9-24.4)	***	***	<b>22.6%</b> (19.0-26.7)	***	***
<b>Total</b>	<b>4.6%</b> (4.1-5.2)	5.0% (4.2-5.9)	4.2% (3.6-5.0)	<b>14.9%</b> (13.9-16.0)	18.4% (16.8-20.2)	11.6% (10.4-12.9)	<b>22.5%</b> (21.3-23.8)	33.6% (31.6-35.8)	11.8% (10.6-13.2)

\*At school (or on the way to school) during the 12 months preceding the survey

## Violence-weapons and physical fights

Grade	<i>Carried a weapon*</i>			<i>Carried a gun*</i>			<i>In a physical fight**</i>		
	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	<b>11.5%</b> (10.1-13.0)	5.5% (4.1-7.2)	17.0% (14.8-19.4)	<b>2.3%</b> (1.8-3.0)	*** (3.1-5.1)	4.0% (3.1-5.1)	<b>27.0%</b> (25.0-29.0)	22.9% (20.3-25.6)	30.8% (28.0-33.8)
10th	<b>19.6%</b> (17.5-21.8)	10.7% (8.2-13.8)	28.4% (25.3-31.7)	<b>4.1%</b> (3.2-5.2)	2.8% (1.8-4.3)	5.5% (4.1-7.2)	<b>33.6%</b> (31.1-36.1)	27.1% (23.6-30.8)	40.0% (36.6-43.5)
11th	<b>16.0%</b> (14.0-18.2)	8.3% (6.3-10.9)	23.0% (19.9-26.4)	<b>3.6%</b> (2.7-4.8)	*** (5.2-9.1)	6.9% (5.2-9.1)	<b>25.5%</b> (23.1-28.1)	15.0% (12.1-18.6)	35.0% (31.5-38.7)
12th	<b>11.2%</b> (9.0-13.9)	7.6% (4.9-11.8)	15.0% (11.8-18.8)	***	***	***	<b>17.6%</b> (14.7-21.0)	9.9% (6.9-14.0)	25.7% (20.9-31.1)
Race/Ethnicity									
White non-Hispanic	<b>13.9%</b> (12.7-15.2)	***	***	<b>2.0%</b> (1.6-2.5)	***	***	<b>23.1%</b> (21.8-24.6)	***	***
Hispanic	<b>13.3%</b> (11.6-15.3)	***	***	<b>3.6%</b> (2.7-4.8)	***	***	<b>32.4%</b> (29.7-35.3)	***	***
Other non-Hispanic	<b>22.4%</b> (18.9-26.5)	***	***	<b>5.0%</b> (3.6-6.9)	***	***	<b>27.6%</b> (23.6-31.9)	***	***
<b>Total</b>	<b>14.6%</b> (13.6-15.6)	8.0% (6.8-9.4)	20.9% (19.4-22.4)	<b>2.8%</b> (2.4-3.2)	0.9% (0.6-1.3)	4.6% (3.9-5.4)	<b>26.2%</b> (25.0-27.5)	19.2% (17.6-20.9)	33.1% (31.3-35.0)

\*On 1 or more of the 30 days preceding the survey

\*\*One or more times during the 12 months preceding the survey



## Violence-weapons and physical fights on school property

Grade	<i>In physical fight on school property*</i>			<i>Carried a weapon on school property**</i>			<i>Threatened or injured with a weapon on school property*</i>		
	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	<b>10.5%</b> (9.2-12.0)	6.4% (5.0-8.0)	14.4% (12.3-16.8)	<b>3.4%</b> (2.7-4.3)	1.8% (1.0-3.0)	4.9% (3.8-6.2)	<b>6.0%</b> (4.9-7.2)	3.9% (2.7-5.6)	7.8% (6.3-9.8)
10th	<b>15.9%</b> (14.0-18.1)	15.6% (12.7-19.0)	16.3% (13.8-19.2)	<b>7.1%</b> (6.0-8.5)	4.8% (3.4-6.6)	9.4% (7.7-11.6)	<b>8.9%</b> (7.5-10.5)	6.5% (4.7-9.1)	11.2% (9.2-13.5)
11th	<b>12.2%</b> (10.5-14.0)	6.7% (4.8-9.2)	17.1% (14.6-19.9)	<b>5.3%</b> (4.2-6.7)	3.4% (2.1-5.4)	7.0% (5.3-9.3)	<b>7.8%</b> (6.5-9.5)	6.1% (4.3-8.6)	9.4% (7.5-11.8)
12th	<b>4.2%</b> (2.5-6.8)	***	6.6% (3.8-11.2)	<b>6.1%</b> (4.5-8.1)	3.0% (1.5-5.8)	9.3% (6.8-12.6)	<b>2.4%</b> (1.5-3.8)	***	4.9% (3.1-7.6)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>8.4%</b> (7.6-9.4)	***	***	<b>5.0%</b> (4.3-5.9)	***	***	<b>6.1%</b> (5.3-7.0)	***	***
Hispanic	<b>15.6%</b> (13.5-18.0)	***	***	<b>4.6%</b> (3.6-5.7)	***	***	<b>5.7%</b> (4.6-7.0)	***	***
Other non-Hispanic	<b>13.6%</b> (10.4-17.7)	***	***	<b>10.4%</b> (7.9-13.6)	***	***	<b>9.2%</b> (6.9-12.1)	***	***
<b>Total</b>	<b>10.9%</b> (10.0-11.8)	7.8% (6.7-9.1)	13.8% (12.5-15.3)	<b>5.4%</b> (4.8-6.1)	3.2% (2.5-4.1)	7.5% (6.6-8.6)	<b>6.4%</b> (5.7-7.1)	4.2% (3.4-5.1)	8.4% (7.5-9.5)

\*One or more times during the 12 months preceding the survey

\*\*One or more times during the 30 days preceding the survey

## Violence-sexual assault and dating violence

Grade	<i>Ever forced to have sexual intercourse</i>			<i>Ever touched sexually when they did not want to be touched*</i>			<i>Hurt by boyfriend/girlfriend**</i>		
	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male
9th	<b>8.5%</b> (7.4-9.8)	12.1% (10.3-14.1)	5.3% (4.0-6.8)	<b>17.0%</b> (15.4-18.6)	27.3% (24.6-30.1)	7.6% (6.3-9.1)	<b>9.8%</b> (8.7-11.1)	9.7% (8.2-11.4)	9.9% (8.2-11.9)
10th	<b>11.9%</b> (10.2-13.9)	17.3% (14.4-20.7)	6.6% (5.0-8.7)	<b>23.2%</b> (21.0-25.6)	35.8% (32.0-39.8)	10.7% (8.7-13.0)	<b>18.1%</b> (16.0-20.4)	21.0% (17.8-24.7)	15.2% (12.9-17.9)
11th	<b>9.3%</b> (7.8-11.1)	10.5% (8.2-13.5)	8.3% (6.5-10.4)	<b>21.8%</b> (19.4-24.6)	31.2% (27.0-35.7)	13.4% (11.0-16.3)	<b>14.5%</b> (12.4-16.9)	13.5% (10.3-17.5)	15.4% (12.9-18.3)
12th	<b>8.6%</b> (6.7-11.0)	6.9% (5.1-9.2)	10.5% (7.2-15.0)	<b>23.0%</b> (19.6-26.8)	36.5% (31.0-42.3)	9.2% (5.9-13.9)	<b>16.0%</b> (13.0-19.5)	12.2% (8.8-16.8)	19.9% (15.4-25.4)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>9.7%</b> (8.7-10.9)	*** ***	*** ***	<b>20.2%</b> (18.7-21.8)	*** ***	*** ***	<b>14.5%</b> (13.2-16.0)	*** ***	*** ***
Hispanic	<b>9.5%</b> (8.1-11.1)	*** ***	*** ***	<b>21.8%</b> (19.4-24.4)	*** ***	*** ***	<b>14.5%</b> (12.4-17.0)	*** ***	*** ***
Other non-Hispanic	<b>8.6%</b> (6.6-11.1)	*** ***	*** ***	<b>21.1%</b> (17.2-25.6)	*** ***	*** ***	<b>14.3%</b> (11.2-18.1)	*** ***	*** ***
<b>Total</b>	<b>9.6%</b> (8.8-10.5)	11.9% (10.7-13.2)	7.4% (6.4-8.7)	<b>21.1%</b> (19.9-22.4)	32.6% (30.6-34.8)	10.1% (8.9-11.5)	<b>14.5%</b> (13.4-15.6)	14.2% (12.6-15.9)	14.8% (13.3-16.4)

\*Other than forced sexual intercourse

\*\*Hit, slapped, or physically hurt on purpose during the 12 months preceding the survey

## Suicide

Grade	<i>Felt sad or hopeless*</i>			<i>Seriously considered attempting suicide**</i>			<i>Attempted suicide**</i>		
	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	<b>28.1%</b> (26.2-30.1)	37.8% (34.9-40.8)	19.3% (17.0-21.7)	<b>18.1%</b> (16.5-19.8)	25.8% (23.3-28.6)	11.1% (9.3-13.1)	<b>11.5%</b> (10.0-13.3)	12.9% (10.7-15.5)	10.2% (8.1-12.7)
10th	<b>38.4%</b> (35.8-41.0)	50.2% (46.1-54.2)	26.6% (23.7-29.9)	<b>24.6%</b> (22.2-27.1)	33.5% (29.7-37.5)	15.7% (13.4-18.4)	<b>12.1%</b> (10.2-14.3)	17.7% (14.6-21.3)	6.0% (4.3-8.3)
11th	<b>30.3%</b> (27.4-33.3)	39.6% (35.2-44.2)	21.8% (18.3-25.8)	<b>18.2%</b> (16.0-20.7)	21.8% (18.2-25.9)	14.9% (12.3-18.0)	<b>7.7%</b> (6.1-9.7)	7.5% (5.2-10.8)	7.9% (5.9-10.5)
12th	<b>27.4%</b> (23.8-31.2)	35.0% (29.8-40.6)	19.5% (15.2-24.8)	<b>12.3%</b> (10.1-14.9)	15.5% (12.0-19.8)	9.1% (6.6-12.4)	<b>4.9%</b> (3.4-7.0)	***	6.0% (4.0-9.0)
<b>0.0%</b>									
Race/Ethnicity									
White non-Hispanic	<b>29.3%</b> (27.8-31.0)	***	***	<b>18.4%</b> (17.2-19.8)	***	***	<b>8.8%</b> (7.8-9.9)	***	***
Hispanic	<b>34.4%</b> (31.5-37.4)	***	***	<b>19.4%</b> (17.0-21.9)	***	***	<b>11.4%</b> (9.3-13.9)	***	***
Other non-Hispanic	<b>30.0%</b> (26.0-34.3)	***	***	<b>15.6%</b> (13.0-18.5)	***	***	<b>5.8%</b> (4.1-8.2)	***	***
<b>Total</b>	<b>31.2%</b> (29.8-32.6)	40.9% (38.8-43.0)	21.8% (20.2-23.6)	<b>18.5%</b> (17.4-19.6)	24.6% (22.8-26.4)	12.8% (11.6-14.1)	<b>9.2%</b> (8.4-10.2)	10.8% (9.4-12.3)	7.6% (6.6-8.8)

\*Almost every day, 2 weeks or more, during the 12 months preceding the survey

\*\*During the 12 months preceding the survey

## Other Drug use-cocaine, inhalants, and ecstasy use

Grade	Lifetime cocaine use*			Lifetime Inhalant use**			Lifetime ecstasy use***		
	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	4.1% (3.2-5.2)	4.4% (3.2-6.0)	3.8% (2.6-5.5)	11.5% (10.2-13.0)	17.1% (14.9-19.6)	6.4% (5.1-7.9)	4.3% (3.5-5.3)	4.1% (3.0-5.6)	4.5% (3.4-6.0)
10th	7.9% (6.5-9.5)	7.0% (5.2-9.4)	8.8% (6.9-11.1)	16.1% (14.2-18.1)	18.8% (16.0-22.1)	13.2% (10.9-16.0)	8.7% (7.0-10.6)	9.1% (6.6-12.4)	8.2% (6.3-10.8)
11th	10.9% (9.1-13.0)	11.6% (8.9-15.0)	10.3% (8.0-13.1)	10.1% (8.4-12.1)	11.3% (9.0-14.2)	9.0% (6.7-11.9)	9.1% (7.6-10.9)	7.6% (5.5-10.3)	10.5% (8.3-13.1)
12th	8.0% (6.0-10.5)	7.2% (4.7-10.8)	8.8% (6.1-12.6)	6.7% (5.0-8.9)	7.7% (5.3-11.2)	5.6% (3.6-8.8)	7.5% (5.6-9.8)	***	13.3% (10.0-17.3)
<b>Race/Ethnicity</b>									
White non-Hispanic	6.2% (5.4-7.2)	***	***	9.9% (9.0-11.0)	***	***	7.7% (6.8-8.8)	***	***
Hispanic	11.2% (9.3-13.4)	***	***	14.7% (12.8-16.8)	***	***	7.5% (6.0-9.4)	***	***
Other non-Hispanic	5.5% (3.8-8.0)	***	***	9.2% (6.9-12.1)	***	***	3.4% (2.2-5.3)	***	***
<b>Total</b>	<b>7.6%</b> (6.8-8.4)	<b>7.4%</b> (6.3-8.6)	<b>7.7%</b> (6.6-8.9)	<b>11.3%</b> (10.4-12.2)	<b>14.0%</b> (12.7-15.5)	<b>8.6%</b> (7.5-9.8)	<b>7.3%</b> (6.5-8.1)	<b>5.7%</b> (4.7-6.9)	<b>8.8%</b> (7.7-10.1)

\*Ever tried any form of cocaine (e.g., "powder," "crack," or "freebase")

\*\*Ever sniffed glue or breathed the contents of aerosol spray cans or inhaled any paints to get high

\*\*\*Ever used ecstasy

## Other Drug use-lifetime heroin, methamphetamine, and steroid use

Grade	Lifetime heroin use*			Lifetime methamphetamine use **			Lifetime illegal steroid use***		
	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	<b>2.1%</b> (1.5-3.0)	***	3.2% (2.2-4.7)	<b>1.9%</b> (1.3-2.8)	1.8% (1.0-3.1)	1.9% (1.1-3.3)	<b>1.8%</b> (1.3-2.6)	1.3% (0.7-2.5)	2.3% (1.5-3.6)
10th	<b>3.0%</b> (2.2-4.0)	2.7% (1.7-4.3)	3.3% (2.3-4.8)	<b>6.4%</b> (5.3-7.6)	5.5% (4.1-7.3)	7.2% (5.6-9.1)	<b>6.1%</b> (4.9-7.6)	6.4% (4.6-8.9)	5.8% (4.3-7.7)
11th	<b>3.2%</b> (2.4-4.2)	***	5.3% (4.0-7.2)	<b>4.1%</b> (3.0-5.4)	4.4% (2.8-6.8)	3.7% (2.6-5.4)	<b>2.4%</b> (1.8-3.3)	***	3.2% (2.1-4.8)
12th	***	***	***	***	***	***	<b>2.4%</b> (1.4-4.0)	***	3.2% (1.7-5.8)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>2.0%</b> (1.5-2.6)	***	***	<b>3.4%</b> (2.8-4.0)	***	***	<b>3.8%</b> (3.2-4.6)	***	***
Hispanic	<b>1.6%</b> (1.1-2.5)	***	***	<b>3.6%</b> (2.7-4.8)	***	***	<b>2.4%</b> (1.7-3.5)	***	***
Other non-Hispanic	<b>6.3%</b> (4.4-8.7)	***	***	<b>3.0%</b> (1.8-4.8)	***	***	***	***	***
<b>Total</b>	<b>2.3%</b> (1.9-2.8)	1.2% (0.8-1.7)	3.5% (2.8-4.3)	<b>3.4%</b> (2.9-3.9)	3.0% (2.4-3.7)	3.7% (3.1-4.5)	<b>3.2%</b> (2.7-3.8)	2.8% (2.1-3.6)	3.6% (2.9-4.4)

\*Ever used heroin (also called smack, junk, or China White)

\*\*Ever used methamphetamines (also called speed, crystal, crank, or ice)

\*\*\*Ever taken steroid pills or shots without a doctor's prescription

## Other Drug use-other drugs and current cocaine/methamphetamine use

Grade	Lifetime use of other illegal drugs*			Current cocaine use**			Current methamphetamine use***		
	Total	Female	Male	Total	Female	Male	Total	Female	Male
9th	<b>5.0%</b> (4.1-6.2)	4.7% (3.4-6.4)	5.3% (4.0-7.0)	<b>1.7%</b> (1.2-2.6)	2.2% (1.4-3.4)	1.4% (0.7-2.7)	***	***	***
10th	<b>13.0%</b> (11.2-15.1)	15.6% (12.6-19.0)	10.4% (8.3-13.0)	<b>4.3%</b> (3.3-5.6)	4.3% (2.8-6.4)	4.3% (3.2-5.9)	<b>2.7%</b> (2.0-3.7)	***	3.6% (2.5-5.2)
11th	<b>13.1%</b> (11.2-15.3)	11.2% (8.7-14.4)	14.9% (12.2-18.1)	<b>4.8%</b> (3.7-6.3)	3.6% (2.3-5.6)	6.0% (4.3-8.2)	<b>2.1%</b> (1.4-3.2)	***	2.6% (1.5-4.2)
12th	<b>10.1%</b> (8.0-12.6)	4.4% (2.6-7.4)	15.9% (12.4-20.1)	<b>3.1%</b> (1.9-5.0)	***	4.5% (2.6-7.6)	***	***	***
Race/Ethnicity									
White non-Hispanic	<b>10.0%</b> (8.9-11.2)	***	***	<b>2.6%</b> (2.0-3.2)	***	***	<b>1.5%</b> (1.1-2.0)	***	***
Hispanic	<b>10.0%</b> (8.2-12.0)	***	***	<b>5.6%</b> (4.3-7.2)	***	***	<b>1.8%</b> (1.2-2.8)	***	***
Other non-Hispanic	<b>12.4%</b> (9.8-15.6)	***	***	<b>2.5%</b> (1.4-4.5)	***	***	***	***	***
<b>Total</b>	<b>10.2%</b> (9.3-11.1)	9.0% (7.8-10.4)	11.2% (10.0-12.6)	<b>3.4%</b> (2.9-4.0)	3.0% (2.3-3.9)	3.9% (3.2-4.8)	<b>1.6%</b> (1.2-2.0)	1.0% (0.7-1.5)	2.1% (1.6-2.8)

\*Ever used any other type of illegal drugs such as LSD (acid), PCP, mushrooms, Ketamine (Special K), Rohypnol (Roofies), or GHB

\*\*Used any form of cocaine (e.g. "powder," "crack," or "freebase") 1 or more times during the 30 days preceding the survey

\*\*\*During the 30 days preceding the survey

## Sexual Behaviors- sexual intercourse and sexual activity

	<i>Ever had sexual intercourse</i>			<i>Currently sexually active*</i>		
<b>Grade</b>	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male
9th	<b>16.1%</b> (14.4-18.0)	16.5% (14.1-19.2)	15.7% (13.3-18.5)	<b>10.6%</b> (9.2-12.3)	10.8% (8.8-13.3)	10.4% (8.4-12.8)
10th	<b>34.7%</b> (32.0-37.6)	28.3% (24.3-32.5)	41.3% (37.5-45.2)	<b>24.7%</b> (22.1-27.4)	25.0% (21.3-29.2)	24.3% (21.1-27.8)
11th	<b>44.3%</b> (41.3-47.4)	42.7% (38.1-47.4)	45.9% (41.8-50.0)	<b>27.5%</b> (24.9-30.2)	25.7% (22.2-29.7)	29.1% (25.5-33.0)
12th	<b>52.9%</b> (48.7-57.1)	53.9% (47.7-60.0)	51.9% (46.0-57.8)	<b>36.7%</b> (32.7-40.9)	40.6% (34.7-46.8)	32.6% (27.4-38.4)
<b>Race/Ethnicity</b>						
White non-Hispanic	<b>32.2%</b> (30.4-34.0)	*** ***	*** ***	<b>21.8%</b> (20.2-23.5)	*** ***	*** ***
Hispanic	<b>44.1%</b> (40.9-47.3)	*** ***	*** ***	<b>27.9%</b> (25.0-30.9)	*** ***	*** ***
Other non-Hispanic	<b>36.9%</b> (31.9-42.2)	*** ***	*** ***	<b>28.5%</b> (23.6-33.9)	*** ***	*** ***
<b>Total</b>	<b>36.2%</b> (34.6-37.7)	34.5% (32.3-36.8)	37.8% (35.7-39.9)	<b>24.2%</b> (22.9-25.7)	25.0% (23.0-27.1)	23.5% (21.7-25.4)

\*Sexual intercourse during the 3 months preceding the survey

## Sexual Behaviors- 13 or younger and multiple sex partners

	<i>First sexual intercourse under age 13</i>			<i>Four or more lifetime partners during lifetime</i>		
<b>Grade</b>	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male
9th	<b>3.1%</b> (2.3-4.1)	2.9% (2.0-4.4)	3.3% (2.2-4.8)	<b>2.6%</b> (1.8-3.7)	2.4% (1.5-4.0)	2.7% (1.7-4.4)
10th	<b>4.2%</b> (3.3-5.5)	***	7.7% (5.9-10.0)	<b>8.9%</b> (7.4-10.8)	6.8% (4.8-9.5)	11.1% (8.9-13.7)
11th	<b>6.0%</b> (4.7-7.7)	5.2% (3.5-7.8)	6.8% (5.0-9.2)	<b>8.3%</b> (6.8-10.2)	3.0% (1.8-4.9)	13.3% (10.7-16.5)
12th	<b>2.0%</b> (1.1-3.9)	***	4.1% (2.2-7.8)	<b>17.4%</b> (14.2-21.1)	20.3% (15.7-25.9)	14.3% (10.3-19.6)
<b>Race/Ethnicity</b>						
White non-Hispanic	<b>2.8%</b> (2.3-3.4)	***	***	<b>7.7%</b> (6.7-8.8)	***	***
Hispanic	<b>6.1%</b> (4.7-8.0)	***	***	<b>10.0%</b> (7.9-12.6)	***	***
Other non-Hispanic	<b>4.7%</b> (3.1-7.2)	***	***	<b>10.0%</b> (6.9-14.2)	***	***
<b>Total</b>	<b>3.9%</b> (3.3-4.5)	2.3% (1.7-3.0)	5.4% (4.5-6.5)	<b>9.0%</b> (8.0-10.0)	7.9% (6.5-9.4)	10.1% (8.7-11.6)



## Sexual Behaviors- condoms, alcohol/drugs, and pregnancy

	<i>Condom use during last sexual intercourse*</i>			<i>Alcohol or drug use at last sexual intercourse*</i>			<i>Have been pregnant or gotten someone pregnant</i>		
<b>Grade</b>	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male
9th	<b>70.6%</b> (62.6-77.5)	57.6% (46.1-68.3)	83.4% (71.1-91.2)	<b>26.9%</b> (20.1-34.9)	27.3% (18.5-38.3)	26.5% (17.1-38.6)	<b>***</b>	<b>***</b>	<b>***</b>
10th	<b>61.9%</b> (55.7-67.7)	58.3% (48.9-67.1)	66.0% (58.2-72.9)	<b>42.2%</b> (36.2-48.5)	50.7% (41.4-59.9)	33.4% (25.8-41.9)	<b>3.3%</b> (2.4-4.6)	4.4% (3.1-6.3)	2.2% (1.2-4.0)
11th	<b>69.6%</b> (64.5-74.3)	62.2% (54.2-69.5)	76.0% (69.6-81.4)	<b>26.9%</b> (22.3-32.1)	26.5% (19.9-34.2)	27.4% (21.1-34.6)	<b>2.4%</b> (1.8-3.3)	<b>***</b>	4.0% (2.9-5.4)
12th	<b>62.4%</b> (55.6-68.6)	51.6% (42.2-60.9)	76.4% (67.4-83.6)	<b>23.5%</b> (18.2-29.8)	17.2% (10.8-26.2)	31.8% (23.6-41.2)	<b>2.5%</b> (1.5-4.0)	<b>***</b>	<b>***</b>
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>69.8%</b> (65.5-73.6)	<b>***</b>	<b>***</b>	<b>34.9%</b> (30.9-39.0)	<b>***</b>	<b>***</b>	<b>1.7%</b> (1.3-2.2)	<b>***</b>	<b>***</b>
Hispanic	<b>50.0%</b> (43.6-56.4)	<b>***</b>	<b>***</b>	<b>23.3%</b> (18.3-29.1)	<b>***</b>	<b>***</b>	<b>2.2%</b> (1.7-3.0)	<b>***</b>	<b>***</b>
Other non-Hispanic	<b>92.5%</b> (87.8-95.5)	<b>***</b>	<b>***</b>	<b>24.0%</b> (14.8-36.3)	<b>***</b>	<b>***</b>	<b>***</b>	<b>***</b>	<b>***</b>
<b>Total</b>	<b>65.2%</b> (62.0-68.4)	56.6% (51.6-61.4)	74.5% (70.5-78.2)	<b>29.5%</b> (26.5-32.7)	28.9% (24.7-33.6)	30.1% (26.1-34.5)	<b>2.0%</b> (1.7-2.5)	2.3% (1.7-3.1)	1.8% (1.3-2.4)

\*Among the 24.2% of students who are currently sexually active.

## Body Weight-overweight

	<i>At risk for becoming overweight*</i>			<i>Overweight*</i>			<i>Thought they were overweight</i>		
<b>Grade</b>	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male
9th	<b>12.3%</b> (10.9-13.8)	9.5% (7.9-11.4)	14.9% (12.7-17.3)	<b>11.6%</b> (10.1-13.1)	8.5% (6.8-10.5)	14.4% (12.2-17.0)	<b>26.0%</b> (24.1-28.0)	29.0% (26.3-31.8)	23.2% (20.7-26.0)
10th	<b>12.2%</b> (10.5-14.0)	10.9% (8.8-13.5)	13.3% (11.0-16.1)	<b>8.6%</b> (7.1-10.3)	4.7% (3.2-6.9)	12.4% (10.1-15.0)	<b>25.4%</b> (23.2-27.8)	31.6% (28.0-35.4)	19.5% (16.8-22.4)
11th	<b>14.5%</b> (12.5-16.7)	13.8% (11.2-17.0)	15.1% (12.3-18.4)	<b>11.8%</b> (9.6-14.3)	8.8% (6.5-11.8)	14.6% (11.3-18.6)	<b>24.8%</b> (22.3-27.6)	29.0% (25.0-33.3)	21.1% (18.0-24.7)
12th	<b>6.7%</b> (5.0-8.8)	5.9% (3.8-9.0)	7.6% (5.2-10.8)	<b>13.0%</b> (10.2-16.4)	7.2% (4.3-11.8)	18.8% (14.3-24.3)	<b>23.9%</b> (20.5-27.6)	26.5% (21.6-32.1)	21.2% (16.9-26.2)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>11.0%</b> (10.0-12.1)	***	***	<b>8.5%</b> (7.4-9.8)	***	***	<b>23.9%</b> (22.4-25.6)	***	***
Hispanic	<b>13.3%</b> (11.5-15.3)	***	***	<b>16.0%</b> (13.6-18.7)	***	***	<b>28.9%</b> (26.3-31.7)	***	***
Other non-Hispanic	<b>11.0%</b> (8.4-14.2)	***	***	<b>13.0%</b> (10.2-16.5)	***	***	<b>22.6%</b> (18.5-27.4)	***	***
<b>Total</b>	<b>11.5%</b> (10.6-12.4)	10.0% (8.9-11.3)	12.9% (11.6-14.3)	<b>11.2%</b> (10.1-12.3)	7.3% (6.1-8.6)	14.9% (13.3-16.6)	<b>25.1%</b> (23.8-26.4)	29.1% (27.2-31.1)	21.3% (19.7-23.0)

\*Based on body mass index reference data from the National Center for Health Statistics

## Body Weight-weight loss

	<i>Attempting weight loss</i>			<i>Exercised to lose weight or avoid gaining weight*</i>			<i>Ate less food, fewer calories, or foods low in fat to avoid weight gain*</i>		
<b>Grade</b>	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male
9th	<b>44.6%</b> (42.5-46.8)	56.9% (53.9-59.8)	33.3% (30.4-36.3)	<b>57.8%</b> (55.7-60.0)	66.8% (63.9-69.6)	49.5% (46.4-52.6)	<b>35.2%</b> (33.1-37.3)	46.6% (43.6-49.6)	24.5% (21.9-27.4)
10th	<b>42.7%</b> (40.1-45.4)	56.8% (52.7-60.9)	28.7% (25.5-32.2)	<b>65.4%</b> (62.7-67.9)	76.4% (72.6-79.8)	54.4% (50.8-57.9)	<b>39.0%</b> (36.4-41.8)	55.2% (51.0-59.3)	23.1% (20.1-26.4)
11th	<b>37.8%</b> (34.9-40.8)	57.4% (52.6-62.0)	20.1% (17.1-23.6)	<b>58.6%</b> (55.4-61.6)	72.7% (68.2-76.8)	45.7% (41.5-50.0)	<b>32.8%</b> (30.0-35.7)	45.9% (41.3-50.5)	20.9% (17.9-24.3)
12th	<b>45.1%</b> (41.0-49.3)	65.2% (59.4-70.6)	24.4% (19.6-30.0)	<b>59.2%</b> (55.2-63.2)	75.3% (70.2-79.8)	42.7% (37.2-48.4)	<b>35.4%</b> (31.6-39.5)	53.8% (48.0-59.6)	16.8% (13.0-21.5)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>41.2%</b> (39.4-43.0)	*** ***	*** ***	<b>59.6%</b> (57.8-61.4)	*** ***	*** ***	<b>36.0%</b> (34.2-37.8)	*** ***	*** ***
Hispanic	<b>46.7%</b> (43.6-49.8)	*** ***	*** ***	<b>60.9%</b> (57.8-63.9)	*** ***	*** ***	<b>35.5%</b> (32.8-38.4)	*** ***	*** ***
Other non-Hispanic	<b>36.5%</b> (32.0-41.2)	*** ***	*** ***	<b>63.6%</b> (59.2-67.7)	*** ***	*** ***	<b>33.0%</b> (28.6-37.8)	*** ***	*** ***
<b>Total</b>	<b>42.7%</b> (41.2-44.1)	58.9% (56.8-61.1)	27.0% (25.2-28.9)	<b>60.3%</b> (58.8-61.8)	72.7% (70.7-74.6)	48.4% (46.3-50.4)	<b>35.7%</b> (34.3-37.2)	50.4% (48.2-52.6)	21.6% (20.0-23.3)

\*During the 30 days preceding the survey

## Body Weight - unhealthy weight loss practices

	<i>Fasting 24 hours or more to lose weight or to avoid gaining weight*</i>			<i>Took diet pills, powders, or liquids to lose weight or to avoid gaining weight**</i>			<i>Vomited or took laxatives to lose weight or to avoid gaining weight*</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>10.7%</b> (9.3-12.2)	17.3% (15.1-19.8)	4.5% (3.2-6.2)	<b>3.5%</b> (2.6-4.5)	5.0% (3.7-6.8)	2.0% (1.1-3.5)	<b>4.8%</b> (3.8-5.9)	7.8% (6.2-9.8)	1.9% (1.1-3.3)
10th	<b>17.4%</b> (15.3-19.6)	27.4% (23.9-31.3)	7.4% (5.8-9.5)	<b>7.3%</b> (5.9-9.0)	10.1% (7.8-13.0)	4.5% (3.2-6.4)	<b>7.4%</b> (6.1-8.8)	9.9% (7.8-12.4)	4.9% (3.6-6.7)
11th	<b>10.0%</b> (8.4-12.0)	15.8% (13.0-19.1)	4.9% (3.3-7.2)	<b>2.6%</b> (1.9-3.7)	2.8% (1.7-4.7)	2.4% (1.6-3.8)	<b>2.3%</b> (1.7-3.1)	3.6% (2.4-5.4)	***
12th	<b>7.2%</b> (5.4-9.4)	10.9% (7.8-14.9)	3.3% (1.9-5.7)	***	***	***	<b>2.8%</b> (1.9-4.2)	***	***
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>11.4%</b> (10.3-12.6)	***	***	<b>2.4%</b> (1.8-3.0)	***	***	<b>3.7%</b> (3.1-4.4)	***	***
Hispanic	<b>11.5%</b> (9.9-13.4)	***	***	<b>4.6%</b> (3.4-6.2)	***	***	<b>6.3%</b> (5.2-7.7)	***	***
Other non-Hispanic	<b>11.8%</b> (8.9-15.6)	***	***	<b>9.8%</b> (7.6-12.7)	***	***	<b>3.2%</b> (2.2-4.5)	***	***
<b>Total</b>	<b>11.5%</b> (10.6-12.4)	18.2% (16.6-19.8)	5.1% (4.2-6.0)	<b>3.7%</b> (3.2-4.4)	4.7% (3.9-5.7)	2.8% (2.1-3.7)	<b>4.4%</b> (3.9-5.0)	6.4% (5.6-7.4)	2.6% (2.0-3.3)

\*During the 30 days preceding the survey

\*\*During the 30 days preceding the survey (not including meal replacement products, such as Slim Fast)

## Physical Activity

	<i>Participated in vigorous physical activity*</i>			<i>Played on one or more sports teams**</i>			<i>Got enough sleep***</i>		
<b>Grade</b>	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male
9th	<b>72.3%</b> (70.4-74.0)	66.3% (63.5-68.9)	77.9% (75.3-80.2)	<b>64.8%</b> (62.7-66.9)	60.9% (57.9-63.8)	68.4% (65.4-71.3)	<b>8.0%</b> (6.8-9.2)	4.8% (3.8-6.1)	10.9% (9.0-13.1)
10th	<b>72.8%</b> (70.2-75.2)	66.7% (62.6-70.5)	78.8% (75.8-81.4)	<b>57.5%</b> (54.8-60.2)	53.0% (48.9-57.0)	62.0% (58.5-65.4)	<b>7.9%</b> (6.5-9.6)	6.1% (4.1-8.8)	9.7% (7.8-11.9)
11th	<b>72.2%</b> (69.3-75.0)	66.2% (61.5-70.6)	77.6% (73.9-80.8)	<b>58.3%</b> (55.3-61.3)	58.3% (53.5-63.0)	58.3% (54.4-62.2)	<b>9.0%</b> (7.3-11.0)	5.8% (3.9-8.5)	11.9% (9.3-15.0)
12th	<b>74.6%</b> (70.9-78.0)	73.8% (68.6-78.5)	75.4% (69.9-80.1)	<b>60.8%</b> (56.7-64.8)	55.6% (49.6-61.4)	66.3% (60.5-71.6)	<b>7.0%</b> (5.0-9.6)	7.3% (4.4-11.9)	6.7% (4.6-9.8)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>79.1%</b> (77.5-80.5)	*** ***	*** ***	<b>65.8%</b> (64.1-67.5)	*** ***	*** ***	<b>6.9%</b> (5.9-8.0)	*** ***	*** ***
Hispanic	<b>58.7%</b> (55.6-61.7)	*** ***	*** ***	<b>51.0%</b> (47.9-54.1)	*** ***	*** ***	<b>10.2%</b> (8.6-12.1)	*** ***	*** ***
Other non-Hispanic	<b>75.9%</b> (72.0-79.5)	*** ***	*** ***	<b>58.3%</b> (53.9-62.5)	*** ***	*** ***	<b>7.7%</b> (5.6-10.6)	*** ***	*** ***
<b>Total</b>	<b>72.9%</b> (71.6-74.2)	68.2% (66.1-70.2)	77.5% (75.7-79.2)	<b>60.5%</b> (59.0-61.9)	56.9% (54.7-59.1)	63.9% (61.9-65.8)	<b>8.0%</b> (7.2-8.8)	6.0% (4.8-7.3)	9.9% (8.8-11.1)

\*For at least 60 minutes on 3 or more of the 7 days preceding the survey

\*\*During the 12 months preceding the survey, including those run by school or community groups