

# **2009 Boulder County Youth Risk Behavior Survey (YRBS) Survey Summary and Boulder Valley School District High School Data Tables**

## **Introduction**

The Youth Risk Behavior Survey (YRBS) is a tool developed by the Centers for Disease Control and Prevention (CDC) to assist in monitoring priority health-risk behaviors among youth. Since 1991, state and local health departments and education agencies have used the YRBS to meet the shared goal of healthy, educated students who become healthy, successful adults.

Boulder County Public Health (BCPH), Boulder Valley School District (BVSD), St. Vrain Valley School District (SVVSD), and Boulder County Healthy Youth Alliance (BCHYA) collaborate to implement the Youth Risk Behavior Survey (YRBS) biennially. Since 2001, Boulder County YRBS results have measured health-risk and health-promoting behaviors, as well as trends over time. Survey results inform the development and effectiveness of school and community programs to reduce youth risk behaviors and encourage health, safety, and academic achievement.

Most recently, the YRBS was administered in November 2009 to a random sample of BVSD grade 7-12 classrooms and SVVSD grade 9-12 classrooms. The high school survey consisted of 108 questions, and the middle school survey consisted of 51 questions; each survey took approximately 45 minutes to complete. A total of 2,491 high school and 719 middle school surveys were completed, yielding excellent response rates of 75% in SVVSD high schools, 80% in BVSD high schools, and 77% in BVSD middle schools.

## **2009 YRBS results**

Data from the 2009 Boulder County YRBS for each school district, as well as data which is in a combined Boulder County format for high schools, can be found at [www.BoulderCountyYRBS.org](http://www.BoulderCountyYRBS.org). Data are presented by grade, gender, race, and ethnicity (i.e. “Hispanic,” “white non-Hispanic,” or “other non-Hispanic”). Data about sexual orientation (i.e. “heterosexual” or “LGBQ” [lesbian, gay, bisexual, or questioning]) are only reported at the county level in order to protect the confidentiality of the LGBQ students. The results are generalizable to the entire population (school district or county) from which each sample was selected.

Data from the 2009 Colorado YRBS and the 2009 national YRBS are included where available. While every effort was made to collect and analyze the data using similar protocols, these data are not directly comparable and should be used for reference only. Colorado YRBS data and methods are detailed at [www.cde.state.co.us/cdeprevention/CSH\\_home.htm](http://www.cde.state.co.us/cdeprevention/CSH_home.htm); national YRBS data and methods are described at [www.cdc.gov/HealthyYouth/yrbs/index.htm](http://www.cdc.gov/HealthyYouth/yrbs/index.htm).

## **Conducting the YRBS**

The Boulder County YRBS survey procedures are based on the CDC protocol ([www.cdc.gov/HealthyYouth/yrbs/yrbs\\_methods.htm](http://www.cdc.gov/HealthyYouth/yrbs/yrbs_methods.htm)).

### **Sample selection**

Nine SVVSD high schools, 9 BVSD high schools, and 16 BVSD middle schools were selected for inclusion in the 2009 YRBS. Each school chose a day and class period in early November 2009 for survey administration. At each school, classes were randomly selected to be surveyed. This yielded 66 SVVSD high school, 67 BVSD high school, and 41 BVSD middle school classrooms that were selected to participate. Information was mailed to the parents of each student in the selected classrooms to inform them about the survey, student selection, and to provide information about how they could ask questions and exclude their student from participating (i.e. phone, mail, or website).

### **Survey administration**

Survey implementation procedures were designed to protect students' privacy by allowing for anonymous and voluntary participation. Participating students completed the survey during regular class time, under the supervision of trained volunteers.

### **Data analysis**

Prevalence estimates and 95% confidence intervals were calculated and are presented in the data tables. The high response rate enabled the data to be weighted by gender and grade level so that the results are representative of the entire population from which the sample was selected. Therefore, the percentages reported are estimates of the occurrence of the behaviors in the *entire population* from which the sample was selected, not just for the students *who took the survey*.

### **Data tables**

A sample data table appears on the next page. Data presented in the tables are *prevalence estimates*. Prevalence estimates have been replaced by “\*\*\*” where numbers were too small to report for statistical or confidentiality reasons and “---” when data analysis was not completed for the specified category for confidentiality reasons or because the question was not asked.

Also included are *95% confidence intervals* (in parentheses below the prevalence estimates). These intervals indicate the range in which the *actual prevalence* (when generalized from the sample to the survey population) was likely to fall. The size of the confidence interval reflects the certainty of the accuracy of the estimate. Larger confidence intervals reflect less certainty; smaller confidence intervals reflect greater certainty. Confidence intervals may be used to determine the statistical significance of differences in observed results. Confidence intervals that do not overlap indicate that the difference in estimates is statistically significant (assuming a significance level of  $\alpha = 0.05$ ).

### **Using the YRBS**

The YRBS data are a catalyst for the community process that has emerged to address the health and well-being of Boulder County youth. The data are used as an evaluative tool to monitor the progress of school- and community-based strategies that are being implemented to improve and/or maintain the health of our youth. Although the data tell us what the youth are doing, it is the community response that creates change and positively impacts our youth.

### **For more information**

[www.BoulderCountyYRBS.org](http://www.BoulderCountyYRBS.org)

## Boulder County School District YRBS Sample Data Table

Health Behavior		<i>Never or rarely wore bicycle helmet*</i>			<i>Never or rarely wore seat belt**</i>		
		Grade	Total	Female	Male	Total	Female
Prevalence Estimate	9th	66.2% (64.5-67.9)	65.7% (63.1-68.2)	66.7% (64.3-69.1)	7.0% (6.1-8.1)	5.6% (4.4-7.2)	8.3% (7.0-9.9)
	10th	66.6% (64.6-68.4)	67.4% (64.6-70.1)	65.8% (63.0-68.4)	4.9% (4.1-6.0)	3.4% (2.4-4.7)	6.4% (5.1-8.1)
	11th	70.8% (69.2-72.4)	65.9% (63.2-68.5)	74.8% (72.6-76.9)	5.6% (4.7-6.8)	2.9% (1.7-4.9)	8.1% (6.8-9.7)
	12th	71.7% (69.3-74.0)	71.4% (67.8-74.7)	71.9% (68.6-75.0)	3.7% (2.9-4.8)	1.7% (1.0-2.9)	5.6% (4.2-7.5)
<b>95% Confidence Interval</b>							
<b>Race/Ethnicity</b>							
White, non-Hispanic		62.9% (61.8-64.1)	---	---	3.5% (3.1-4.0)	---	---
Hispanic		89.5% (87.6-91.1)	---	---	10.9% (9.3-12.8)	---	---
Other, non-Hispanic		71.7% (68.9-74.3)	---	---	6.0% (4.7-7.7)	---	---
<b>Sexual Orientation</b>							
Heterosexual		68.8% (67.8-69.7)	---	---	5.0% (4.5-5.5)	---	---
LGBQ		67.1% (63.3-70.6)	---	---	7.7% (6.2-9.6)	---	---
<b>Total</b>		68.6% (67.7-69.5)	67.4% (65.9-68.8)	69.7% (68.4-71.0)	5.3% (4.8-5.8)	3.4% (2.8-4.1)	7.1% (6.4-7.9)
2009 Colorado YRBS Estimates	CO	75.2% (68.1-81.1)	71.9% (62.7-79.5)	77.7% (70.3-83.7)	7.6% (5.4-10.6)	5.5% (3.4-8.7)	9.7% (6.9-13.4)
	US	84.7% (81.2-87.6)	83.1% (79.5-86.2)	85.8% (81.4-89.3)	9.7% (8.2-11.4)	7.7% (6.3-9.4)	11.5% (9.6-13.8)

2009 National YRBS Estimates

\*Among the 81.3% of students who rode a bicycle during the 12 months preceding the survey

\*\*When riding in a car driven by someone else

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Demographics</b>	
<b>Table #1</b>	<b>2009 HS YRBS Questions #5, 7, 8, 9</b>
	<i>Sex, grade, race/ethnicity</i>
<b>Gender</b>	
Male	<b>51.6%</b>
Female	<b>48.4%</b>
<b>Grade</b>	
9th	<b>24.7%</b>
10th	<b>24.7%</b>
11th	<b>23.6%</b>
12th	<b>27.0%</b>
<b>Race/Ethnicity</b>	
White non-Hispanic	<b>72.4%</b>
Hispanic	<b>13.9%</b>
Other non-Hispanic	<b>13.7%</b>

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Family/Community</b>			
<b>Table #2</b>	<b>2009 HS YRBS Question #10</b>		
	<i>Has not always lived in US</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>13.9%</b> <b>(12.1-15.9)</b>	13.3% (11.0-16.0)	14.4% (11.8-17.5)
10th	<b>10.9%</b> <b>(9.3-12.9)</b>	11.2% (8.8-14.1)	10.7% (8.4-13.4)
11th	<b>13.8%</b> <b>(12.0 -15.7)</b>	16.2% (13.4-19.6)	11.4% (9.6-13.6)
12th	<b>14.7%</b> <b>(12.4-17.4)</b>	11.6% (9.1-14.7)	17.4% (13.7-21.9)
<b>Race/Ethnicity</b>			
White non-Hispanic	<b>8.0%</b> <b>(7.1-8.8)</b>	---	---
Hispanic	<b>32.0%</b> <b>(27.8-36.6)</b>	---	---
Other non-Hispanic	<b>23.2%</b> <b>(20.4-26.2)</b>	---	---
<b>Total</b>	<b>13.3%</b> <b>(12.4-14.4)</b>	<b>13.0%</b> <b>(11.7-14.5)</b>	<b>13.6%</b> <b>(12.2-15.3)</b>
<b>CO</b>	---	---	---
<b>US</b>	---	---	---

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Family and Community Service</b>									
<b>Table #3</b>	<b>2009 HS YRBS Question #11</b>			<b>2009 HS YRBS Question #12</b>			<b>2009 HS YRBS Question #15</b>		
	<i>Parents have clear rules and standards for behavior</i>			<i>Ate 4 or more meals with family*</i>			<i>Did community service **</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>84.9%</b> (83.0-86.7)	86.8% (84.2-89.0)	83.1% (80.2-85.7)	<b>79.5%</b> (77.4-81.5)	76.9% (73.9-79.7)	82.0% (78.9-84.7)	<b>39.4%</b> (37.0-41.7)	48.4% (45.0-51.7)	30.8% (27.8-34.0)
10th	<b>86.0%</b> (84.0- 87.8)	91.5% (88.9- 93.5)	80.8% (77.5-83.7)	<b>82.0%</b> (79.7-84.0)	83.9% (80.8-86.7)	80.1% (76.9-83.0)	<b>48.4%</b> (45.6-51.3)	52.5% (48.4-56.6)	44.5% (40.6-48.6)
11th	<b>85.0%</b> (83.0-86.9)	85.2% (82.2-87.8)	84.8% (81.9-87.3)	<b>77.4%</b> (75.1-79.4)	71.5% (67.9-74.8)	83.0% (80.0-85.6)	<b>43.3%</b> (41.0-45.6)	52.7% (49.1-56.2)	34.3% (31.3-37.3)
12th	<b>87.0%</b> (84.3-89.3)	87.4% (83.9-90.3)	86.6% (82.4-90.0)	<b>73.3%</b> (70.1-76.3)	70.0% (65.5-74.2)	76.2% (71.7-80.2)	<b>43.3%</b> (40.1-46.5)	61.3% (56.7-65.6)	27.2% (23.2-31.6)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>87.7%</b> (86.6-88.8)	---	---	<b>79.4%</b> (78.0-80.7)	---	---	<b>43.8%</b> (42.2-45.3)	---	---
Hispanic	<b>82.2%</b> (77.9-85.9)	---	---	<b>67.2%</b> (62.6-71.5)	---	---	<b>43.6%</b> (39.1-48.2)	---	---
Other non-Hispanic	<b>79.9%</b> (77.0-82.5)	---	---	<b>80.9%</b> (78.1-83.4)	---	---	<b>43.3%</b> (39.7-46.9)	---	---
<b>Total</b>	<b>85.8%</b> (84.7- 86.8)	<b>87.8%</b> (86.3-89.1)	<b>83.9%</b> (82.3-85.4)	<b>77.9%</b> (76.7-79.1)	<b>75.6%</b> (73.8-77.3)	<b>80.2%</b> (78.4-81.8)	<b>43.6%</b> (42.2-45.0)	<b>53.8%</b> (51.9-55.8)	<b>34.0%</b> (32.1-35.9)
<b>CO</b>	---	---	---	---	---	---	---	---	---
<b>US</b>	---	---	---	---	---	---	---	---	---

\*During the past 7 days

\*\*In the 30 days preceding the survey

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Seatbelts and Helmets</b>						
<b>Table # 4</b>	<b>2009 HS YRBS Question #16</b>			<b>2009 HS YRBS Question #17</b>		
	<i>Never or rarely wore bicycle helmet*</i>			<i>Never or rarely wore seat belt**</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>52.1%</b> (49.6-54.6)	53.2% (49.6-56.7)	51.1% (47.5-54.7)	<b>6.4%</b> (5.2-8.0)	4.4% (3.0-6.5)	8.3% (6.4-10.9)
10th	<b>58.3%</b> (55.4-61.1)	61.8% (57.6-65.9)	55.0% (50.9-59.1)	<b>4.0%</b> (3.0-5.3)	3.2% (1.9-5.3)	4.8% (3.5-6.6)
11th	<b>64.0%</b> (61.6-66.2)	54.8% (51.0-58.6)	72.2% (69.3-75.0)	<b>5.2%</b> (4.1-6.5)	2.1% (1.0-4.3)	8.2% (6.6-10.2)
12th	<b>68.8%</b> (65.6-71.9)	67.5% (62.6-72.1)	69.9% (65.3-74.1)	<b>2.6%</b> (1.6-4.3)	***	5.0% (3.0-8.1)
<b>Race/Ethnicity</b>						
White non-Hispanic	<b>56.0%</b> (54.4-57.6)	---	---	<b>3.2%</b> (2.7-3.9)	---	---
Hispanic	<b>84.5%</b> (80.8-87.6)	---	---	<b>9.1%</b> (6.8-12.2)	---	---
Other non-Hispanic	<b>63.3%</b> (59.4-67.0)	---	---	<b>6.2%</b> (4.7-8.2)	---	---
<b>Total</b>	<b>60.4%</b> (59.0-61.7)	<b>59.0%</b> (56.9-61.0)	<b>61.7%</b> (59.7-63.6)	<b>4.5%</b> (3.9-5.2)	<b>2.4%</b> (1.8-3.2)	<b>6.5%</b> (5.5- 7.6)
<b>CO</b>	<b>75.2%</b> (68.1-81.1)	<b>71.9%</b> (62.7-79.5)	<b>77.7%</b> (70.3-83.7)	<b>7.6%</b> (5.4-10.6)	<b>5.5%</b> (3.4-8.7)	<b>9.7%</b> (6.9-13.4)
<b>US</b>	<b>84.7%</b> (81.2-87.6)	<b>83.1%</b> (79.5-86.2)	<b>85.8%</b> (81.4-89.3)	<b>9.7%</b> (8.2-11.4)	<b>7.7%</b> (6.3-9.4)	<b>11.5%</b> (9.6-13.8)

\*Among the 83.3% of students who rode a bicycle during the 12 months preceding the survey

\*\*When riding in a car driven by someone else

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Drinking and Driving</b>						
<b>Table # 5</b>	<b>2009 HS YRBS Question #18</b>			<b>2009 HS YRBS Question #19</b>		
	<i>Rode with a driver who had been drinking alcohol*</i>			<i>Drove after drinking alcohol*</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>18.3%</b> (16.5-20.3)	20.9% (18.2-23.9)	15.8% (13.5-18.5)	<b>4.9%</b> (3.8-6.4)	4.3% (2.8-6.5)	5.5% (3.9-7.7)
10th	<b>17.5%</b> (15.3-19.9)	19.4% (16.2-23.1)	15.7% (13.0-18.9)	<b>5.0%</b> (3.9-6.4)	6.7% (4.8-9.2)	3.4% (2.2-5.2)
11th	<b>23.3%</b> (21.3-25.5)	23.9% (20.9-27.2)	22.8% (20.2-25.6)	<b>11.1%</b> (9.6-12.7)	7.0% (5.5-8.8)	15.1% (12.7-17.9)
12th	<b>32.8%</b> (29.6-36.1)	31.2% (27.3-35.5)	34.1% (29.4-39.1)	<b>24.1%</b> (21.4-27.1)	24.6% (21.0-28.6)	23.7% (19.7-28.3)
<b>Race/Ethnicity</b>						
White non-Hispanic	<b>22.8%</b> (21.4-24.2)	---	---	<b>12.1%</b> (10.9-13.3)	---	---
Hispanic	<b>28.5%</b> (24.3-33.1)	---	---	<b>11.3%</b> (8.7-14.6)	---	---
Other non-Hispanic	<b>20.4%</b> (17.7-23.4)	---	---	<b>9.0%</b> (7.0-11.4)	---	---
<b>Total</b>	<b>23.2%</b> (22.0-24.5)	<b>24.0%</b> (22.3-25.8)	<b>22.5%</b> (20.7-24.3)	<b>11.6%</b> (10.7-12.6)	<b>10.8%</b> (9.6-12.2)	<b>12.3%</b> (10.9-13.8)
<b>CO</b>	<b>24.6%</b> (21.9-27.5)	<b>25.9%</b> (21.2-31.1)	<b>23.4%</b> (20.5-26.5)	<b>7.4%</b> (6.0-9.2)	<b>7.0%</b> (5.6-8.9)	<b>7.8%</b> (5.5-10.9)
<b>US</b>	<b>28.3%</b> (26.7-29.9)	<b>28.8%</b> (27.1-30.6)	<b>27.8%</b> (26.0-29.6)	<b>9.7%</b> (8.7-10.8)	<b>7.6%</b> (6.8-8.6)	<b>11.6%</b> (10.3-13.1)

\*One or more times during the 30 days preceding the survey

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Safety and Harassment</b>						
<b>Table #6</b>	<b>2009 HS YRBS Question #20</b>			<b>2009 HS YRBS Question #28</b>		
	<i>Felt safe in their neighborhood</i>			<i>Has been electronically bullied*</i>		
<b>Grade</b>	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male
9th	<b>90.5%</b> <b>(88.7-91.9)</b>	92.6% (90.3-94.4)	88.4% (85.7-90.6)	<b>12.7%</b> <b>(11.2-14.4)</b>	16.3% (13.9-19.2)	9.3% (7.6-11.2)
10th	<b>90.4%</b> <b>(88.4-92.0)</b>	91.2% (88.7-93.3)	89.5% (86.4-92.0)	<b>13.2%</b> <b>(11.3-15.3)</b>	20.0% (16.7-23.8)	6.6% (5.0-8.6)
11th	<b>89.5%</b> <b>(87.6-91.1)</b>	89.6% (86.5-92.1)	89.3% (86.6-91.5)	<b>17.5%</b> <b>(15.8-19.3)</b>	20.4% (18.0-23.1)	14.7% (12.5-17.3)
12th	<b>93.0%</b> <b>(90.6-94.8)</b>	96.3% (94.7-97.5)	90.0% (85.8-93.1)	<b>12.0%</b> <b>(10.2-14.2)</b>	16.9% (13.9-20.2)	7.7% (5.6-10.6)
<b>Race/Ethnicity</b>						
White non-Hispanic	<b>93.4%</b> <b>(92.4-94.2)</b>	---	---	<b>12.3%</b> <b>(11.3-13.4)</b>	---	---
Hispanic	<b>81.6%</b> <b>(78.2-84.6)</b>	---	---	<b>15.5%</b> <b>(12.8-18.5)</b>	---	---
Other non-Hispanic	<b>86.8%</b> <b>(84.2-89.1)</b>	---	---	<b>19.6%</b> <b>(17.0-22.6)</b>	---	---
<b>Total</b>	<b>90.9%</b> <b>(90.0- 91.7)</b>	<b>92.5%</b> <b>(91.4-93.5)</b>	<b>89.3%</b> <b>(87.8-90.7)</b>	<b>13.8%</b> <b>(12.9-14.7)</b>	<b>18.4%</b> <b>(16.9-19.9)</b>	<b>9.4%</b> <b>(8.4-10.6)</b>
<b>CO</b>	---	---	---	---	---	---
<b>US</b>	---	---	---	---	---	---

\*During the 12 months preceding the survey. Including via e-mail, chat rooms, instant messaging, websites, text messaging, and sexting.

NOTE: the last portion of this question regarding sexting is not included on the National Survey.

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Harassment at School - Ethnic/Race or LGB</b>									
<b>Table #7</b>	<b>2009 HS YRBS Question #21</b>			<b>2009 HS YRBS Question #23</b>			<b>2009 HS YRBS Question #24</b>		
	<i>Harassed*</i>			<i>Harassed because of race or ethnic origin*</i>			<i>Harassed because someone thought you were lesbian, gay, or bisexual*</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>37.3%</b> <b>(34.9-39.7)</b>	32.0% (28.6-35.6)	41.9% (38.6-45.4)	<b>7.5%</b> <b>(6.2- 8.9)</b>	3.1% (2.0-4.7)	11.6% (9.6-13.9)	<b>6.5%</b> <b>(5.4-7.8)</b>	4.5% (3.3-6.2)	8.3% (6.6-10.5)
10th	<b>27.1%</b> <b>(24.6-29.8)</b>	26.6% (23.0-30.5)	27.7% (24.1-31.7)	<b>5.1%</b> <b>(3.9-6.6)</b>	2.4% (1.3-4.3)	7.9% (5.9-10.4)	<b>4.4%</b> <b>(3.4-5.8)</b>	***	7.3% (5.4-9.8)
11th	<b>28.2%</b> <b>(26.0-30.4)</b>	32.1% (28.9-35.5)	24.3% (21.5-27.4)	<b>6.4%</b> <b>(5.3-7.7)</b>	4.7% (3.7-6.0)	8.0% (6.2-10.3)	<b>3.8%</b> <b>(3.1-4.7)</b>	3.4% (2.6-4.6)	4.2% (3.1-5.6)
12th	<b>19.0%</b> <b>(16.5-21.6)</b>	21.3% (17.9-25.2)	16.9% (13.6-20.8)	<b>5.7%</b> <b>(4.5-7.3)</b>	3.1% (2.1- 4.7)	8.0% (6.0-10.8)	<b>3.0%</b> <b>(2.3-3.9)</b>	3.6% (2.5-5.4)	2.4% (1.7-3.5)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>28.1%</b> <b>(26.7- 29.6)</b>	---	---	<b>4.1%</b> <b>(3.5-4.9)</b>	---	---	<b>4.1%</b> <b>(3.5-4.7)</b>	---	---
Hispanic	<b>21.2%</b> <b>(18.2-24.5)</b>	---	---	<b>9.8%</b> <b>(7.7-12.5)</b>	---	---	<b>3.0%</b> <b>(2.0-4.5)</b>	---	---
Other non-Hispanic	<b>32.1%</b> <b>(28.7-35.7)</b>	---	---	<b>13.6%</b> <b>(11.7-15.9)</b>	---	---	<b>7.7%</b> <b>(6.1-9.8)</b>	---	---
<b>Total</b>	<b>27.7%</b> <b>(26.5-28.9)</b>	<b>27.8%</b> <b>(26.1-29.7)</b>	<b>27.5%</b> <b>(25.8-29.3)</b>	<b>6.2%</b> <b>(5.5-6.8)</b>	<b>3.3%</b> <b>(2.7-4.0)</b>	<b>8.9%</b> <b>(7.8-10.1)</b>	<b>4.4%</b> <b>(3.9-5.0)</b>	<b>3.3%</b> <b>(2.7-3.9)</b>	<b>5.5%</b> <b>(4.7-6.4)</b>
<b>CO</b>	---	---	---	---	---	---	---	---	---
<b>US</b>	---	---	---	---	---	---	---	---	---

\*At school (or on the way to school) during the 12 months preceding the survey

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Harassment at School - Religion, Physical Appearance</b>									
<b>Table #8</b>	<b>2009 HS YRBS Question #25</b>			<b>2009 HS YRBS Question #26</b>			<b>2009 HS YRBS Question #27</b>		
	<i>Harassed because of religious beliefs*</i>			<i>Harassed because of weight, size, physical appearance*</i>			<i>Received unwanted sexual comments or attention*</i>		
<b>Grade</b>	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male	<b>Total</b>	Female	Male
9th	<b>6.9%</b> <b>(5.7-8.4)</b>	6.0% (4.4-8.3)	7.7% (6.0-9.9)	<b>16.7%</b> <b>(15.0-18.6)</b>	14.1% (11.7-17.0)	19.0% (16.7-21.5)	<b>18.3%</b> <b>(16.3-20.3)</b>	29.4% (26.3-32.8)	7.8% (6.0-10.0)
10th	<b>4.6%</b> <b>(3.5-6.0)</b>	5.2% (3.6-7.4)	4.1% (2.7-6.0)	<b>10.2%</b> <b>(8.6-11.9)</b>	9.9% (7.7-12.6)	10.4% (8.2-13.1)	<b>14.3%</b> <b>(12.3-16.5)</b>	23.3% (19.9-27.1)	5.7% (4.2-7.7)
11th	<b>5.9%</b> <b>(4.7-7.4)</b>	6.6% (4.8-9.0)	5.3% (3.8-7.2)	<b>9.5%</b> <b>(8.2-11.0)</b>	9.4% (7.8-11.1)	9.6% (7.7-12.0)	<b>19.6%</b> <b>(17.8-21.5)</b>	29.2% (26.2-32.4)	10.3% (8.5-12.5)
12th	<b>5.1%</b> <b>(3.9-6.6)</b>	6.9% (5.0-9.5)	3.4% (2.0-5.6)	<b>10.2%</b> <b>(8.4-12.3)</b>	11.2% (8.8-14.2)	9.3% (6.9-12.6)	<b>18.3%</b> <b>(16.0-20.9)</b>	29.6% (25.7-33.9)	8.2% (6.2-10.6)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>5.7%</b> <b>(5.0-6.6)</b>	---	---	<b>11.8%</b> <b>(10.8-12.8)</b>	---	---	<b>17.2%</b> <b>(16.0-18.5)</b>	---	---
Hispanic	<b>4.3%</b> <b>(3.1-6.0)</b>	---	---	<b>7.3%</b> <b>(5.4-9.8)</b>	---	---	<b>17.8%</b> <b>(15.1-20.9)</b>	---	---
Other non-Hispanic	<b>6.4%</b> <b>(4.5-9.1)</b>	---	---	<b>15.5%</b> <b>(13.0-18.4)</b>	---	---	<b>20.1%</b> <b>(17.3-23.1)</b>	---	---
<b>Total</b>	<b>5.6%</b> <b>(5.0-6.3)</b>	<b>6.2%</b> <b>(5.2-7.3)</b>	<b>5.1%</b> <b>(4.3-6.0)</b>	<b>11.6%</b> <b>(10.8-12.5)</b>	<b>11.1%</b> <b>(10.0-12.4)</b>	<b>12.1%</b> <b>(10.9-13.4)</b>	<b>17.6%</b> <b>(16.6-18.7)</b>	<b>27.9%</b> <b>(26.1-29.7)</b>	<b>8.0%</b> <b>(7.0-9.0)</b>
<b>CO</b>	---	---	---	---	---	---	---	---	---
<b>US</b>	---	---	---	---	---	---	---	---	---

\*At school (or on the way to school) during the 12 months preceding the survey

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Violence - Weapons</b>						
<b>Table #9</b>	<b>2009 HS YRBS Question #29</b>			<b>2009 HS YRBS Question #30</b>		
	<i>Carried a weapon*</i>			<i>Carried a weapon on school property*</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>13.9%</b> <b>(12.2-15.8)</b>	5.6% (4.1- 7.7)	21.9% (19.1-25.0)	<b>3.8%</b> <b>(2.8-5.0)</b>	2.7% (1.5-4.6)	4.8% 3.5-6.7
10th	<b>13.5%</b> <b>(11.7-15.6)</b>	6.5% (4.7-8.9)	20.3% (17.3-23.6)	<b>4.0%</b> <b>(3.1-5.2)</b>	2.8% (1.7- 4.7)	5.2% (3.8- 6.9)
11th	<b>15.2%</b> <b>(13.5-17.2)</b>	4.0% (2.9-5.6)	26.1% (23.2-29.3)	<b>7.4%</b> <b>(6.0-9.1)</b>	1.8% (1.0-3.3)	12.8% (10.3-15.9)
12th	<b>12.6%</b> <b>(10.7-14.8)</b>	8.3% (6.6-10.4)	16.6% (13.3-20.4)	<b>5.0%</b> <b>(3.8-6.6)</b>	3.2% (2.3-4.4)	6.7% (4.6-9.7)
<b>Race/Ethnicity</b>						
White non-Hispanic	<b>12.9%</b> <b>(11.9-13.9)</b>	---	---	<b>4.0%</b> <b>(3.4-4.8)</b>	---	---
Hispanic	<b>18.8%</b> <b>(15.4-22.7)</b>	---	---	<b>8.6%</b> <b>(6.3-11.6)</b>	---	---
Other non-Hispanic	<b>12.9%</b> <b>(10.8-15.3)</b>	---	---	<b>6.3%</b> <b>(4.8-8.2)</b>	---	---
<b>Total</b>	<b>13.8%</b> <b>(12.9-14.8)</b>	<b>6.1%</b> <b>(5.3-7.1)</b>	<b>21.0%</b> <b>(19.4-22.7)</b>	<b>5.0%</b> <b>(4.4-5.7)</b>	<b>2.6%</b> <b>(2.1-3.4)</b>	<b>7.3%</b> <b>(6.2-8.5)</b>
<b>CO</b>	<b>16.7%</b> <b>(14.2-19.5)</b>	<b>8.2%</b> <b>(6.1-11.1)</b>	<b>25.0%</b> <b>(20.7-29.8)</b>	<b>5.5%</b> <b>(3.9-7.8)</b>	<b>3.0%</b> <b>(2.0-4.4)</b>	<b>8.0%</b> <b>(5.2-12.1)</b>
<b>US</b>	<b>17.5%</b> <b>(16.1-19.0)</b>	<b>7.1%</b> <b>(6.3-7.9)</b>	<b>27.1%</b> <b>(24.3-30.2)</b>	<b>5.6%</b> <b>(5.0-6.3)</b>	<b>2.9%</b> <b>(2.5-3.4)</b>	<b>8.0%</b> <b>(7.1-9.2)</b>

\*On 1 or more of the 30 days preceding the survey

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Violence - Weapons and Physical Fights on School Property</b>						
<b>Table #10</b>	<b>2009 HS YRBS Question #31</b>			<b>2009 HS YRBS Question #32</b>		
	<i>Did not go to school because felt unsafe*</i>			<i>Threatened or injured with a weapon on school property**</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	7.1% (5.8-8.6)	5.9% (4.5-7.7)	8.3% (6.3-10.8)	9.8% (8.3-11.6)	4.2% (2.8-6.1)	15.2% (12.7-18.1)
10th	3.1% (2.3-4.1)	3.7% (2.6-5.2)	2.5% (1.6-4.0)	6.5% (5.1-8.1)	4.7% (3.5-6.2)	8.2% (6.0-11.1)
11th	5.4% (4.4- 6.6)	4.2% (3.0-5.8)	6.5% (5.0-8.4)	5.5% (4.5-6.7)	1.6% (1.0-2.6)	9.2% (7.4-11.5)
12th	3.4% (2.1-5.4)	2.2% (1.4-3.5)	4.4% (2.3-8.3)	7.4% (5.8-9.5)	3.7% (2.5-5.5)	10.7% (7.9-14.5)
<b>Race/Ethnicity</b>						
White non-Hispanic	3.2% (2.7-3.8)	---	---	5.1% (4.3-6.0)	---	---
Hispanic	7.0% (4.4-10.9)	---	---	11.0% (8.8-13.7)	---	---
Other non-Hispanic	10.1% (8.3-12.2)	---	---	15.1% (12.8-17.8)	---	---
<b>Total</b>	4.7% (4.1- 5.4)	4.0% (3.4- 4.7)	5.4% (4.4-6.6)	7.3% (6.6-8.1)	3.6% (3.0-4.3)	10.9% (9.6-12.3)
<b>CO</b>	5.1% (3.8-7.0)	4.8% (3.5-6.5)	5.5% (3.3-9.2)	8.0% (6.6-9.7)	5.1% (3.6-7.2)	10.8% (8.6-13.3)
<b>US</b>	5.0% (4.3-5.7)	5.3% (4.6-6.1)	4.6% (3.8-5.6)	7.7% (6.9-8.5)	5.5% (4.8-6.3)	9.6% (8.5-10.8)

\*At school or on the way to school during 30 days preceding the survey

\*\*One or more times during the 12 months preceding the survey

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Violence - Weapons and Physical Fights on School Property</b>									
<b>Table #11</b>	<b>2009 HS YRBS Question #33</b>			<b>2009 HS YRBS Question #34</b>			<b>2009 HS YRBS Question #35</b>		
	<i>In physical fight*</i>			<i>Injured in fight and needed medical treatment*</i>			<i>In physical fight on school property*</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>30.8%</b> <b>(28.5-33.1)</b>	17.4% (14.8-20.4)	43.3% (39.9-46.7)	<b>5.0%</b> <b>(3.9-6.4)</b>	4.1% (2.9-5.8)	5.9% (4.3-8.2)	<b>14.8%</b> <b>(13.1-16.7)</b>	5.0% (3.7-6.9)	24.2% (21.3-27.4)
10th	<b>23.6%</b> <b>(21.3-26.1)</b>	16.2% (13.6-19.3)	30.8% (27.2-34.6)	<b>1.8%</b> <b>(1.2-2.8)</b>	*** ***	3.6% (2.3-5.5)	<b>7.0%</b> <b>(5.7-8.5)</b>	5.7% (4.1-7.9)	8.2% (6.3-10.6)
11th	<b>23.7%</b> <b>(21.6-26.0)</b>	13.5% (10.8-16.9)	33.8% (30.8-36.9)	<b>5.7%</b> <b>(4.6-7.1)</b>	2.6% (1.4-4.7)	8.7% (7.0-10.9)	<b>9.9%</b> <b>(8.6-11.4)</b>	3.6% (2.4-5.4)	16.1% (13.9-18.5)
12th	<b>19.5%</b> <b>(16.9-22.4)</b>	11.6% (9.1-14.6)	26.7% (22.4-31.5)	<b>2.6%</b> <b>(1.8-4.0)</b>	*** ***	4.3% (2.8-6.8)	<b>5.8%</b> <b>(4.4-7.7)</b>	*** ***	10.5% (7.8-14.0)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>23.2%</b> <b>(21.9-24.6)</b>	---	---	<b>3.0%</b> <b>(2.4-3.6)</b>	---	---	<b>8.7%</b> <b>(7.8-9.7)</b>	---	---
Hispanic	<b>28.5%</b> <b>(24.3-33.0)</b>	---	---	<b>5.3%</b> <b>(3.5-7.9)</b>	---	---	<b>11.2%</b> <b>(9.0-13.9)</b>	---	---
Other non-Hispanic	<b>25.5%</b> <b>(22.5-28.6)</b>	---	---	<b>6.1%</b> <b>(4.8-7.8)</b>	---	---	<b>10.2%</b> <b>(8.5-12.3)</b>	---	---
<b>Total</b>	<b>24.3%</b> <b>(23.1-25.5)</b>	<b>14.7%</b> <b>(13.3-16.1)</b>	<b>33.5%</b> <b>(31.6-35.4)</b>	<b>3.8%</b> <b>(3.2-4.4)</b>	<b>1.8%</b> <b>(1.4-2.5)</b>	<b>5.6%</b> <b>(4.7-6.6)</b>	<b>9.3%</b> <b>(8.5-10.1)</b>	<b>3.7%</b> <b>(3.1-4.5)</b>	<b>14.6%</b> <b>(13.3-16.0)</b>
<b>CO</b>	<b>32.0%</b> <b>(28.9-35.3)</b>	<b>21.8%</b> <b>(18.0-26.3)</b>	<b>42.0%</b> <b>(37.5-46.6)</b>	<b>4.0%</b> <b>(2.9-5.4)</b>	<b>3.3%</b> <b>(2.1-5.0)</b>	<b>4.7%</b> <b>(3.2-6.8)</b>	<b>10.7%</b> <b>(9.1-12.6)</b>	<b>5.0%</b> <b>(3.7-6.7)</b>	<b>16.2%</b> <b>(14.0-18.8)</b>
<b>US</b>	<b>31.5%</b> <b>(30.1-32.9)</b>	<b>22.9%</b> <b>(21.4-24.4)</b>	<b>39.3%</b> <b>(36.9-41.7)</b>	<b>3.8%</b> <b>(3.3-4.3)</b>	<b>2.2%</b> <b>(1.8-2.8)</b>	<b>5.1%</b> <b>(4.4-6.0)</b>	<b>11.1%</b> <b>(10.0-12.2)</b>	<b>6.7%</b> <b>(5.9-7.6)</b>	<b>15.1%</b> <b>(13.1-17.3)</b>

\*One or more times during the 12 months preceding the survey

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Violence - Sexual Assault and Dating Violence</b>									
<b>Table #12</b>	<b>2009 HS YRBS Question #36</b>			<b>2009 HS YRBS Question #37</b>			<b>2009 HS YRBS Question #38</b>		
	<i>Hurt by boyfriend/girlfriend*</i>			<i>Ever forced to have sexual intercourse</i>			<i>Unwanted sexual contact**</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>6.8%</b> (5.6-8.3)	7.5% (5.6-9.9)	6.1% (4.6-8.1)	<b>3.1%</b> (2.3-4.1)	4.5% (3.4-6.1)	1.8% (0.9-3.5)	<b>16.6%</b> (14.8-18.6)	25.7% (22.6-29.0)	8.1% (6.3-10.4)
10th	<b>7.7%</b> (6.3-9.4)	8.3% (6.5-10.6)	7.2% (5.3-9.7)	<b>4.1%</b> (3.2-5.4)	5.6% (4.1-7.5)	2.7% (1.6-4.6)	<b>12.1%</b> (10.3-14.1)	18.3% (15.3-21.7)	6.2% (4.4-8.5)
11th	<b>9.3%</b> (7.8-11.1)	7.3% (5.3-9.8)	11.4% (9.2-14.0)	<b>7.6%</b> (6.3-9.1)	6.7% (5.1-8.9)	8.5% (6.6-10.8)	<b>14.7%</b> (13.1-16.4)	24.3% (21.6-27.3)	5.4% (4.0-7.3)
12th	<b>8.6%</b> (6.9-10.6)	5.1% (3.8-6.8)	11.6% (8.8-15.3)	<b>6.8%</b> (5.2-8.8)	9.2% (7.0-11.9)	4.6% (2.7-7.8)	<b>17.9%</b> (15.8-20.3)	28.2% (24.4-32.3)	8.8% (7.1-10.9)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>6.9%</b> (6.1-7.9)	---	---	<b>4.2%</b> (3.6-4.9)	---	---	<b>15.0%</b> (13.9-16.1)	---	---
Hispanic	<b>10.3%</b> (8.1-13.0)	---	---	<b>9.9%</b> (7.2-13.5)	---	---	<b>19.0%</b> (16.2-22.1)	---	---
Other non-Hispanic	<b>12.2%</b> (10.2-14.6)	---	---	<b>7.4%</b> (5.9-9.3)	---	---	<b>14.3%</b> (11.9-17.1)	---	---
<b>Total</b>	<b>8.1%</b> (7.3-8.9)	<b>7.0%</b> (6.1-8.1)	<b>9.1%</b> (7.9-10.5)	<b>5.4%</b> (4.8-6.1)	<b>6.5%</b> (5.7-7.6)	<b>4.4%</b> (3.5-5.4)	<b>15.4%</b> (14.4-16.4)	<b>24.2%</b> (22.5-25.9)	<b>7.2%</b> (6.3-8.2)
<b>CO</b>	<b>9.1%</b> (7.2-11.5)	<b>6.9%</b> (4.7-9.9)	<b>11.2%</b> (8.4-14.8)	<b>7.7%</b> (6.2-9.4)	<b>11.1%</b> (8.9-13.7)	<b>4.4%</b> (2.7-7.2)	---	---	---
<b>US</b>	<b>9.8%</b> (8.9-10.8)	<b>9.3%</b> (8.4-10.3)	<b>10.3%</b> (9.1-11.6)	<b>7.4%</b> (6.7-8.3)	<b>10.5%</b> (9.6-11.4)	<b>4.5%</b> (3.7-5.6)	---	---	---

\*Hit, slapped, or physically hurt on purpose during the 12 months preceding the survey

\*\*Other than forced sexual intercourse

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Self Harm - Depression</b>						
<b>Table #13</b>	<b>2009 HS YRBS Question #39</b>			<b>2009 HS YRBS Question #40</b>		
	<i>Intentionally self-injured*</i>			<i>Felt sad or hopeless**</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>17.9%</b> <b>(16.2-19.9)</b>	20.6% (17.9-23.6)	15.4% (13.2-18.0)	<b>24.7%</b> <b>(22.7-27.0)</b>	26.3% (23.3-29.5)	23.3% (20.5-26.4)
10th	<b>20.7%</b> <b>(18.4-23.1)</b>	28.9% (25.4-32.7)	12.8% (10.3-15.7)	<b>23.2%</b> <b>(20.9-25.8)</b>	27.8% (24.2-31.7)	18.9% (15.9-22.3)
11th	<b>21.5%</b> <b>(19.4-23.7)</b>	29.5% (26.2-33.0)	13.8% (11.4-16.7)	<b>24.5%</b> <b>(22.5-26.7)</b>	29.5% (26.3-32.9)	19.8% (17.3-22.5)
12th	<b>14.4%</b> <b>(12.4-16.7)</b>	22.0% (18.6-25.8)	7.7% (5.5-10.6)	<b>23.5%</b> <b>(20.9-26.3)</b>	33.2% (29.1-37.5)	14.8% (11.8-18.4)
<b>Race/Ethnicity</b>						
White non-Hispanic	<b>16.8%</b> <b>(15.7-18.0)</b>	---	---	<b>23.2%</b> <b>(21.9-24.6)</b>	---	---
Hispanic	<b>21.1%</b> <b>(17.8-24.8)</b>	---	---	<b>24.9%</b> <b>(21.6-28.6)</b>	---	---
Other non-Hispanic	<b>24.3%</b> <b>(21.3-27.6)</b>	---	---	<b>26.0%</b> <b>(23.0-29.3)</b>	---	---
<b>Total</b>	<b>18.5%</b> <b>(17.5-19.6)</b>	<b>25.2%</b> <b>(23.5- 26.9)</b>	<b>12.3%</b> <b>(11.0-13.6)</b>	<b>24.0%</b> <b>(22.8-25.2)</b>	<b>29.2%</b> <b>(27.4-31.1)</b>	<b>19.1%</b> <b>(17.6-20.6)</b>
<b>CO</b>	---	---	---	<b>25.4%</b> <b>(22.8-28.2)</b>	<b>31.7%</b> <b>(27.7-36.0)</b>	<b>19.3%</b> <b>(15.4-23.9)</b>
<b>US</b>	---	---	---	<b>26.1%</b> <b>(24.8-27.5)</b>	<b>33.9%</b> <b>(32.3-35.5)</b>	<b>19.1%</b> <b>(17.6-20.6)</b>

\*Self-injured (such as cutting or burning) without wanting to die during the 12 months preceding the survey

\*\*Almost every day, 2 weeks or more, during the 12 months preceding the survey

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Sad - Support - Suicide</b>									
<b>Table #14</b>	<b>2009 HS YRBS Question #13</b>			<b>2009 HS YRBS Question #14</b>			<b>2009 HS YRBS Question #41</b>		
	<i>Has someone to talk to when feeling sad or hopeless</i>			<i>Usually gets help when feeling sad or hopeless</i>			<i>Seriously considered attempting suicide*</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>79.4%</b> <b>(77.3-81.4)</b>	88.1% (85.6-90.2)	70.7% (67.4-73.8)	<b>49.2%</b> <b>(46.7-51.8)</b>	54.6% (51.0-58.0)	43.6% (40.0-47.3)	<b>13.8%</b> <b>(12.1-15.7)</b>	10.8% (8.5-13.6)	16.6% (14.2-19.4)
10th	<b>84.9%</b> <b>(82.8-86.8)</b>	88.6% (86.1-90.8)	80.5% (76.9-83.6)	<b>52.6%</b> <b>(49.5- 55.7)</b>	52.9% (48.7-57.2)	52.2% (47.6-56.7)	<b>10.6%</b> <b>(9.1-12.4)</b>	14.6% (12.0-17.6)	6.9% (5.3-8.9)
11th	<b>79.7%</b> <b>(77.7-81.6)</b>	82.9% (80.2-85.4)	76.0% (72.9-78.8)	<b>50.7%</b> <b>(48.1- 53.3)</b>	53.8% (50.0-57.6)	47.4% (43.8-50.9)	<b>15.4%</b> <b>(13.6-17.5)</b>	17.5% (14.8-20.7)	13.4% (11.2-16.1)
12th	<b>80.0%</b> <b>(77.2-81.6)</b>	78.7% (75.0-82.1)	81.5% (76.8-85.4)	<b>52.4%</b> <b>(48.8-56.0)</b>	55.2% (50.6-59.8)	49.2% (43.8- 54.7)	<b>12.8%</b> <b>(10.9-15.1)</b>	19.3% (16.1-23.0)	7.1% (4.9-10.1)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>81.4%</b> <b>(80.0-82.6)</b>	---	---	<b>52.8%</b> <b>(51.1-54.5)</b>	---	---	<b>11.4%</b> <b>(10.4-12.5)</b>	---	---
Hispanic	<b>85.4%</b> <b>(82.1-88.2)</b>	---	---	<b>44.7%</b> <b>(39.6- 49.9)</b>	---	---	<b>17.0%</b> <b>(14.0-20.5)</b>	---	---
Other non-Hispanic	<b>74.9%</b> <b>(71.4-78.1)</b>	---	---	<b>49.3%</b> <b>(45.5-53.2)</b>	---	---	<b>18.4%</b> <b>(15.8-21.3)</b>	---	---
<b>Total</b>	<b>81.0%</b> <b>(79.8-82.1)</b>	<b>84.4%</b> <b>(83.0-85.8)</b>	<b>77.1%</b> <b>(75.3-78.8)</b>	<b>51.3%</b> <b>(49.7-52.8)</b>	<b>54.2%</b> <b>(52.1-56.2)</b>	<b>48.0%</b> <b>(45.8-50.3)</b>	<b>13.1%</b> <b>(12.2-14.1)</b>	<b>15.6%</b> <b>(14.2-17.1)</b>	<b>10.9%</b> <b>(9.7-12.1)</b>
<b>CO</b>	---	---	---	---	---	---	<b>13.7%</b> <b>(12.3-15.3)</b>	<b>17.9%</b> <b>(15.4-20.8)</b>	<b>9.7%</b> <b>(7.7-12.1)</b>
<b>US</b>	---	---	---	---	---	---	<b>13.8%</b> <b>(13.1-14.6)</b>	<b>17.4%</b> <b>(16.5-18.4)</b>	<b>10.5%</b> <b>(9.4-11.6)</b>

\*During the 12 months preceding the survey

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Suicide</b>									
<b>Table # 15</b>	<b>2009 HS YRBS Question #42</b>			<b>2009 HS YRBS Question #43</b>			<b>2009 HS YRBS Question #44</b>		
	<i>Planned suicide*</i>			<i>Attempted suicide*</i>			<i>Suicide attempt required medical treatment*</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>10.9%</b> <b>(9.3-12.7)</b>	8.1% (6.2-10.7)	13.5% (11.2-16.1)	<b>4.7%</b> <b>(3.6-5.9)</b>	3.7% (2.3-5.8)	5.6% (4.3-7.4)	<b>2.1%</b> <b>(1.4-3.0)</b>	*** ***	2.8% (1.8-4.2)
10th	<b>11.6%</b> <b>(9.9-13.5)</b>	14.1% (11.4-17.4)	9.1% (7.2-11.5)	<b>4.9%</b> <b>(3.8-6.3)</b>	5.2% (3.6-7.5)	4.6% (3.3-6.5)	<b>2.3%</b> <b>(1.5-3.5)</b>	2.5% (1.3-4.6)	2.1% (1.2-3.8)
11th	<b>12.1%</b> <b>(10.5-13.9)</b>	13.4% (11.0-16.1)	10.9% (8.9-13.2)	<b>5.3%</b> <b>(4.3-6.6)</b>	4.4% (3.1-6.1)	6.3% (4.7-8.3)	<b>1.8%</b> <b>(1.1-2.8)</b>	2.0% (1.1-3.4)	*** ***
12th	<b>9.8%</b> <b>(8.2-11.8)</b>	15.7% (12.9-19.0)	4.6% (2.9-7.1)	<b>4.7%</b> <b>(3.3-6.6)</b>	5.6% (3.6-8.6)	3.8% (2.0-7.1)	<b>2.5%</b> <b>(1.4-4.2)</b>	2.5% (1.6-3.9)	*** ***
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>9.6%</b> <b>(8.7-10.6)</b>	---	---	<b>3.8%</b> <b>(3.2-4.6)</b>	---	---	<b>1.5%</b> <b>(1.0-2.2)</b>	---	---
Hispanic	<b>13.9%</b> <b>(11.5-16.7)</b>	---	---	<b>6.1%</b> <b>(4.1-9.0)</b>	---	---	<b>2.2%</b> <b>(1.4-3.5)</b>	---	---
Other non-Hispanic	<b>15.6%</b> <b>(13.1-18.4)</b>	---	---	<b>9.4%</b> <b>(7.5-11.7)</b>	---	---	<b>5.4%</b> <b>(3.9-7.3)</b>	---	---
<b>Total</b>	<b>11.1%</b> <b>(10.2-12.0)</b>	<b>12.9%</b> <b>(11.5-14.3)</b>	<b>9.3%</b> <b>(8.3-10.5)</b>	<b>4.9%</b> <b>(4.3-5.6)</b>	<b>4.7%</b> <b>(3.9-5.8)</b>	<b>5.0%</b> <b>(4.2-6.1)</b>	<b>2.2%</b> <b>(1.7-2.7)</b>	<b>2.1%</b> <b>(1.6-2.8)</b>	<b>2.2%</b> <b>(1.6-3.2)</b>
<b>CO</b>	<b>11.0%</b> <b>(9.2-13.1)</b>	<b>12.8%</b> <b>(10.0-16.3)</b>	<b>9.3%</b> <b>(7.0-12.3)</b>	<b>7.6%</b> <b>(6.0-9.6)</b>	<b>9.3%</b> <b>(7.1-12.1)</b>	<b>5.6%</b> <b>(3.5-8.8)</b>	<b>3.1%</b> <b>(2.2-4.4)</b>	<b>3.5%</b> <b>(2.2-5.7)</b>	<b>2.4%</b> <b>(1.3-4.6)</b>
<b>US</b>	<b>10.9%</b> <b>(10.0-11.8)</b>	<b>13.2%</b> <b>(12.4-14.1)</b>	<b>8.6%</b> <b>(7.4-10.0)</b>	<b>6.3%</b> <b>(5.7-7.0)</b>	<b>8.1%</b> <b>(7.2-9.0)</b>	<b>4.6%</b> <b>(3.9-5.5)</b>	<b>1.9%</b> <b>(1.6-2.3)</b>	<b>2.3%</b> <b>(1.8-2.8)</b>	<b>1.6%</b> <b>(1.2-2.1)</b>

\*During the 12 months preceding the survey

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Tobacco Use - Cigarettes</b>									
<b>Table #16</b>	<b>2009 HS YRBS Question #45</b>			<b>2009 HS YRBS Question #47</b>			<b>2009 HS YRBS Question #48</b>		
	<i>Ever smoked cigarettes*</i>			<i>Current cigarette user**</i>			<i>Current frequent cigarette use +</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	25.3% (23.2-27.5)	24.5% (21.8-27.5)	26.1% (23.0-29.4)	11.6% (10.0-13.3)	9.2% (7.3-11.7)	13.8% (11.5-16.3)	*** ***	*** ***	*** ***
10th	30.5% (27.9-33.2)	31.5% (27.7-35.5)	29.5% (26.2-33.0)	13.8% (11.9-15.9)	14.3% (11.5-17.6)	13.3% (11.0-16.0)	*** ***	*** ***	*** ***
11th	40.6% (38.3-42.9)	35.1% (31.7-38.6)	46.0% (42.8-49.1)	18.3% (16.4-20.3)	16.8% (14.2-19.8)	19.7% (17.2-22.5)	6.4% (4.3-9.4)	*** ***	11.5% (7.7-16.7)
12th	56.0% (52.8-59.2)	57.8% (53.5-62.0)	54.4% (49.5-59.2)	27.2% (24.1-30.6)	29.3% (25.1-33.9)	25.3% (21.0-30.3)	8.8% (5.0-14.9)	*** ***	*** ***
<b>Race/Ethnicity</b>									
White non-Hispanic	37.7% (36.2-39.2)	---	---	17.3% (16.0-18.6)	---	---	5.3% (3.2-8.9)	---	---
Hispanic	52.0% (47.4-56.5)	---	---	22.8% (18.8-27.4)	---	---	---	---	---
Other non-Hispanic	29.3% (26.1-32.8)	---	---	15.4% (12.8-18.3)	---	---	---	---	---
<b>Total</b>	38.5% (37.2-39.8)	37.6% (35.7-39.5)	39.3% (37.4-41.3)	17.8% (16.6-18.9)	17.4% (15.9-19.1)	18.1% (16.5-19.8)	5.6% (3.9-8.0)	---	9.6% (6.5-13.9)
<b>CO</b>	43.1% (36.9-49.5)	41.4% (35.0-48.2)	44.6% (37.5-51.9)	17.7% (13.2-23.2)	17.4% (12.4-23.8)	17.8% (13.3-23.6)	10.7% (6.8-16.2)	6.2% (2.3-15.4)	15.0% (9.3-23.3)
<b>US</b>	46.3% (43.7-48.9)	46.1% (43.7-48.6)	46.3% (42.6-50.0)	19.5% (17.9-21.2)	19.1% (17.2-21.0)	19.8% (17.8-21.9)	6.4% (5.4-7.6)	8.0% (7.1-9.0)	7.3% (6.4-8.3)

\*Even one or two puffs

\*\*Smoked cigarettes on 1 or more of the 30 days preceding the survey

+ Among students who reported current cigarette use, those who smoked over 10 cigarettes per day in the 30 days preceding the survey

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Cigarettes - Purchase and Usage</b>									
<b>Table #17</b>	<b>2009 HS YRBS Question #49</b>			<b>2009 HS YRBS Question #51</b>			<b>2009 HS YRBS Question #52</b>		
	<i>Bought cigarettes in a store or gas station*</i>			<i>Ever smoked cigarettes daily**</i>			<i>Tried to quit smoking cigarettes +</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	8.3% (4.4-15.1)	***	***	3.0% (2.2-4.1)	2.1% (1.3-3.5)	3.8% (2.5-5.8)	40.8% (33.5-48.5)	***	***
10th	13.2% (9.5-18.1)	***	***	7.1% (5.6-8.9)	7.5% (5.6-10.1)	6.7% (4.7-9.6)	40.1% (32.7-48.0)	***	***
11th	13.3% (10.1-17.5)	***	14.7% (10.5-20.1)	11.4% (9.8-13.1)	10.4% (8.2-13.1)	12.3% (10.3-14.7)	45.3% (39.2-51.5)	***	41.7% (34.2-49.6)
12th	13.3% (8.7-19.7)	***	***	13.3% (11.1-15.8)	13.2% (10.4-16.6)	13.4% (10.2-17.2)	40.3% (33.3-47.7)	45.7% (36.6-55.1)	***
<b>Race/Ethnicity</b>									
White non-Hispanic	14.9% (12.0-18.3)	---	---	8.2% (7.3-9.3)	---	---	37.7% (33.5-42.0)	---	---
Hispanic	---	---	---	10.0% (7.7-13.0)	---	---	50.7% (40.5-60.8)	---	---
Other non-Hispanic	---	---	---	10.8% (8.9-13.1)	---	---	---	---	---
<b>Total</b>	<b>12.4%</b> <b>(10.1-15.1)</b>	<b>13.9%</b> <b>(10.8-17.7)</b>	<b>11.0%</b> <b>(7.9-15.1)</b>	<b>8.8%</b> <b>(8.0-9.7)</b>	<b>8.4%</b> <b>(7.3-9.6)</b>	<b>9.2%</b> <b>(8.0-10.5)</b>	<b>41.6%</b> <b>(37.9-45.4)</b>	<b>45.7%</b> <b>(40.5-51.0)</b>	<b>37.7%</b> <b>(32.7-42.9)</b>
<b>CO</b>	<b>12.6%</b> <b>(6.4-23.3)</b>	<b>10.3%</b> <b>(4.1-23.3)</b>	<b>---</b>	<b>10.6%</b> <b>(7.3-15.2)</b>	<b>10.7%</b> <b>(7.0-16.0)</b>	<b>10.5%</b> <b>(6.8-15.7)</b>	<b>53.2%</b> <b>(45.6-60.8)</b>	<b>60.6%</b> <b>(49.1-71.0)</b>	<b>46.4%</b> <b>(35.9-57.3)</b>
<b>US</b>	<b>14.1%</b> <b>(11.7-17.0)</b>	<b>9.6%</b> <b>(6.9-13.2)</b>	<b>18.3%</b> <b>(15.6-21.5)</b>	<b>11.2%</b> <b>(10.0-12.6)</b>	<b>10.6%</b> <b>(9.1-12.3)</b>	<b>11.7%</b> <b>(10.4-13.1)</b>	<b>50.8%</b> <b>(47.4-54.1)</b>	<b>54.2%</b> <b>(49.4-59.0)</b>	<b>48.0%</b> <b>(44.3-51.7)</b>

\*Among students who were less than 18 years old and report current cigarette use

\*\*At least 1 cigarette every day for 30 days

+ In 12 months preceding the survey

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Tobacco Use - Smokeless Tobacco and Cigars</b>									
<b>Table #18</b>	<b>2009 HS YRBS Question #53</b>			<b>2009 HS YRBS Question #55</b>			<b>2009 HS YRBS Questions #47+53+55</b>		
	<i>Current smokeless tobacco use*</i>			<i>Current cigar use**</i>			<i>Current tobacco use †</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>4.8%</b> (3.7-6.1)	1.9% (1.0-3.9)	7.5% (5.7-9.7)	<b>11.8%</b> (10.3-13.6)	8.1% (6.3-10.4)	15.4% (13.0-18.2)	<b>15.7%</b> (14.0-17.6)	12.0% (9.8-14.6)	19.2% (16.6-22.1)
10th	<b>5.9%</b> (4.9-7.2)	3.5% (2.5-5.0)	8.2% (6.5-10.3)	<b>15.8%</b> (13.8-18.0)	10.2% (7.8-13.2)	21.1% (18.1-24.6)	<b>19.6%</b> (17.4-22.0)	16.8% (13.8-20.3)	22.2% (19.1-25.6)
11th	<b>11.2%</b> (9.8-12.8)	*** ***	21.1% (18.5-24.0)	<b>19.9%</b> (18.1-22.0)	9.7% (7.8-12.1)	29.9% (27.0-33.0)	<b>28.9%</b> (26.8-31.1)	19.1% (16.4-22.1)	38.7% (35.6-41.9)
12th	<b>12.3%</b> (10.4-14.6)	3.1% (1.9-4.9)	20.7% (17.3-24.6)	<b>30.0%</b> (27.2-33.0)	18.6% (15.4-22.4)	40.2% (35.8-44.8)	<b>41.6%</b> (38.2-45.1)	35.8% (31.3-40.5)	47.0% (41.8-52.1)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>9.1%</b> (8.2-10.0)	---	---	<b>21.1%</b> (19.8-22.5)	---	---	<b>27.4%</b> (26.0-28.8)	---	---
Hispanic	<b>9.4%</b> (7.2-12.3)	---	---	<b>18.0%</b> (15.0-21.6)	---	---	<b>29.4%</b> (25.0-34.2)	---	---
Other non-Hispanic	<b>5.6%</b> (4.1-7.5)	---	---	<b>13.1%</b> (11.0-15.7)	---	---	<b>19.1%</b> (16.4-22.2)	---	---
<b>Total</b>	<b>8.6%</b> (7.9-9.4)	<b>2.4%</b> (1.9-3.1)	<b>14.4%</b> (13.1-15.9)	<b>19.6%</b> (18.5-20.8)	<b>11.8%</b> (10.5-13.2)	<b>27.0%</b> (25.3-28.8)	<b>26.5%</b> (25.2-27.8)	<b>21.0%</b> (19.3-22.7)	<b>31.8%</b> (29.9-33.7)
<b>CO</b>	<b>10.7%</b> (8.2-13.9)	<b>4.2%</b> (2.8-6.2)	<b>16.8%</b> (12.5-22.3)	<b>16.3%</b> (13.4-19.8)	<b>11.4%</b> (8.9-14.6)	<b>21.0%</b> (16.6-26.1)	<b>26.5%</b> (21.5-32.2)	<b>21.6%</b> (16.6-27.5)	<b>31.3%</b> (25.4-38.0)
<b>US</b>	<b>8.9%</b> (7.3-10.8)	<b>2.2%</b> (1.8-2.7)	<b>15.0%</b> (12.1-18.5)	<b>14.0%</b> (12.8-15.4)	<b>8.8%</b> (7.7-10.1)	<b>18.6%</b> (17.0-20.5)	<b>26.0%</b> (23.8-28.3)	<b>21.8%</b> (19.9-23.9)	<b>29.8%</b> (27.0-32.8)

\*Used chewing tobacco or snuff on 1 or more of the 30 days preceding the survey

\*\*Smoked cigars on 1 or more of the 30 days preceding the survey

† Smoked cigarettes or cigars or used chewing tobacco or snuff on 1 or more of the 30 days preceding the survey

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Perceptions and Beliefs - Cigarettes</b>									
<b>Table #19</b>	<b>2009 HS YRBS Question #56</b>			<b>2009 HS YRBS Question #57</b>			<b>2009 HS YRBS Question #59</b>		
	<i>Smoking a pack/per day poses moderate to great risk</i>			<i>Wrong for someone your age to smoke cigarettes</i>			<i>Parents feel it is wrong for you to smoke cigarettes</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>90.6%</b> <b>(89.0-92.0)</b>	91.9% (89.6-93.7)	89.4% (86.8-91.5)	<b>76.2%</b> <b>(74.0-78.2)</b>	79.5% (76.4-82.2)	73.1% (70.0-76.0)	<b>95.7%</b> <b>(94.5-96.6)</b>	96.6% (95.2-97.7)	94.7% (92.9-96.1)
10th	<b>93.5%</b> <b>(92.0-94.7)</b>	96.3% (94.4-97.6)	90.7% (88.2-92.7)	<b>75.8%</b> <b>(73.2-78.3)</b>	81.5% (77.7-84.8)	70.5% (66.7-74.0)	<b>97.2%</b> <b>(96.2-97.9)</b>	97.0% (95.8- 97.8)	97.4% (95.6-98.5)
11th	<b>89.8%</b> <b>(88.1-91.3)</b>	95.8% (94.3-96.9)	84.1% (81.2-86.7)	<b>64.5%</b> <b>(62.2-66.7)</b>	73.0% (69.9-75.9)	56.2% (53.0-59.4)	<b>92.8%</b> <b>(91.5-94.0)</b>	96.1% (94.7- 97.1)	89.7% (87.4-91.6)
12th	<b>90.3%</b> <b>(88.1-92.1)</b>	92.5% (89.9-94.5)	88.2% (84.7-91.0)	<b>52.7%</b> <b>(49.4-56.0)</b>	62.3% (57.7-66.6)	44.3% (39.5-49.2)	<b>92.9%</b> <b>(91.2-94.3)</b>	96.1% (94.2-97.4)	90.0% (87.1-92.3)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>92.3%</b> <b>(91.4-93.2)</b>	---	---	<b>67.1%</b> <b>(65.6-68.7)</b>	---	---	<b>95.6%</b> <b>(95.0-96.2)</b>	---	---
Hispanic	<b>84.8%</b> <b>(81.3-87.8)</b>	---	---	<b>62.9%</b> <b>(58.2-67.3)</b>	---	---	<b>91.8%</b> <b>(89.3-93.8)</b>	---	---
Other non-Hispanic	<b>91.3%</b> <b>(89.0-93.1)</b>	---	---	<b>71.1%</b> <b>(67.8-74.3)</b>	---	---	<b>92.2%</b> <b>(89.9-94.0)</b>	---	---
<b>Total</b>	<b>91.0%</b> <b>(90.2-91.8)</b>	<b>94.1%</b> <b>(93.1-95.0)</b>	<b>88.2%</b> <b>(86.8-89.4)</b>	<b>67.0%</b> <b>(65.6-68.3)</b>	<b>73.9%</b> <b>(72.0-75.6)</b>	<b>60.6%</b> <b>(58.6-62.5)</b>	<b>94.6%</b> <b>(94.0-95.2)</b>	<b>96.5%</b> <b>(95.8-97.0)</b>	<b>92.9%</b> <b>(91.8-93.8)</b>
<b>CO</b>	---	---	---	---	---	---	---	---	---
<b>US</b>	---	---	---	---	---	---	---	---	---

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Alcohol Use</b>									
<b>Table #20</b>	<b>2009 HS YRBS Question #60</b>			<b>2009 HS YRBS Question #62</b>			<b>2009 HS YRBS Question #63</b>		
	<i>Ever drank alcohol*</i>			<i>Current alcohol use**</i>			<i>Binge drinking<sup>+</sup></i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>49.2%</b> <b>(46.7-51.7)</b>	50.5% (47.0-54.0)	47.9% (44.3-51.6)	<b>24.7%</b> <b>(22.6-27.0)</b>	27.4% (24.3-30.6)	22.2% (19.3-25.4)	<b>12.2%</b> <b>(10.6-14.1)</b>	10.7% (8.6-13.2)	13.7% (11.3-16.5)
10th	<b>66.1%</b> <b>(63.2-68.9)</b>	68.5% (64.6-72.2)	63.5% (59.1-67.7)	<b>40.1%</b> <b>(37.3-43.0)</b>	47.1% (42.9-51.3)	33.3% (29.6-37.1)	<b>24.5%</b> <b>(22.1-27.0)</b>	28.8% (25.2-32.6)	20.3% (17.1-23.8)
11th	<b>75.6%</b> <b>(73.5-77.5)</b>	75.0% (71.9-77.8)	76.2% (73.4-78.8)	<b>47.4%</b> <b>(45.0-49.8)</b>	44.2% (40.7-47.7)	50.6% (47.3-53.9)	<b>31.5%</b> <b>(29.2-33.9)</b>	25.3% (22.1-28.7)	37.5% (34.3-40.8)
12th	<b>83.2%</b> <b>(80.8-85.4)</b>	84.3% (80.9-87.3)	82.3% (78.7-85.3)	<b>65.6%</b> <b>(62.5-68.9)</b>	71.2% (67.4-74.7)	60.7% (55.9-65.3)	<b>51.7%</b> <b>(48.4-55.0)</b>	53.7% (49.3-58.0)	50.0% (45.0-55.0)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>70.0%</b> <b>(68.6-71.4)</b>	---	---	<b>46.7%</b> <b>(45.1-48.2)</b>	---	---	<b>31.4%</b> <b>(30.0-32.9)</b>	---	---
Hispanic	<b>75.3%</b> <b>(71.4-78.9)</b>	---	---	<b>49.2%</b> <b>(44.3-54.0)</b>	---	---	<b>34.5%</b> <b>(29.9- 39.5)</b>	---	---
Other non-Hispanic	<b>57.7%</b> <b>(53.8-61.5)</b>	---	---	<b>31.5%</b> <b>(28.2-35.1)</b>	---	---	<b>21.4%</b> <b>(18.4-24.8)</b>	---	---
<b>Total</b>	<b>69.3%</b> <b>(68.1-70.5)</b>	<b>70.2%</b> <b>(68.4-71.9)</b>	<b>68.4%</b> <b>(66.6-70.2)</b>	<b>45.0%</b> <b>(43.7-46.3)</b>	<b>47.8%</b> <b>(45.9-49.8)</b>	<b>42.3%</b> <b>(40.3-44.3)</b>	<b>30.5%</b> <b>(29.3- 31.8)</b>	<b>30.0%</b> <b>(28.2-31.9)</b>	<b>31.0%</b> <b>(29.1-33.0)</b>
<b>CO</b>	<b>72.4%</b> <b>(67.3-76.9)</b>	<b>77.3%</b> <b>(71.9-81.9)</b>	<b>67.8%</b> <b>(61.7-73.3)</b>	<b>40.8%</b> <b>(35.8-46.0)</b>	<b>44.2%</b> <b>(37.5-51.1)</b>	<b>37.4%</b> <b>(32.2-43.0)</b>	<b>25.1%</b> <b>(20.8-30.0)</b>	<b>27.2%</b> <b>(21.8-33.2)</b>	<b>23.2%</b> <b>(18.4-28.8)</b>
<b>US</b>	<b>72.5%</b> <b>(70.6-74.3)</b>	<b>74.2%</b> <b>(72.4-76.0)</b>	<b>70.8%</b> <b>(68.4-73.2)</b>	<b>41.8%</b> <b>(40.2-43.4)</b>	<b>42.9%</b> <b>(41.2-44.6)</b>	<b>40.8%</b> <b>(38.6-43.0)</b>	<b>24.2%</b> <b>(22.6-25.9)</b>	<b>23.4%</b> <b>(21.8-25.0)</b>	<b>25.0%</b> <b>(22.9-27.1)</b>

\*More than a few sips

\*\*Drank at least 1 drink of alcohol on 1 or more of the 30 days preceding the survey

+ Drank 5 or more drinks of alcohol in a row (within a couple of hours) on 1 or more of the 30 days preceding the survey

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Perceptions and Beliefs - Alcohol</b>									
<b>Table # 21</b>	<b>2009 HS YRBS Question #65</b>			<b>2009 HS YRBS Question #66</b>			<b>2009 HS YRBS Question #68</b>		
	<i>1 or 2 drinks/day poses moderate to great risk</i>			<i>Wrong for someone your age to drink</i>			<i>Parents feel it is wrong for you to drink</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>65.8%</b> <b>(63.4-68.1)</b>	70.4% (67.1-73.4)	61.4% (57.9-64.8)	<b>73.6%</b> <b>(71.3-75.8)</b>	72.8% (69.6-75.9)	74.3% (71.0-77.4)	<b>90.5%</b> <b>(88.9-91.9)</b>	89.9% (87.6-91.8)	91.1% (88.8-93.0)
10th	<b>65.2%</b> <b>(62.4-67.9)</b>	74.4% (70.5-77.9)	56.5% (52.5-60.4)	<b>66.5%</b> <b>(63.7-69.2)</b>	68.9% (64.8-72.7)	64.2% (60.3-68.0)	<b>85.3%</b> <b>(83.2-87.2)</b>	87.3% (84.4-89.7)	83.4% (80.2-86.1)
11th	<b>60.9%</b> <b>(58.5-63.2)</b>	66.8% (63.4-70.1)	55.3% (52.0-58.5)	<b>59.3%</b> <b>(56.9-61.7)</b>	70.3% (66.8-73.6)	48.8% (45.5-52.0)	<b>79.1%</b> <b>(77.2-81.0)</b>	84.3% (81.7-86.6)	74.2% (71.3-76.9)
12th	<b>55.9%</b> <b>(52.5-59.2)</b>	65.9% (61.4-70.2)	46.9% (42.0-51.9)	<b>44.8%</b> <b>(41.5-48.1)</b>	52.4% (48.0-56.9)	37.9% (33.3-42.9)	<b>75.0%</b> <b>(71.8-78.0)</b>	83.0% (79.0-86.4)	67.7% (62.8- 72.3)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>62.3%</b> <b>(60.7-63.9)</b>	---	---	<b>61.3%</b> <b>(59.7-62.9)</b>	---	---	<b>82.5%</b> <b>(81.2- 83.7)</b>	---	---
Hispanic	<b>55.7%</b> <b>(50.8-60.5)</b>	---	---	<b>56.7%</b> <b>(52.1-61.3)</b>	---	---	<b>77.6%</b> <b>(73.0-81.7)</b>	---	---
Other non-Hispanic	<b>65.6%</b> <b>(61.9-69.1)</b>	---	---	<b>62.0%</b> <b>(58.4-65.4)</b>	---	---	<b>86.5%</b> <b>(83.5-89.0)</b>	---	---
<b>Total</b>	<b>61.8%</b> <b>(60.4-63.2)</b>	<b>69.4%</b> <b>(67.5-71.2)</b>	<b>54.8%</b> <b>(52.7-56.8)</b>	<b>60.7%</b> <b>(59.3-62.0)</b>	<b>65.8%</b> <b>(63.9-67.7)</b>	<b>55.8%</b> <b>(53.8-57.8)</b>	<b>82.3%</b> <b>(81.2-83.5)</b>	<b>86.1%</b> <b>(84.6-87.5)</b>	<b>78.8%</b> <b>(77.0-80.5)</b>
<b>CO</b>	---	---	---	---	---	---	---	---	---
<b>US</b>	---	---	---	---	---	---	---	---	---

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Marijuana Use</b>						
<b>Table #22</b>	<b>2009 HS YRBS #69</b>			<b>2009 HS YRBS Question #71</b>		
	<i>Ever used marijuana</i>			<i>Current marijuana use*</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>25.5%</b> <b>(23.4-27.7)</b>	21.8% (19.0-24.8)	29.0% (26.0-32.3)	<b>14.1%</b> <b>(12.4-16.0)</b>	8.4% (6.7-10.6)	19.6% (16.9-22.7)
10th	<b>38.1%</b> <b>(35.3-40.9)</b>	38.8% (34.8-43.0)	37.4% (33.7-41.2)	<b>23.0%</b> <b>(20.5-25.6)</b>	24.5% (21.0-28.4)	21.5% (18.3-25.1)
11th	<b>47.7%</b> <b>(45.4-50.1)</b>	41.3% (37.9-44.8)	54.1% (51.0-57.3)	<b>29.2%</b> <b>(27.1-31.5)</b>	20.0% (17.3-22.9)	38.3% (35.1-41.7)
12th	<b>65.2%</b> <b>(62.0-68.2)</b>	62.5% (58.2-66.6)	67.8% (62.9-72.3)	<b>45.0%</b> <b>(41.7-48.3)</b>	41.4% (37.0-45.9)	48.3% (43.3-53.3)
<b>Race/Ethnicity</b>						
White non-Hispanic	<b>44.6%</b> <b>(43.1-46.1)</b>	---	---	<b>28.8%</b> <b>(27.3-30.3)</b>	---	---
Hispanic	<b>53.6%</b> <b>(48.8-58.4)</b>	---	---	<b>32.8%</b> <b>(28.2-37.7)</b>	---	---
Other non-Hispanic	<b>34.4%</b> <b>(31.1-37.9)</b>	---	---	<b>20.0%</b> <b>(17.3-23.0)</b>	---	---
<b>Total</b>	<b>44.5%</b> <b>(43.1-45.8)</b>	<b>41.5%</b> <b>(39.6-43.4)</b>	<b>47.4%</b> <b>(45.4-49.3)</b>	<b>28.2%</b> <b>(26.9-29.5)</b>	<b>23.9%</b> <b>(22.2-25.7)</b>	<b>32.3%</b> <b>(30.4-34.2)</b>
<b>CO</b>	<b>42.6%</b> <b>(36.4-49.0)</b>	<b>40.8%</b> <b>(34.1-47.8)</b>	<b>44.5%</b> <b>(37.4-51.9)</b>	<b>24.8%</b> <b>(20.4-29.7)</b>	<b>24.2%</b> <b>(19.6-29.5)</b>	<b>25.5%</b> <b>(20.3-31.3)</b>
<b>US</b>	<b>36.8%</b> <b>(34.8-38.8)</b>	<b>34.3%</b> <b>(32.1-36.5)</b>	<b>39.0%</b> <b>(36.4-41.6)</b>	<b>20.8%</b> <b>(19.4-22.3)</b>	<b>17.9%</b> <b>(16.2-19.7)</b>	<b>23.4%</b> <b>(21.8-25.1)</b>

\*Used marijuana 1 or more times during the 30 days preceding the survey

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Perceptions and Beliefs - Marijuana</b>									
<b>Table #23</b>	<b>2009 HS YRBS Question #72</b>			<b>2009 HS YRBS Question #73</b>			<b>2009 HS YRBS Question #75</b>		
	<i>Smoking marijuana regularly poses moderate to great risk</i>			<i>Wrong for someone your age to smoke marijuana</i>			<i>Parents feel it is wrong for you to smoke marijuana</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>64.8%</b> <b>(62.4-67.1)</b>	70.7% (67.4-73.8)	59.1% (55.6-62.5)	<b>65.7%</b> <b>(63.3-68.0)</b>	69.6% (66.3-72.8)	62.0% (58.5-65.3)	<b>87.8%</b> <b>(86.0-89.4)</b>	90.7% (88.4-92.7)	85.0% (82.2-87.5)
10th	<b>55.3%</b> <b>(52.3-58.2)</b>	66.1% (62.0-70.0)	44.9% (40.9-49.0)	<b>52.3%</b> <b>(49.4-55.2)</b>	56.3% (52.1-60.4)	48.5% (44.5-52.4)	<b>87.6%</b> <b>(85.6-89.3)</b>	88.4% (85.4-90.8)	86.9% (84.4-89.1)
11th	<b>47.0%</b> <b>(44.6-49.4)</b>	62.4% (58.9-65.7)	32.0% (29.1-35.0)	<b>43.6%</b> <b>(41.3-46.0)</b>	56.4% (53.0-59.7)	31.3% (28.5-34.3)	<b>78.1%</b> <b>(76.1- 80.0)</b>	83.0% (80.4-85.3)	73.4% (70.3-76.2)
12th	<b>37.0%</b> <b>(33.8-40.4)</b>	43.3% (38.8-48.0)	31.6% (27.1-36.5)	<b>32.8%</b> <b>(29.8-36.1)</b>	32.4% (28.4-36.6)	33.2% (28.6-38.2)	<b>74.8%</b> <b>(71.6-77.7)</b>	77.7% (73.8-81.2)	72.2% (67.3-76.5)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>51.4%</b> <b>(49.8-53.0)</b>	---	---	<b>47.0%</b> <b>(45.5-48.6)</b>	---	---	<b>80.7%</b> <b>(79.4-82.0)</b>	---	---
Hispanic	<b>40.1%</b> <b>(35.7-44.7)</b>	---	---	<b>48.1%</b> <b>(43.4-52.8)</b>	---	---	<b>84.3%</b> <b>(80.1- 87.8)</b>	---	---
Other non-Hispanic	<b>58.1%</b> <b>(54.4-61.6)</b>	---	---	<b>55.8%</b> <b>(52.2-59.4)</b>	---	---	<b>86.1%</b> <b>(83.6-88.2)</b>	---	---
<b>Total</b>	<b>50.7%</b> <b>(49.3-52.1)</b>	<b>60.5%</b> <b>(58.5-62.4)</b>	<b>41.6%</b> <b>(39.6-43.6)</b>	<b>48.3%</b> <b>(46.9-49.7)</b>	<b>53.4%</b> <b>(51.4-55.3)</b>	<b>43.6%</b> <b>(41.6-45.6)</b>	<b>81.9%</b> <b>(80.8-83.0)</b>	<b>84.9%</b> <b>(83.4-86.2)</b>	<b>79.2%</b> <b>(77.5-80.9)</b>
<b>CO</b>	---	---	---	---	---	---	---	---	---
<b>US</b>	---	---	---	---	---	---	---	---	---

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Early Initiation of Tobacco, Alcohol, and Marijuana Use</b>									
<b>Table #24</b>	<b>2009 HS YRBS Question #46</b>			<b>2009 HS YRBS Question #61</b>			<b>2009 HS YRBS Question #70</b>		
	<i>Smoked a whole cigarette before age 13</i>			<i>Drank alcohol before age 13*</i>			<i>Smoked marijuana before age 13</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>5.2%</b> <b>(4.1-6.5)</b>	3.3% (2.3-4.8)	6.9% (5.2-9.1)	<b>26.0%</b> <b>(23.8-28.3)</b>	24.4% (21.4-27.7)	27.5% (24.3-30.9)	<b>5.2%</b> <b>(4.1-6.4)</b>	1.7% (1.0-3.0)	8.4% (6.6-10.7)
10th	<b>3.7%</b> <b>(2.7-5.1)</b>	3.3% (1.9-5.6)	4.1% (2.8-6.1)	<b>16.5%</b> <b>(14.5-18.6)</b>	13.7% (11.1-16.8)	19.4% (16.6-22.7)	<b>6.6%</b> <b>(5.3- 8.1)</b>	4.6% (3.0- 6.9)	8.5% (6.7-10.8)
11th	<b>5.9%</b> <b>(4.9-7.1)</b>	3.1% (2.1-4.7)	8.7% (7.0-10.7)	<b>19.1%</b> <b>(17.2-21.1)</b>	19.1% (16.3-22.1)	19.1% (16.6-21.9)	<b>10.4%</b> <b>(8.9-12.1)</b>	4.7% (3.5-6.3)	15.9% (13.4-18.9)
12th	<b>8.3%</b> <b>(6.4-10.7)</b>	6.1% (3.9-9.5)	10.3% (7.4-14.2)	<b>19.1%</b> <b>(16.4-22.0)</b>	18.3% (14.7-22.6)	19.7% (15.9-24.1)	<b>9.4%</b> <b>(7.5-11.8)</b>	7.4% (5.0-10.9)	11.2% (8.4-14.9)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>4.9%</b> <b>(4.1- 5.9)</b>	---	---	<b>19.7%</b> <b>(18.4-21.1)</b>	---	---	<b>6.5%</b> <b>(5.7- 7.5)</b>	---	---
Hispanic	<b>9.7%</b> <b>(7.1-13.0)</b>	---	---	<b>22.8%</b> <b>(19.4-26.7)</b>	---	---	<b>12.5%</b> <b>(9.6-16.3)</b>	---	---
Other non-Hispanic	<b>6.6%</b> <b>(5.2-8.3)</b>	---	---	<b>18.7%</b> <b>(15.9-22.0)</b>	---	---	<b>10.0%</b> <b>(8.2-12.2)</b>	---	---
<b>Total</b>	<b>5.8%</b> <b>(5.1-6.6)</b>	<b>4.0%</b> <b>(3.2-5.1)</b>	<b>7.6%</b> <b>(6.4-8.8)</b>	<b>20.1%</b> <b>(18.9-21.3)</b>	<b>18.7%</b> <b>(17.2-20.4)</b>	<b>21.4%</b> <b>(19.7-23.2)</b>	<b>7.9%</b> <b>(7.1-8.8)</b>	<b>4.7%</b> <b>(3.8-5.8)</b>	<b>11.0%</b> <b>(9.7-12.4)</b>
<b>CO</b>	<b>8.8%</b> <b>(6.3-12.3)</b>	<b>7.5%</b> <b>(4.9-11.3)</b>	<b>10.0%</b> <b>(7.1-14.0)</b>	<b>22.4%</b> <b>(19.2-26.0)</b>	<b>17.5%</b> <b>(13.8-21.8)</b>	<b>27.2%</b> <b>(23.1-31.8)</b>	<b>8.3%</b> <b>(6.3-10.8)</b>	<b>6.6%</b> <b>(4.4-9.7)</b>	<b>10.0%</b> <b>(7.2-13.6)</b>
<b>US</b>	<b>10.7%</b> <b>(9.6-11.9)</b>	<b>9.4%</b> <b>(8.2-10.8)</b>	<b>11.8%</b> <b>(10.3-13.4)</b>	<b>21.1%</b> <b>(19.6-22.6)</b>	<b>18.1%</b> <b>(16.9-19.4)</b>	<b>23.7%</b> <b>(21.4-26.2)</b>	<b>7.5%</b> <b>(6.7-8.3)</b>	<b>5.0%</b> <b>(4.3-5.7)</b>	<b>9.7%</b> <b>(8.4-11.1)</b>

\*More than a few sips

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Other Drug Use - Cocaine, Inhalants, and Ecstasy</b>									
<b>Table # 25</b>	<b>2009 HS YRBS Question #76</b>			<b>2009 HS YRBS Question #78</b>			<b>2009 HS YRBS Question #81</b>		
	<i>Ever used cocaine*</i>			<i>Ever used inhalants**</i>			<i>Ever used ecstasy</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>3.8%</b> <b>(2.9-5.0)</b>	3.0% (2.0-4.7)	4.5% (3.1-6.6)	<b>7.7%</b> <b>(6.4-9.2)</b>	8.9% (7.2-11.0)	6.6% (4.9-8.9)	<b>4.2%</b> <b>(3.3-5.3)</b>	3.6% (2.4-5.2)	4.7% (3.4-6.5)
10th	<b>8.1%</b> <b>(6.8-9.6)</b>	8.4% (6.7-10.4)	7.9% (6.1-10.1)	<b>10.2%</b> <b>(8.5-12.2)</b>	12.8% (10.2-15.9)	7.7% (5.7-10.4)	<b>8.5%</b> <b>(7.1-10.0)</b>	8.0% (6.2-10.1)	8.9% (7.0-11.3)
11th	<b>10.0%</b> <b>(8.5-11.9)</b>	7.9% (5.8-10.7)	12.0% (9.7-14.8)	<b>9.6%</b> <b>(8.1-11.3)</b>	7.4% (5.6-9.7)	11.7% (9.5-14.3)	<b>15.6%</b> <b>(13.7-17.7)</b>	10.8% (8.5-13.6)	20.2% (17.4-23.4)
12th	<b>15.3%</b> <b>(13.1-17.9)</b>	15.0% (11.9-18.8)	15.5% (12.4-19.2)	<b>9.3%</b> <b>(7.4-11.6)</b>	8.6% (6.5-11.3)	9.9% (7.1-13.6)	<b>14.7%</b> <b>(12.2-17.6)</b>	12.6% (9.6-16.5)	16.6% (12.9-21.0)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>7.7%</b> <b>(6.9-8.7)</b>	---	---	<b>8.0%</b> <b>(7.1-9.0)</b>	---	---	<b>9.2%</b> <b>(8.3-10.3)</b>	---	---
Hispanic	<b>18.0%</b> <b>(14.5-22.2)</b>	---	---	<b>15.0%</b> <b>(12.1-18.5)</b>	---	---	<b>17.9%</b> <b>(14.1-22.4)</b>	---	---
Other non-Hispanic	<b>9.6%</b> <b>(7.9-11.5)</b>	---	---	<b>8.9%</b> <b>(7.3-10.9)</b>	---	---	<b>11.7%</b> <b>(9.9-13.9)</b>	---	---
<b>Total</b>	<b>9.4%</b> <b>(8.6-10.3)</b>	<b>8.7%</b> <b>(7.5-10.0)</b>	<b>10.1%</b> <b>(8.9-11.5)</b>	<b>9.2%</b> <b>(8.4-10.1)</b>	<b>9.4%</b> <b>(8.3-10.7)</b>	<b>9.0%</b> <b>(7.8-10.3)</b>	<b>10.8%</b> <b>(9.9-11.8)</b>	<b>8.8%</b> <b>(7.6-10.1)</b>	<b>12.6%</b> <b>(11.3-14.2)</b>
<b>CO</b>	<b>8.3%</b> <b>(6.4-10.7)</b>	<b>7.2%</b> <b>(4.6-11.2)</b>	<b>9.4%</b> <b>(7.1-12.4)</b>	<b>9.2%</b> <b>(6.9-12.3)</b>	<b>9.9%</b> <b>(7.1-13.6)</b>	<b>8.6%</b> <b>(5.8-12.7)</b>	<b>10.2%</b> <b>(8.3-12.6)</b>	<b>9.1%</b> <b>(7.0-11.7)</b>	<b>11.4%</b> <b>(8.4-15.1)</b>
<b>US</b>	<b>6.4%</b> <b>(5.7-7.1)</b>	<b>5.3%</b> <b>(4.6-6.2)</b>	<b>7.3%</b> <b>(6.2-8.4)</b>	<b>11.7%</b> <b>(10.6-12.8)</b>	<b>12.9%</b> <b>(11.8-14.0)</b>	<b>10.6%</b> <b>(9.2-12.1)</b>	<b>6.7%</b> <b>(5.8-7.6)</b>	<b>5.5%</b> <b>(4.7-6.4)</b>	<b>7.6%</b> <b>(6.4-9.1)</b>

\*Ever tried any form of cocaine (e.g., "powder," "crack," or "freebase")

\*\*Ever sniffed glue or breathed the contents of aerosol spray cans or inhaled any paints to get high

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Other Drug Use - Lifetime Heroin, Methamphetamine, and Steroid Use</b>									
<b>Table #26</b>	<b>2009 HS YRBS Question #79</b>			<b>2009 HS YRBS Question #80</b>			<b>2009 HS YRBS Question #82</b>		
	<i>Ever used heroin*</i>			<i>Ever used methamphetamine**</i>			<i>Ever used other illegal drugs<sup>†</sup></i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>2.1%</b> <b>(1.4-3.2)</b>	*** ***	3.3% (2.0-5.4)	<b>2.4%</b> <b>(1.6-3.7)</b>	2.0% (1.1-3.5)	2.8% (1.5-5.1)	<b>6.8%</b> <b>(5.6-8.2)</b>	3.6% (2.4-5.1)	9.9% (7.9-12.3)
10th	<b>1.7%</b> <b>(1.1-2.6)</b>	*** ***	2.7% (1.6-4.4)	<b>3.0%</b> <b>(2.2-4.0)</b>	*** ***	4.5% (3.2-6.3)	<b>11.0%</b> <b>(9.4-12.7)</b>	10.2% (8.1-12.8)	11.6% (9.5-14.1)
11th	<b>5.0%</b> <b>(3.9-6.3)</b>	1.8% (1.0-3.1)	8.0% (6.1-10.4)	<b>5.7%</b> <b>(4.4-7.4)</b>	3.2% (1.9-5.4)	8.1% (6.0-10.8)	<b>19.0%</b> <b>(17.1-21.0)</b>	11.6% (9.5-14.1)	26.1% (23.2-29.2)
12th	<b>5.0%</b> <b>(3.8-6.6)</b>	3.0% (2.0-4.6)	6.8% (4.7-9.6)	<b>5.7%</b> <b>(4.4-7.4)</b>	4.4% (3.2-6.2)	6.9% (4.8-9.9)	<b>22.5%</b> <b>(19.8-25.5)</b>	21.2% (17.6-25.3)	23.6% (19.8-28.0)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>1.9%</b> <b>(1.5-2.4)</b>	---	---	<b>2.6%</b> <b>(2.1-3.3)</b>	---	---	<b>14.6%</b> <b>(13.4-15.8)</b>	---	---
Hispanic	<b>8.8%</b> <b>(6.3-12.0)</b>	---	---	<b>10.4%</b> <b>(7.7-14.0)</b>	---	---	<b>16.9%</b> <b>(13.7-20.7)</b>	---	---
Other non-Hispanic	<b>6.2%</b> <b>(4.9-7.8)</b>	---	---	<b>6.6%</b> <b>(5.2-8.3)</b>	---	---	<b>15.1%</b> <b>(12.8-17.6)</b>	---	---
<b>Total</b>	<b>3.5%</b> <b>(2.9-4.1)</b>	<b>1.6%</b> <b>(1.2-2.1)</b>	<b>5.2%</b> <b>(4.3-6.3)</b>	<b>4.2%</b> <b>(3.6-4.9)</b>	<b>2.8%</b> <b>(2.2-3.5)</b>	<b>5.6%</b> <b>(4.6-6.7)</b>	<b>14.9%</b> <b>(13.9-16.0)</b>	<b>11.7%</b> <b>(10.5-13.2)</b>	<b>17.9%</b> <b>(16.4-19.5)</b>
<b>CO</b>	<b>3.2%</b> <b>(2.0-4.9)</b>	<b>2.1%</b> <b>(1.1-4.1)</b>	<b>4.1%</b> <b>(2.5-6.7)</b>	<b>3.5%</b> <b>(2.7-4.6)</b>	<b>2.8%</b> <b>(1.7-4.6)</b>	<b>4.1%</b> <b>(2.9-5.8)</b>	---	---	---
<b>US</b>	<b>2.5%</b> <b>(2.2-2.9)</b>	<b>1.7%</b> <b>(1.3-2.1)</b>	<b>3.2%</b> <b>(2.6-3.9)</b>	<b>4.1%</b> <b>(3.6-4.6)</b>	<b>3.3%</b> <b>(2.7-4.0)</b>	<b>4.7%</b> <b>(4.0-5.5)</b>	---	---	---

\*Ever used heroin (also called smack, junk, or China White)

\*\*Ever used methamphetamines (also called speed, crystal, crank, or ice)

† Ever used any other type of illegal drugs, such as LSD (acid), PCP, mushrooms, Ketamine (Special K), Rohypnol (Roofies), or GHB

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Other Drug Use - Other Drugs and Current Cocaine Use</b>									
<b>Table #27</b>	<b>2009 HS YRBS Question #83</b>			<b>2009 HS YRBS Question #84</b>			<b>2009 HS YRBS Question #87</b>		
	<i>Ever used illegal steroids*</i>			<i>Ever used a needle to inject drugs**</i>			<i>Ever used prescription drugs without a prescription<sup>+</sup></i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	2.3% (1.6-3.2)	1.7% (1.0-2.9)	2.7% (1.7-4.5)	2.3% (1.6-3.1)	*** ***	3.1% (2.1-4.5)	9.1% (7.7-10.6)	5.8% (4.2-7.9)	12.1% (10.0-14.6)
10th	3.4% (2.5-4.6)	*** ***	5.1% (3.7-7.0)	1.3% (0.9-1.9)	*** ***	*** ***	15.7% (13.8-17.8)	15.5% (12.6-18.8)	15.9% (13.6-18.6)
11th	4.3% (3.3-5.7)	2.6% (1.5-4.7)	6.0% (4.4-8.0)	4.1% (3.1-5.4)	1.8% (1.1-2.9)	6.3% (4.5-8.8)	25.1% (23.0-27.3)	17.9% (15.4-20.7)	32.1% (28.9-35.4)
12th	6.1% (4.6-8.1)	5.5% (4.0-7.5)	6.7% (4.4-10.2)	4.3% (3.0-6.2)	*** ***	6.7% (4.4-10.2)	33.0% (29.8-36.3)	33.5% (29.3-38.0)	32.5% (27.9-37.5)
<b>Race/Ethnicity</b>									
White non-Hispanic	3.1% (2.5-3.7)	---	---	1.6% (1.2-2.1)	---	---	20.8% (19.5- 22.2)	---	---
Hispanic	8.1% (5.7-11.5)	---	---	7.2% (4.8-10.5)	---	---	21.0% (17.0-25.6)	---	---
Other non-Hispanic	4.9% (3.8-6.4)	---	---	6.1% (4.8-7.7)	---	---	21.3% (18.4-24.6)	---	---
<b>Total</b>	4.1% (3.5-4.7)	2.9% (2.3-3.7)	5.2% (4.2-6.3)	3.0% (2.5-3.6)	1.5% (1.1-2.0)	4.4% (3.5-5.5)	20.9% (19.8-22.1)	18.3% (16.8-20.0)	23.3% (21.6- 25.1)
<b>CO</b>	3.6% (2.6-5.0)	2.9% (1.8-4.7)	4.3% (2.8-6.4)	2.7% (1.8-3.9)	2.1% (1.2-3.6)	3.1% (1.9-5.0)	---	---	---
<b>US</b>	3.3% (2.9-3.8)	2.2% (1.8-2.7)	4.3% (3.5-5.2)	2.1% (1.8-2.5)	1.4% (1.2-1.8)	2.7% (2.1-3.4)	20.2% (18.6-21.9)	19.8% (17.9-21.9)	20.4% (18.5-22.5)

\*Ever taken steroid pills or shots without a doctor's prescription

\*\*1 or more times during your life

<sup>+</sup> Ever used prescription drugs without a doctor's prescription (e.g., OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax)

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Substance Use on School Property - Illegal and Legal Drugs</b>									
<b>Table #28</b>	<b>2009 HS YRBS Question #77</b>			<b>2009 HS YRBS Question #85</b>			<b>2009 HS YRBS Question #86</b>		
	<i>Current cocaine use*</i>			<i>Offered, sold, or given an illegal drug on school property**</i>			<i>Attended school under the influence of alcohol or other illegal drugs**</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>2.1%</b> <b>(1.4-3.1)</b>	***	2.8% (1.6-4.6)	<b>23.0%</b> <b>(21.0-25.1)</b>	19.9% (17.1-22.9)	25.9% (23.0-29.0)	<b>12.2%</b> <b>(10.5-14.1)</b>	10.0% (7.9-12.4)	14.3% (11.8-17.3)
10th	<b>3.9%</b> <b>(3.1-4.9)</b>	3.4% (2.3-4.8)	4.4% (3.2-6.0)	<b>30.2%</b> <b>(27.6-33.0)</b>	19.1% (15.8-22.9)	40.9% (37.0-44.9)	<b>21.1%</b> <b>(18.9-23.5)</b>	19.1% (16.0-22.6)	23.0% (19.8-26.4)
11th	<b>5.7%</b> <b>(4.4-7.3)</b>	4.7% (3.1-7.0)	6.7% (4.9-9.2)	<b>29.8%</b> <b>(27.7-32.0)</b>	23.7% (21.0-26.5)	35.7% (32.6-38.9)	<b>27.0%</b> <b>(24.8-29.3)</b>	21.4% (18.5-24.7)	32.3% (29.2-35.6)
12th	<b>6.4%</b> <b>(5.0-8.3)</b>	3.4% (1.9-6.2)	9.1% (6.9-11.9)	<b>29.8%</b> <b>(26.9-32.9)</b>	27.9% (24.1-32.0)	31.5% (27.3-36.0)	<b>34.9%</b> <b>(31.9- 38.0)</b>	35.2% (31.0-39.5)	34.7% (30.3-39.3)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>2.5%</b> <b>(2.0-3.1)</b>	---	---	<b>28.4%</b> <b>(26.9-29.9)</b>	---	---	<b>23.5%</b> <b>(22.2- 24.9)</b>	---	---
Hispanic	<b>12.9%</b> <b>(10.0-16.4)</b>	---	---	<b>31.6%</b> <b>(27.9-35.5)</b>	---	---	<b>31.4%</b> <b>(27.0-36.2)</b>	---	---
Other non-Hispanic	<b>7.4%</b> <b>(5.9-9.2)</b>	---	---	<b>24.1%</b> <b>(21.2-27.2)</b>	---	---	<b>18.9%</b> <b>(16.2-22.0)</b>	---	---
<b>Total</b>	<b>4.6%</b> <b>(4.0-5.2)</b>	<b>3.2%</b> <b>(2.5-4.1)</b>	<b>5.8%</b> <b>(4.9-6.9)</b>	<b>28.2%</b> <b>(27.0-29.5)</b>	<b>22.7%</b> <b>(21.0-24.4)</b>	<b>33.4%</b> <b>(31.5-35.3)</b>	<b>24.0%</b> <b>(22.8-25.3)</b>	<b>21.6%</b> <b>(19.9- 23.3)</b>	<b>26.3%</b> <b>(24.5-28.2)</b>
<b>CO</b>	<b>3.6%</b> <b>(2.7-4.9)</b>	<b>3.3%</b> <b>(2.1-5.3)</b>	<b>4.0%</b> <b>(2.7-5.8)</b>	<b>22.7%</b> <b>(19.7-26.1)</b>	<b>19.7%</b> <b>(16.5-23.4)</b>	<b>25.7%</b> <b>(21.0-30.9)</b>	---	---	---
<b>US</b>	<b>2.8%</b> <b>(2.4-3.2)</b>	<b>2.0%</b> <b>(1.6-2.5)</b>	<b>3.5%</b> <b>(2.9-4.2)</b>	<b>22.7%</b> <b>(20.7-24.9)</b>	<b>19.3%</b> <b>(17.3-21.4)</b>	<b>25.9%</b> <b>(23.2-28.7)</b>	---	---	---

\*During the past 30 days including any form of cocaine

\*\*During the 12 months preceding the survey

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Substance Use on School Property - Cigarettes, Smokeless Tobacco, Alcohol</b>									
<b>Table #29</b>	<b>2009 HS YRBS Question #50</b>			<b>2009 HS YRBS Question #54</b>			<b>2009 HS YRBS Question #64</b>		
	<i>Smoked cigarettes on school property*</i>			<i>Used smokeless tobacco on school property**</i>			<i>Drank alcohol on school property +</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>3.0%</b> <b>(2.2-4.2)</b>	2.5% (1.4-4.4)	3.6% (2.4-5.4)	<b>3.0%</b> <b>(2.2-4.2)</b>	*** ***	5.3% (3.8-7.4)	<b>2.8%</b> <b>(1.9-4.0)</b>	3.9% (2.6-5.9)	1.8% (0.9-3.5)
10th	<b>7.0%</b> <b>(5.7-8.6)</b>	6.4% (4.7-8.8)	7.6% (5.7-10.0)	<b>4.3%</b> <b>(3.4-5.4)</b>	3.5% (2.5-5.0)	5.0% (3.7-6.7)	<b>4.4%</b> <b>(3.5-5.6)</b>	4.8% (3.5-6.6)	4.1% (2.8-5.8)
11th	<b>10.5%</b> <b>(9.0-12.3)</b>	8.6% (6.5-11.2)	12.5% (10.3-15.0)	<b>6.5%</b> <b>(5.4-7.8)</b>	*** ***	11.8% (9.7-14.2)	<b>5.4%</b> <b>(4.5-6.5)</b>	3.0% (2.2-4.2)	7.8% (6.3-9.6)
12th	<b>8.7%</b> <b>(6.9-11.0)</b>	9.2% (7.1-12.0)	8.3% (5.7-11.9)	<b>8.2%</b> <b>(6.6-10.1)</b>	*** ***	14.1% (11.3-17.5)	<b>11.5%</b> <b>(9.7-13.7)</b>	12.7% (10.2-15.6)	10.5% (7.9-13.9)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>6.7%</b> <b>(5.8-7.7)</b>	---	---	<b>5.2%</b> <b>(4.5-5.9)</b>	---	---	<b>5.6%</b> <b>(4.9-6.4)</b>	---	---
Hispanic	<b>9.2%</b> <b>(7.1-11.7)</b>	---	---	<b>8.1%</b> <b>(6.0-10.9)</b>	---	---	<b>8.9%</b> <b>(6.8-11.7)</b>	---	---
Other non-Hispanic	<b>8.4%</b> <b>(6.5-10.7)</b>	---	---	<b>4.9%</b> <b>(3.7-6.5)</b>	---	---	<b>6.5%</b> <b>(5.0-8.3)</b>	---	---
<b>Total</b>	<b>7.3%</b> <b>(6.6-8.1)</b>	<b>6.7%</b> <b>(5.7-7.8)</b>	<b>7.9%</b> <b>(6.8-9.2)</b>	<b>5.5%</b> <b>(4.9-6.2)</b>	<b>1.7%</b> <b>(1.3-2.2)</b>	<b>9.2%</b> <b>(8.1-10.4)</b>	<b>6.2%</b> <b>(5.5-6.9)</b>	<b>6.2%</b> <b>(5.4-7.2)</b>	<b>6.2%</b> <b>(5.2-7.3)</b>
<b>CO</b>	<b>8.3%</b> <b>(5.8-11.6)</b>	<b>8.8%</b> <b>(5.8-13.1)</b>	<b>7.7%</b> <b>(5.1-11.4)</b>	<b>5.9%</b> <b>(4.4-7.9)</b>	<b>2.6%</b> <b>(1.7-4.1)</b>	<b>9.1%</b> <b>(6.7-12.3)</b>	<b>4.1%</b> <b>(3.0-5.6)</b>	<b>3.8%</b> <b>(2.5-5.6)</b>	<b>4.5%</b> <b>(2.7-7.5)</b>
<b>US</b>	<b>5.1%</b> <b>(4.5-5.8)</b>	<b>4.0%</b> <b>(3.4-4.7)</b>	<b>6.2%</b> <b>(5.3-7.2)</b>	<b>5.5%</b> <b>(4.4-6.8)</b>	<b>1.1%</b> <b>(0.8-1.5)</b>	<b>9.4%</b> <b>(7.3-12.0)</b>	<b>4.5%</b> <b>(3.9-5.1)</b>	<b>3.6%</b> <b>(3.0-4.3)</b>	<b>5.3%</b> <b>(4.5-6.2)</b>

\*During the past 30 days

\*\*During the past 30 days including chewing tobacco, snuff, or dip

+ During the past 30 days

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Peer Actions Regarding Cigarettes, Alcohol, and Marijuana</b>									
<b>Table #30</b>	<b>2009 HS YRBS Question #58</b>			<b>2009 HS YRBS Question #67</b>			<b>2009 HS YRBS Question #74</b>		
	<i>Peers smoked cigarettes*</i>			<i>Peers drank alcohol without parents' awareness*</i>			<i>Peers used marijuana*</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>42.8%</b> <b>(40.4-45.3)</b>	43.2% (39.9-46.6)	42.5% (39.1-46.0)	<b>52.8%</b> <b>(50.4-55.2)</b>	56.7% (53.4-60.0)	49.1% (45.7-52.6)	<b>49.7%</b> <b>(47.3-52.1)</b>	48.0% (44.6-51.4)	51.2% (47.7-54.7)
10th	<b>51.5%</b> <b>(48.6-54.3)</b>	54.1% (50.1-58.0)	48.9% (44.9-53.0)	<b>72.6%</b> <b>(70.0-75.0)</b>	73.2% (69.8-76.4)	71.9% (68.1-75.5)	<b>64.2%</b> <b>(61.5-67.0)</b>	64.7% (60.8-68.3)	63.8% (59.9-67.6)
11th	<b>52.2%</b> <b>(49.9-54.6)</b>	50.5% (47.1-54.0)	53.9% (50.7-57.0)	<b>80.9%</b> <b>(79.0-82.7)</b>	81.4% (78.5-84.0)	80.5% (77.8-82.9)	<b>66.9%</b> <b>(71.0-75.0)</b>	69.9% (66.7-72.9)	76.0% (73.4-78.5)
12th	<b>64.3%</b> <b>(61.1-67.3)</b>	66.3% (62.0-70.3)	62.6% (57.8-67.0)	<b>85.5%</b> <b>(83.1-87.7)</b>	86.4% (83.0-89.3)	84.7% (81.0-87.8)	<b>79.5%</b> <b>(77.0-81.9)</b>	79.7% (76.0-83.0)	79.4% (75.6-82.7)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>51.7%</b> <b>(50.1-53.2)</b>	---	---	<b>74.3%</b> <b>(72.9-75.5)</b>	---	---	<b>67.0%</b> <b>(65.6-68.3)</b>	---	---
Hispanic	<b>65.1%</b> <b>(60.5-69.5)</b>	---	---	<b>76.4%</b> <b>(72.6-79.8)</b>	---	---	<b>73.5%</b> <b>(69.6-77.1)</b>	---	---
Other non-Hispanic	<b>47.1%</b> <b>(43.5-50.6)</b>	---	---	<b>64.1%</b> <b>(60.6-67.4)</b>	---	---	<b>58.9%</b> <b>(55.4-62.3)</b>	---	---
<b>Total</b>	<b>53.0%</b> <b>(51.6-54.3)</b>	<b>53.8%</b> <b>(51.9-55.6)</b>	<b>52.3%</b> <b>(50.3-54.2)</b>	<b>73.2%</b> <b>(72.0-74.3)</b>	<b>74.6%</b> <b>(73.0-76.1)</b>	<b>71.8%</b> <b>(70.1-73.5)</b>	<b>66.9%</b> <b>(66.6-68.1)</b>	<b>65.8%</b> <b>(64.0-67.5)</b>	<b>67.9%</b> <b>(66.1-69.6)</b>
<b>CO</b>	---	---	---	---	---	---	---	---	---
<b>US</b>	---	---	---	---	---	---	---	---	---

\*Four best friends in 12 months preceding survey

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Sexual Behaviors - Sexual Intercourse and Sexual Activity</b>						
<b>Table #31</b>	<b>2009 HS YRBS Question #88</b>			<b>2009 HS YRBS Question #92</b>		
	<i>Ever had sexual intercourse</i>			<i>Currently sexually active*</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>12.9%</b> <b>(11.3-14.7)</b>	13.7% (11.4-16.5)	12.1% (10.1-14.5)	<b>9.0%</b> <b>(7.6-10.7)</b>	8.9% (7.0-11.2)	9.2% (7.1-11.7)
10th	<b>24.4%</b> <b>(22.1-26.9)</b>	22.6% (19.3-26.2)	26.3% (22.8-30.0)	<b>15.5%</b> <b>(13.5-17.7)</b>	16.3% (13.5-19.4)	14.7% (11.8-18.0)
11th	<b>41.0%</b> <b>(38.6-43.4)</b>	36.6% (33.1-40.3)	45.5% (42.2-48.8)	<b>29.6%</b> <b>(27.3-32.0)</b>	25.8% (22.5-29.5)	33.5% (30.3-36.7)
12th	<b>62.8%</b> <b>(59.7-65.8)</b>	62.9% (58.6-66.9)	62.8% (58.0-67.3)	<b>46.3%</b> <b>(43.1-49.4)</b>	46.3% (41.9-50.8)	46.2% (41.4-51.1)
<b>Race/Ethnicity</b>						
White non-Hispanic	<b>33.7%</b> <b>(32.2-35.2)</b>	---	---	<b>24.3%</b> <b>(22.9-25.7)</b>	---	---
Hispanic	<b>53.4%</b> <b>(48.6-58.0)</b>	---	---	<b>37.6%</b> <b>(32.9-42.5)</b>	---	---
Other non-Hispanic	<b>29.5%</b> <b>(26.3-33.0)</b>	---	---	<b>19.5%</b> <b>(16.7-22.7)</b>	---	---
<b>Total</b>	<b>35.7%</b> <b>(34.4-36.9)</b>	<b>34.2%</b> <b>(32.4-36.1)</b>	<b>37.1%</b> <b>(35.2-39.1)</b>	<b>25.4%</b> <b>(24.2-26.6)</b>	<b>24.5%</b> <b>(22.8-26.3)</b>	<b>26.2%</b> <b>(24.4-28.1)</b>
<b>CO</b>	<b>40.0%</b> <b>(32.7-47.7)</b>	<b>36.2%</b> <b>(28.1-45.1)</b>	<b>43.7%</b> <b>(36.7-50.9)</b>	<b>27.4%</b> <b>(22.2-33.3)</b>	<b>25.6%</b> <b>(19.5-33.0)</b>	<b>29.1%</b> <b>(23.9-35.0)</b>
<b>US</b>	<b>46.0%</b> <b>(42.9-49.2)</b>	<b>45.7%</b> <b>(43.0-48.5)</b>	<b>46.1%</b> <b>(41.5-50.9)</b>	<b>34.2%</b> <b>(31.9-36.5)</b>	<b>35.6%</b> <b>(33.4-38.0)</b>	<b>32.6%</b> <b>(29.4-36.0)</b>

\*At least 1 sexual partner in past 3 months

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Sexual Behaviors - First Sex and Multiple Sex Partners</b>						
<b>Table #32</b>	<b>2009 HS YRBS Question #90</b>			<b>2009 HS YRBS Question #91</b>		
	<i>First sexual partner was 5 or more years older</i>			<i>Four or more sex partners during lifetime</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>8.4%</b> <b>(5.0-13.5)</b>	***	***	<b>3.1%</b> <b>(2.2-4.3)</b>	3.1% (2.0-4.7)	3.1% (1.8-5.2)
10th	***	***	***	<b>2.9%</b> <b>(2.1-4.0)</b>	***	4.2% (2.9-6.2)
11th	<b>6.8%</b> <b>(4.9-9.2)</b>	5.8% (3.1-10.8)	7.5% (5.4-10.4)	<b>10.4%</b> <b>(8.8-12.4)</b>	6.2% (4.3-8.8)	14.7% (12.1-17.7)
12th	<b>5.7%</b> <b>(3.9-8.4)</b>	***	8.8% (5.6-13.7)	<b>18.5%</b> <b>(16.0-21.4)</b>	20.5% (16.9-24.6)	16.7% (13.1-21.1)
<b>Race/Ethnicity</b>						
White non-Hispanic	<b>3.6%</b> <b>(2.5-5.3)</b>	---	---	<b>7.8%</b> <b>(6.9-8.8)</b>	---	---
Hispanic	<b>8.4%</b> <b>(5.4-12.8)</b>	---	---	<b>17.5%</b> <b>(13.8-21.9)</b>	---	---
Other non-Hispanic	<b>14.4%</b> <b>(10.5-19.3)</b>	---	---	<b>6.2%</b> <b>(4.8-7.9)</b>	---	---
<b>Total</b>	<b>5.8%</b> <b>(4.6-7.2)</b>	<b>4.3%</b> <b>(3.1-6.0)</b>	<b>7.1%</b> <b>(5.3-9.4)</b>	<b>8.9%</b> <b>(8.0-9.8)</b>	<b>8.0%</b> <b>(6.8-9.3)</b>	<b>9.7%</b> <b>(8.4-11.2)</b>
<b>CO</b>	---	---	---	<b>13.8%</b> <b>(10.8-17.4)</b>	<b>11.0%</b> <b>(7.5-16.1)</b>	<b>16.5%</b> <b>(12.9-20.7)</b>
<b>US</b>	---	---	---	<b>13.8%</b> <b>(12.4-15.4)</b>	<b>11.2%</b> <b>(10.1-12.4)</b>	<b>16.2%</b> <b>(13.7-19.1)</b>

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Sexual Behavior - Parent Beliefs</b>									
<b>Table #33</b>	<b>2009 HS YRBS Question #89</b>			<b>2009 HS YRBS Question #97</b>			<b>2009 HS YRBS Question #93</b>		
	<i>First sexual intercourse under age 13</i>			<i>Parents feel it would be wrong for you to have sex</i>			<i>Alcohol or drugs used before last sexual intercourse</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	1.7% (1.2-2.4)	*** ***	2.5% (1.7-3.6)	74.2% (72.0-76.3)	81.6% (78.8-84.1)	67.3% (63.9-70.5)	30.1% (21.9-39.9)	*** ***	*** ***
10th	2.1% (1.4-3.0)	*** ***	2.8% (1.7-4.6)	65.1% (62.4-67.8)	75.5% (71.9-78.8)	55.1% (51.1-59.0)	35.6% (28.8-43.0)	*** ***	*** ***
11th	2.9% (2.2-4.0)	*** ***	4.6% (3.3-6.5)	53.9% (51.5-56.3)	64.3% (60.8-67.7)	43.9% (40.8-47.1)	30.7% (26.1-35.8)	22.4% (16.3-29.9)	37.2% (31.1-43.7)
12th	4.2% (2.9-6.0)	2.8% (1.3-5.8)	5.6% (3.7-8.3)	46.2% (42.9-49.6)	55.0% (50.5-59.5)	38.3% (33.5-43.4)	35.7% (31.1-40.5)	39.9% (33.2-46.9)	31.7% (25.6-38.5)
<b>Race/Ethnicity</b>									
White non-Hispanic	1.7% (1.3-2.2)	--- ---	--- ---	58.4% (56.8-59.9)	--- ---	--- ---	30.3% (27.1-33.7)	--- ---	--- ---
Hispanic	8.1% (5.8-11.4)	--- ---	--- ---	60.1% (55.2-64.8)	--- ---	--- ---	37.8% (30.2-46.0)	--- ---	--- ---
Other non-Hispanic	3.0% (2.0-4.4)	--- ---	--- ---	66.1% (62.5-69.6)	--- ---	--- ---	49.8% (41.1-58.5)	--- ---	--- ---
<b>Total</b>	2.7% (2.3-3.3)	1.5% (1.0-2.3)	3.9% (3.2-4.8)	59.7% (58.3-61.0)	69.0% (67.1-70.8)	50.9% (48.9-53.0)	33.8% (30.9-36.8)	33.3% (29.3-37.7)	34.2% (30.2-38.4)
<b>CO</b>	4.6% (3.3-6.3)	2.7% (1.5-4.8)	6.4% (4.1-9.7)	---	---	---	24.4% (20.7-28.6)	26.7% (19.6-35.3)	22.6% (16.0-30.8)
<b>US</b>	5.9% (5.1-6.8)	3.1% (2.7-3.6)	8.4% (7.0-10.1)	---	---	---	21.6% (20.0-23.3)	17.1% (15.4-19.0)	25.9% (23.8-28.3)

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Sexual Behaviors - Condoms, Birth Control, and Pregnancy</b>									
<b>Table #34</b>	<b>2009 HS YRBS Question #94</b>			<b>2009 HS YRBS Question #95</b>			<b>2009 HS YRBS Question #96</b>		
	<i>Condom use during last sexual intercourse</i>			<i>Birth control pills at last sexual intercourse</i>			<i>Has been pregnant or gotten someone pregnant</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	*** ***	*** ***	*** ***	*** ***	*** ***	*** ***	<b>2.1%</b> <b>(1.3-3.4)</b>	*** ***	2.8% (1.5-5.1)
10th	<b>63.7%</b> <b>(56.0-70.7)</b>	*** ***	*** ***	<b>17.8%</b> <b>(12.4-24.8)</b>	*** ***	*** ***	<b>1.9%</b> <b>(1.2-2.9)</b>	2.4% (1.3-4.3)	*** ***
11th	<b>62.4%</b> <b>(57.3-67.2)</b>	53.7% (45.7-61.6)	69.2% (62.9-74.9)	<b>28.6%</b> <b>(24.5-33.0)</b>	35.6% (28.4-43.4)	23.1% (18.5-28.5)	<b>2.5%</b> <b>(1.6-3.7)</b>	2.0% (0.9-4.2)	3.0% (1.9-4.6)
12th	<b>63.1%</b> <b>(57.7-68.1)</b>	60.0% (52.9-66.8)	65.9% (57.7-73.1)	<b>37.5%</b> <b>(32.7-42.5)</b>	38.3% (32.0-45.0)	36.7% (29.5-44.6)	<b>4.6%</b> <b>(3.2-6.7)</b>	2.6% (1.2-5.4)	6.5% (4.1-10.1)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>64.8%</b> <b>(61.1-68.3)</b>	---	---	<b>36.1%</b> <b>(32.6-39.8)</b>	---	---	<b>1.8%</b> <b>(1.3-2.4)</b>	---	---
Hispanic	<b>59.5%</b> <b>(50.2-68.2)</b>	---	---	<b>15.7%</b> <b>(10.9-22.2)</b>	---	---	<b>9.0%</b> <b>(6.3-12.8)</b>	---	---
Other non-Hispanic	<b>60.6%</b> <b>(52.1-68.6)</b>	---	---	<b>20.2%</b> <b>(14.4-27.7)</b>	---	---	<b>2.1%</b> <b>(1.3-3.4)</b>	---	---
<b>Total</b>	<b>63.3%</b> <b>(60.0-66.4)</b>	<b>58.5%</b> <b>(54.0-62.8)</b>	<b>67.8%</b> <b>(63.0-72.2)</b>	<b>30.4%</b> <b>(27.6-33.3)</b>	<b>33.8%</b> <b>(29.9-38.0)</b>	<b>27.2%</b> <b>(23.2-31.6)</b>	<b>2.8%</b> <b>(2.3-3.5)</b>	<b>2.1%</b> <b>(1.5-3.0)</b>	<b>3.5%</b> <b>(2.6-4.6)</b>
<b>CO</b>	<b>63.2%</b> <b>(56.7-69.2)</b>	<b>59.0%</b> <b>(48.5-68.8)</b>	<b>66.6%</b> <b>(59.7-72.8)</b>	<b>22.3%</b> <b>(15.4-31.1)</b>	<b>25.6%</b> <b>(17.2-36.3)</b>	<b>19.4%</b> <b>(12.8-28.2)</b>	---	---	---
<b>US</b>	<b>61.1%</b> <b>(59.0-63.1)</b>	<b>53.9%</b> <b>(51.4-56.4)</b>	<b>68.6%</b> <b>(66.0-71.2)</b>	<b>19.8%</b> <b>(17.4-22.5)</b>	<b>23.0%</b> <b>(19.8-26.6)</b>	<b>16.5%</b> <b>(13.6-19.9)</b>	---	---	---

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Body Weight - Overweight</b>									
<b>Table #35</b>	<b>2009 HS YRBS Question #2.3</b>			<b>2009 HS YRBS Question #2.3</b>			<b>2009 HS YRBS Question #98</b>		
	<i>Overweight*</i>			<i>Obese*</i>			<i>Thought they were overweight</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>8.7%</b> <b>(7.3-10.3)</b>	5.6% (4.1-7.4)	11.8% (9.6-14.5)	<b>3.1%</b> <b>(2.3-4.2)</b>	*** ***	4.9% (3.5-6.6)	<b>16.0%</b> <b>(14.2-18.0)</b>	21.1% (18.4-24.2)	11.1% (9.0-13.7)
10th	<b>6.9%</b> <b>(5.6-8.6)</b>	3.6% (2.3-5.8)	10.3% (8.0-13.0)	<b>3.5%</b> <b>(2.6-4.7)</b>	3.9% (2.8-5.5)	3.1% (1.8-5.1)	<b>16.8%</b> <b>(14.8-19.1)</b>	19.4% (16.4-22.9)	14.3% (11.8-17.4)
11th	<b>10.3%</b> <b>(8.7-12.2)</b>	10.6% (8.0-13.8)	10.1% (8.2-12.3)	<b>2.8%</b> <b>(2.1-3.9)</b>	*** ***	5.0% (3.6- 7.0)	<b>20.9%</b> <b>(18.9-23.1)</b>	24.7% (21.5-28.2)	17.3% (15.0-20.0)
12th	<b>10.3%</b> <b>(8.4-12.6)</b>	8.1% (5.9-11.1)	12.5% (9.4-16.4)	<b>3.4%</b> <b>(2.2- 5.2)</b>	3.0% (1.6-5.6)	3.8% (2.1- 6.9)	<b>21.8%</b> <b>(19.2-24.7)</b>	29.3% (25.4-33.7)	15.0% (11.9-18.8)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>6.9%</b> <b>(6.2-7.8)</b>	---	---	<b>2.7%</b> <b>(2.2-3.3)</b>	---	---	<b>16.3%</b> <b>(15.1-17.5)</b>	---	---
Hispanic	<b>22.5%</b> <b>(18.6-27.0)</b>	---	---	<b>6.9%</b> <b>(4.8-10.0)</b>	---	---	<b>28.6%</b> <b>(24.5-33.1)</b>	---	---
Other non-Hispanic	<b>7.7%</b> <b>(5.9-10.0)</b>	---	---	<b>2.5%</b> <b>(1.5-4.2)</b>	---	---	<b>23.7%</b> <b>(20.6-27.1)</b>	---	---
<b>Total</b>	<b>9.0%</b> <b>(8.2- 9.9)</b>	<b>6.9%</b> <b>(5.9-8.1)</b>	<b>11.2%</b> <b>(9.9-12.6)</b>	<b>3.2%</b> <b>(2.7-3.8)</b>	<b>2.3%</b> <b>(1.7-3.0)</b>	<b>4.2%</b> <b>(3.4-5.2)</b>	<b>18.9%</b> <b>(17.8-20.1)</b>	<b>23.7%</b> <b>(22.0-25.5)</b>	<b>14.5%</b> <b>(13.1-15.9)</b>
<b>CO</b>	<b>11.1%</b> <b>(9.6-12.8)</b>	<b>10.4%</b> <b>(8.0-13.5)</b>	<b>11.7%</b> <b>(9.1-14.9)</b>	<b>7.1%</b> <b>(5.2-9.5)</b>	<b>5.4%</b> <b>(3.3-8.8)</b>	<b>8.6%</b> <b>(6.0-12.0)</b>	<b>21.9%</b> <b>(19.0-25.1)</b>	<b>26.1%</b> <b>(21.4-31.4)</b>	<b>18.0%</b> <b>(14.4-22.3)</b>
<b>US</b>	<b>15.8%</b> <b>(14.7-17.0)</b>	<b>15.9%</b> <b>(14.8-17.0)</b>	<b>15.7%</b> <b>(14.4-17.2)</b>	<b>12.0%</b> <b>(10.9-13.1)</b>	<b>8.3%</b> <b>(7.5-9.1)</b>	<b>15.3%</b> <b>(13.3-17.5)</b>	<b>27.7%</b> <b>(26.7-28.6)</b>	<b>33.1%</b> <b>(31.7-34.5)</b>	<b>22.7%</b> <b>(21.4-24.1)</b>

\*Overweight = Body Mass Index (BMI) at or above the 85th percentile and below the 95th percentile; Obese = BMI at or above the 95th percentile

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Body Weight - Weight Loss</b>									
<b>Table #36</b>	<b>2009 HS YRBS Question #99</b>			<b>2009 HS YRBS Question #100</b>			<b>2009 HS YRBS Question #101</b>		
	<i>Attempting weight loss</i>			<i>Exercised to lose weight or avoid gaining weight*</i>			<i>Ate less food, fewer calories, or foods low in fat to avoid weight gain*</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>30.6%</b> <b>(28.5-32.9)</b>	40.1% (36.8-43.6)	21.6% (19.1-24.3)	<b>46.5%</b> <b>(44.0-48.9)</b>	56.4% (52.9-59.7)	37.0% (33.8-40.4)	<b>24.3%</b> <b>(22.3-26.5)</b>	33.3% (30.2-36.6)	15.9% (13.4-18.6)
10th	<b>32.7%</b> <b>(30.0-35.6)</b>	44.9% (40.8-49.1)	20.9% (17.7-24.5)	<b>55.0%</b> <b>(52.1-57.8)</b>	66.6% (62.6-70.4)	43.8% (39.9-47.8)	<b>25.9%</b> <b>(23.4-28.5)</b>	35.4% (31.5-39.5)	16.8% (14.0-20.0)
11th	<b>38.2%</b> <b>(35.9-40.6)</b>	52.0% (48.5-55.5)	25.0% (22.1-28.0)	<b>57.4%</b> <b>(55.1-59.8)</b>	71.4% (68.1-74.6)	44.0% (40.8-47.4)	<b>37.8%</b> <b>(35.5-40.3)</b>	52.2% (48.7-55.8)	24.0% (21.4-26.9)
12th	<b>35.4%</b> <b>(32.3-38.7)</b>	52.2% (47.6-56.8)	20.5% (16.6-25.1)	<b>51.8%</b> <b>(48.4-55.2)</b>	64.6% (59.9-69.0)	40.4% (35.5-45.6)	<b>34.9%</b> <b>(31.9-38.1)</b>	55.4% (50.8-59.9)	17.1% (13.3-21.6)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>32.9%</b> <b>(31.4-34.4)</b>	---	---	<b>52.4%</b> <b>(50.8-54.0)</b>	---	---	<b>30.0%</b> <b>(28.6-31.4)</b>	---	---
Hispanic	<b>47.3%</b> <b>(42.5-52.2)</b>	---	---	<b>58.2%</b> <b>(53.4-62.8)</b>	---	---	<b>40.7%</b> <b>(36.1-45.4)</b>	---	---
Other non-Hispanic	<b>28.8%</b> <b>(25.5-32.3)</b>	---	---	<b>47.0%</b> <b>(43.4-50.7)</b>	---	---	<b>25.0%</b> <b>(21.9-28.4)</b>	---	---
<b>Total</b>	<b>34.2%</b> <b>(32.9-35.6)</b>	<b>47.3%</b> <b>(45.3-49.3)</b>	<b>21.9%</b> <b>(20.3-23.7)</b>	<b>52.6%</b> <b>(51.2-54.0)</b>	<b>64.7%</b> <b>(62.8-66.6)</b>	<b>41.3%</b> <b>(39.3-43.3)</b>	<b>30.7%</b> <b>(29.5-32.0)</b>	<b>44.1%</b> <b>(42.2-46.0)</b>	<b>18.3%</b> <b>(16.7-20.0)</b>
<b>CO</b>	<b>38.6%</b> <b>(35.7-41.5)</b>	<b>52.8%</b> <b>(48.6-57.0)</b>	<b>24.8%</b> <b>(20.7-29.5)</b>	<b>58.6%</b> <b>(54.9-62.2)</b>	<b>68.7%</b> <b>(65.1-72.0)</b>	<b>49.2%</b> <b>(42.8-55.7)</b>	<b>32.4%</b> <b>(30.0-35.0)</b>	<b>43.6%</b> <b>(40.2-47.1)</b>	<b>21.5%</b> <b>(17.4-26.4)</b>
<b>US</b>	<b>44.4%</b> <b>(42.8-46.0)</b>	<b>59.3%</b> <b>(57.5-61.2)</b>	<b>30.5%</b> <b>(28.9-32.3)</b>	<b>61.5%</b> <b>(60.2-62.8)</b>	<b>67.9%</b> <b>(65.8-69.8)</b>	<b>55.7%</b> <b>(54.3-57.1)</b>	<b>39.5%</b> <b>(38.2-41.0)</b>	<b>51.6%</b> <b>(49.6-53.5)</b>	<b>28.4%</b> <b>(27.0-29.9)</b>

\*During the 30 days preceding the survey

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Body Weight - Unhealthy Weight Loss Practices</b>									
<b>Table #37</b>	<b>2009 HS YRBS Question #102</b>			<b>2009 HS YRBS Question #103</b>			<b>2009 HS YRBS Question #104</b>		
	<i>Fasting 24 hours or more to lose weight or to avoid gaining weight*</i>			<i>Took diet pills, powders, or liquids to lose weight or to avoid gaining weight**</i>			<i>Vomited or took laxatives to lose weight or to avoid gaining weight*</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>6.2%</b> <b>(5.0-7.7)</b>	10.1% (8.0-12.6)	2.6% (1.6-4.3)	<b>2.8%</b> <b>(2.0-4.0)</b>	3.6% (2.5-5.3)	2.0% (1.0-4.0)	<b>2.4%</b> <b>(1.7-3.4)</b>	2.6% (1.7-4.0)	2.2% (1.2-3.9)
10th	<b>3.9%</b> <b>(3.0-5.2)</b>	4.1% (2.9-5.7)	3.8% (2.4-5.9)	<b>1.1%</b> <b>(0.7-1.8)</b>	2.2% (1.4-3.7)	*** ***	<b>2.7%</b> <b>(2.0-3.7)</b>	4.0% (2.9-5.7)	*** ***
11th	<b>8.4%</b> <b>(7.1-9.9)</b>	12.2% (10.0-14.7)	4.8% (3.5-6.4)	<b>5.3%</b> <b>(4.2-6.7)</b>	6.6% (5.0-8.7)	4.0% (2.7-6.0)	<b>5.4%</b> <b>(4.2-6.8)</b>	6.3% (4.6-8.5)	4.5% (3.1-6.6)
12th	<b>6.1%</b> <b>(4.8-7.8)</b>	10.8% (8.2-14.0)	2.0% (1.1-3.6)	<b>5.0%</b> <b>(3.6-6.9)</b>	5.1% (3.4-7.6)	4.9% (3.0-7.9)	<b>5.0%</b> <b>(3.8-6.7)</b>	7.9% (5.8-10.7)	2.5% (1.3-4.8)
<b>Race/Ethnicity</b>									
White non-Hispanic	<b>5.4%</b> <b>(4.7-6.1)</b>	---	---	<b>2.8%</b> <b>(2.3-3.4)</b>	---	---	<b>3.1%</b> <b>(2.5-3.7)</b>	---	---
Hispanic	<b>8.4%</b> <b>(6.4-10.9)</b>	---	---	<b>7.8%</b> <b>(5.6-10.9)</b>	---	---	<b>6.3%</b> <b>(4.5-8.8)</b>	---	---
Other non-Hispanic	<b>7.7%</b> <b>(5.9-10.0)</b>	---	---	<b>3.2%</b> <b>(2.3-4.5)</b>	---	---	<b>5.3%</b> <b>(3.8-7.4)</b>	---	---
<b>Total</b>	<b>6.1%</b> <b>(5.5-6.8)</b>	<b>9.2%</b> <b>(8.1-10.5)</b>	<b>3.2%</b> <b>(2.6-4.0)</b>	<b>3.5%</b> <b>(3.0-4.2)</b>	<b>4.4%</b> <b>(3.6-5.3)</b>	<b>2.8%</b> <b>(2.1-3.7)</b>	<b>3.9%</b> <b>(3.3-4.5)</b>	<b>5.2%</b> <b>(4.4-6.2)</b>	<b>2.6%</b> <b>(2.0-3.4)</b>
<b>CO</b>	<b>9.8%</b> <b>(8.6-11.2)</b>	<b>14.5%</b> <b>(12.6-16.7)</b>	<b>5.3%</b> <b>(3.6-7.5)</b>	<b>4.7%</b> <b>(3.8-5.8)</b>	<b>5.8%</b> <b>(4.5-7.6)</b>	<b>3.4%</b> <b>(2.2-5.3)</b>	<b>3.6%</b> <b>(2.7-4.6)</b>	<b>4.6%</b> <b>(3.2-6.5)</b>	<b>2.6%</b> <b>(1.4-4.7)</b>
<b>US</b>	<b>10.6%</b> <b>(9.7-11.5)</b>	<b>14.5%</b> <b>(13.4-15.7)</b>	<b>6.9%</b> <b>(6.0-7.9)</b>	<b>5.0%</b> <b>(4.5-5.5)</b>	<b>6.3%</b> <b>(5.7-7.0)</b>	<b>3.8%</b> <b>(3.2-4.5)</b>	<b>4.0%</b> <b>(3.5-4.4)</b>	<b>5.4%</b> <b>(4.8-6.0)</b>	<b>2.6%</b> <b>(2.1-3.2)</b>

\*During the 30 days preceding the survey

\*\*During the 30 days preceding the survey

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Physical Activity and Rest</b>						
<b>Table #38</b>	<b>2009 HS YRBS Question #105</b>			<b>2009 HS YRBS Question #108</b>		
	<i>Participated in vigorous physical activity*</i>			<i>Sleeps 8 or more hours on a school night</i>		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	<b>75.8%</b> <b>(73.6-77.9)</b>	73.2% (69.9-76.2)	78.3% (75.2-81.2)	<b>47.2%</b> <b>(44.7-49.6)</b>	46.3% (43.0-49.8)	47.9% (44.5-51.4)
10th	<b>71.0%</b> <b>(68.3-73.6)</b>	65.2% (61.2-69.0)	76.6% (73.0-79.9)	<b>45.9%</b> <b>(43.0-48.9)</b>	45.3% (41.2-49.4)	46.6% (42.5-50.6)
11th	<b>70.2%</b> <b>(67.9-72.4)</b>	69.5% (66.0-72.7)	70.9% (67.8-73.8)	<b>33.9%</b> <b>(31.7-36.2)</b>	26.2% (23.3-29.4)	41.4% (38.2-44.6)
12th	<b>69.0%</b> <b>(65.8-72.1)</b>	66.3% (61.6-70.6)	71.5% (66.8-75.6)	<b>31.0%</b> <b>(28.1-34.1)</b>	24.6% (21.3-28.3)	36.7% (32.2-41.4)
<b>Race/Ethnicity</b>						
White non-Hispanic	<b>72.9%</b> <b>(71.4-74.3)</b>	---	---	<b>39.1%</b> <b>(37.5-40.6)</b>	---	---
Hispanic	<b>65.4%</b> <b>(61.0-69.5)</b>	---	---	<b>41.5%</b> <b>(37.3-45.9)</b>	---	---
Other non-Hispanic	<b>69.9%</b> <b>(66.3-73.4)</b>	---	---	<b>38.9%</b> <b>(35.4-42.5)</b>	---	---
<b>Total</b>	<b>71.5%</b> <b>(70.2-72.2)</b>	<b>68.5%</b> <b>(66.6-70.3)</b>	<b>74.3%</b> <b>(72.5-76.0)</b>	<b>39.4%</b> <b>(38.1-40.7)</b>	<b>35.5%</b> <b>(33.7-37.4)</b>	<b>43.0%</b> <b>(41.0-45.0)</b>
<b>CO</b>	---	---	---	---	---	---
<b>US</b>	---	---	---	<b>30.9%</b> <b>(29.3-32.5)</b>	<b>28.2%</b> <b>(26.6-29.9)</b>	<b>33.3%</b> <b>(31.6-35.1)</b>

\*For at least 60 minutes on 3 or more of the 7 days preceding the survey. CO and US surveys categorize this question differently, so these data are not reported here.

\*\*\* Numerator <3 and/or denominator <30

--- Not available

**2009 Boulder County Youth Risk Behavior Survey  
BVSD High School Results**

<b>Screen Time</b>						
<b>Table #39</b>	<b>2009 HS YRBS Question #106</b>			<b>2009 HS YRBS Question #107</b>		
	3 or more hours of TV per day*			3 or more hours of video/computer games per day*		
<b>Grade</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Female</b>	<b>Male</b>
9th	16.5% (14.7-18.4)	10.9% (8.9-13.2)	21.8% (18.9-25.0)	16.5% (14.7-18.4)	12.2% (10.1-14.5)	20.5% (17.8-23.6)
10th	14.3% (12.3-16.5)	10.8% (8.3-14.0)	17.6% (14.7-20.9)	15.3% (13.3-17.7)	11.4% (8.9-14.5)	19.0% (15.9-22.6)
11th	17.0% (15.2-18.9)	13.8% (11.4-16.5)	20.0% (17.5-22.8)	20.3% (18.4-22.8)	13.0% (10.8-15.5)	27.4% (24.5-30.4)
12th	16.0% (13.5-18.9)	13.4% (10.5-17.0)	18.3% (14.5-22.8)	17.7% (15.3-20.3)	16.3% (13.0-20.3)	18.9% (15.7-22.7)
<b>Race/Ethnicity</b>						
White non-Hispanic	13.4% (12.3-14.5)	---	---	15.6% (14.4-16.8)	---	---
Hispanic	27.7% (23.5-32.4)	---	---	20.2% (17.2-23.6)	---	---
Other non-Hispanic	17.5% (14.9-20.5)	---	---	24.0% (20.8-27.4)	---	---
<b>Total</b>	15.9% (14.9-17.0)	12.2% (10.9-13.7)	19.4% (17.7-21.1)	17.4% (16.4-18.5)	13.2% (11.9-14.7)	21.3% (19.8-23.0)
<b>CO</b>	25.1% (21.8-28.7)	20.5% (17.3-24.2)	29.7% (25.5-34.4)	18.4% (15.6-21.4)	13.2% (10.8-16.0)	23.3% (18.8-28.6)
<b>US</b>	32.8% (30.4-35.3)	32.1% (29.9-34.4)	33.5% (29.9-37.2)	24.9% (22.9-27.0)	21.2% (19.4-23.1)	28.3% (25.1-31.8)

\*On an average school day

\*\*\* Numerator <3 and/or denominator <30

--- Not available